Subject Index
July–December 2005

July, pp. 1–104; August, pp. 105–216; September, pp. 217–304; October, pp. 305–392; November, pp. 393–480; December, pp. 481–630.

A

Abdomen, radiography. *See* Radiography, abdominal

Abdomen, ultrasonography
Can emergency physicians positively predict acute appendicitis on focused right lower quadrant ultrasound? (Nelson et al). 2005;46:S27–S28 (Research Forum abstracts)
Predictive value of point-of-care, limited ultrasonography for trauma using the focused assessment with sonography in trauma scanning technique with a hemoperitoneum score in assessing the need for operative care in torso trauma patients (Melniker and Briggs). 2005;46:S112 (Research Forum abstracts)
Ultrasound screening for abdominal aortic aneurysm in the emergency department in an asymptomatic patient population (Romisher and Cheatham). 2005;46:S51–S52 (Research Forum abstracts)
The unusual effect of patient positioning on the focused abdominal sonography for trauma exam (Coon et al). 2005;46:S28 (Research Forum abstracts)

Abdominal injuries, diagnosis
Predictive value of point-of-care, limited ultrasonography for trauma using the focused assessment with sonography in trauma scanning technique with a hemoperitoneum score in assessing the need for operative care in torso trauma patients (Melniker and Briggs). 2005;46:S112 (Research Forum abstracts)
The unusual effect of patient positioning on the focused abdominal sonography for trauma exam (Coon et al). 2005;46:S28 (Research Forum abstracts)

Abdominal pain
Age is not associated with increased admission rates, hospital length-of-stay, or mortality in elderly emergency department patients presenting with undifferentiated abdominal pain (Lee et al). 2005;46:S118 (Research Forum abstracts)
Emergency department patients are willing to complete self-report forms while waiting to be seen (Bastani et al). 2005;46:S92 (Research Forum abstracts)
Prospective evaluation of satisfaction with emergency department analgesia in patients with acute undifferentiated abdominal pain (Marinsek et al). 2005;46:S49 (Research Forum abstracts)

Abdominal pain, diagnosis
[Acute rectus sheath hematoma] (Raven and Hoffman). 2005;46:558, 562 (Images in emergency medicine)
Comparison of oral and rectal temperature in adult patients with non-specific abdominal pain (Gerhardt and Kernan). 2005;46:S37 (Research Forum abstracts)
The role of stool assessment for gross and occult blood for the prediction of need for urgent intervention in non-specific abdominal pain (Gerhardt and Kernan). 2005;46:S37–S38 (Research Forum abstracts)
Routine versus selective computed tomography in the evaluation of right lower quadrant pain in the emergency department (Lee et al). 2005;46:S81 (Research Forum abstracts)
Standardized approach for assessment and investigation of undifferentiated abdominal pain (UDAP) (Alshinkity et al). 2005;46:S121 (Research Forum abstracts)
Utility of the digital rectal examination as a diagnostic predictor variable in the presentation of undifferentiated abdominal pain (Lanigan et al). 2005;46:S81 (Research Forum abstracts)
Utility of the ED pelvic exam: results of a prospective pilot study (Brown et al). 2005;46:S38 (Research Forum abstracts)

Abscess
Incidence, susceptibility, and antibiotic use in emergency department community-acquired methicillin-resistant *Staphylococcus aureus* (CA-MRSA) abscesses (Veser et al). 2005;46:S16 (Research Forum abstracts)

Abstracts
Abstracts. 2005;46:99–100, 209–11, 388–90, 474–8, 563–564

Academic medical centers
Comparison of analgesia in an academic emergency department in 1999 and 2003 (Fosnocht et al). 2005;46:S50 (Research Forum abstracts)
Effect of a medical student rotation in emergency ultrasound on the number of scans performed by faculty and residents (Waters et al). 2005;46:S80 (Research Forum abstracts)
Is your pneumonia patient getting antibiotics within 4 hours? It's less likely if you practice in a large, urban teaching hospital (Mitchiner). 2005;46:S98 (Research Forum abstracts)
The true cost of medical student education: an examination of the loss of clinical revenue in the emergency department (Harris et al). 2005;46:S109 (Research Forum abstracts)

Access to health care. *See* Health services accessibility

Accidental falls
Assessing risk of falls among geriatric patients presenting to the emergency department (Dohrenwood et al). 2005;46:S118 (Research Forum abstracts)

Accidents, home
Reduction of home injury hazards by home visiting program: a randomized controlled trial (Rehmani). 2005;46:S86 (Research Forum abstracts)

Accidents, traffic
A clinical decision rule to exclude thoracic aortic imaging in patients with blunt chest trauma following motor vehicle collisions (Ungar et al). 2005;46:S110 (Research Forum abstracts)
Commentary: emergency department patients and crash test dummies: what do they have in common? (Sochor and Rupp). 2005;46:169–71 (NHTSA notes commentary)
Comparison of rural and urban ambulance crashes in Pennsylvania (Ray and Kupas). 2005;46:S113 (Research Forum abstracts)
Counting road traffic deaths and injuries: poor data should not detract from doing something! (Peden and Toroyan). 2005;46:158–60 (Editorial)
Knee-thigh-hip injuries in frontal crashes (National Highway Traffic Safety Administration). 2005;46:168–9 (NHTSA notes)
A positive blood alcohol concentration is the main predictor of recurrent motor vehicle crash (Fabbri et al). 2005;46:161–7
Road traffic injuries in Lazio, Italy: a descriptive analysis from an emergency department–based surveillance system (Rossi et al). 2005;46:152–7 (Brief research report)
Road traffic injuries in the elderly (Lee and Carmaron). 2005;46:S36 (Research Forum abstracts)

Acetabulum, injuries
Bilateral acetabular fractures associated with a seizure: a case report (Friedburg and Buras). 2005;46:260–2 (Case report)

Acetaminophen
Is the combination of ibuprofen and acetaminophen a better pediatric antipyretic than ibuprofen alone? (Tenison et al). 2005;46:S54 (Research Forum abstracts)
Randomized double-blind trial comparing oral paracetamol and oral nonsteroidal antiinflammatory drugs for treating pain after musculoskeletal injury (Woo et al). 2005;46:352–61

Acetaminophen, poisoning
The accuracy of the patient history: amount of the overdose (Henson et al). 2005;46:S37 (Research Forum abstracts)
Acetaminophen nomogram versus Buckley categories to predict overdose outcome (Martin et al). 2005;46:S50 (Research Forum abstracts)
N-Acetylcysteine is often needed in cases of prescription narcotic abuse in young adults (Tudor et al). 2005;46:S35 (Research Forum abstracts)
Inhalational intravenous *N*-acetylcysteine use in children for acetaminophen toxicity (Feng and Stephan). 2005;46:S91 (Research Forum abstracts)
A new acetaminophen nomogram with a different purpose (Bond). 2005;46:272–4 (Editorial)
A risk quantification instrument for acute acetaminophen overdose patients treated with *N*-acetylcysteine (Sivilotti et al). 2005;46:263–71

Acetylcysteine
N-Acetylcysteine is often needed in cases of prescription narcotic abuse in young adults (Tudor et al). 2005;46:S35 (Research Forum abstracts)

Inhalational intravenous *N*-acetylcysteine use in children for acetaminophen toxicity (Feng and Stephan). 2005;46:S91 (Research Forum abstracts)
Intravenous administration of *N*-acetylcysteine: oral and parenteral formulations are both acceptable (Lavonas et al). 2005;46:207–8 (Correspondence)
Intravenous administration of *N*-acetylcysteine (Crouch and Rusho); (Lavonas et al). 2005;46: 207–8 (Correspondence)
A new acetaminophen nomogram with a different purpose (Bond). 2005;46:272–4 (Editorial)
A risk quantification instrument for acute acetaminophen overdose patients treated with *N*-acetylcysteine (Sivilotti et al). 2005;46: 263–71

Acid-base equilibrium
Prognostic value of an initial strong ion gap in critically ill patients in the emergency department (Kim). 2005;46:S104–S105 (Research Forum abstracts)

Activated charcoal. *See* Charcoal

Acute coronary syndromes. *See* Coronary disease

Adaptation, physiological
[Synypnea] (Goyal et al). 2005;46:469 (Images in emergency medicine)

Administrative personnel
Role of state EMS medical director (American College of Emergency Physicians). 2005;46: 103 (Policy statement)

Adolescent
Bilateral calcaneal fractures and "free running": a dangerously cool emerging "sport" (Frumkin). 2005;46:300 (Correspondence)

Adrenergic beta-antagonists
Patterns and correlates of acute (<24 hours) use of beta-blockers for non-ST-segment elevation acute coronary syndromes: results from the CRUSADE initiative (Miller et al). 2005;46: S59–S60 (Research Forum abstracts)

Advance directives
Finding advance directives in neverland: does saying goodbye grow easier with time? (Schears et al). 2005;46:S20 (Research Forum abstracts)

Advisory committees
Commentary: older driver safety: why emergency physicians should care about medical advisory boards (Silverstein). 2005;46:377–9 (NHTSA notes commentary)
State medical advisory boards and driver license reviews (National Highway Traffic Safety Administration). 2005;46:376–7 (NHTSA notes)

Aerospace medicine
Emergencies in space (Summers et al). 2005;46: 177–84 (Concepts)

Aftercare
The chain of survival: is it time for a fifth link? (Garcia et al). 2005;46:S17 (Research Forum abstracts)
Factors associated with compliance to community-based programs in victims of violence (Corbin et al). 2005;46:S97–S98 (Research Forum abstracts)
Factors associated with 'no-shows' for medical clinic appointments made from the emergency department (Naderi et al). 2005;46:S113 (Research Forum abstracts)
Inadequate follow-up controller medications among patients with asthma who visit the emergency department (Cydulka et al). 2005; 46:316–22
Patient follow-up after negative lower extremity ultrasound for deep venous thrombosis (McIlrath et al). 2005;46:S53 (Research Forum abstracts)

Aged
Age is associated with hospital length-of-stay but not with admission rates, anemia, or mortality in emergency department patients with elevated international normalization ratios (Lee et al). 2005;46:S117 (Research Forum abstracts)
Age is not associated with increased admission rates, hospital length-of-stay, or mortality in elderly emergency department patients presenting with undifferentiated abdominal pain (Lee et al). 2005;46:S118 (Research Forum abstracts)
Assessing risk of falls among geriatric patients presenting to the emergency department (Dohrenwood et al). 2005;46:S118 (Research Forum abstracts)
Assessment and management of chest pain in the septuagenarian population in the emergency department chest pain unit setting (Raghavan et al). 2005;46:S43 (Research Forum abstracts)
Cefepime versus traditional antibiotic therapy in the treatment of nursing home acquired pneumonia: a pilot study (O'Sullivan et al). 2005;46:S19–S20 (Research Forum abstracts)
Cervical spine fractures in the elderly (Later et al). 2005;46:S66 (Research Forum abstracts)
The clinical characteristics of organophosphate intoxication in geriatric patients (Kim). 2005; 46:S19 (Research Forum abstracts)
Commentary: older driver safety: why emergency physicians should care about medical advisory boards (Silverstein). 2005;46:377–9 (NHTSA notes commentary)
Determinants of acute coronary syndromes in the elderly population (Han et al). 2005;46:S9 (Research Forum abstracts)
Diagnosing pneumonia in nursing home patients: the utility or futility of chest x-ray and blood cultures (Ryder and O'Neil). 2005;46: S20 (Research Forum abstracts)
Does it predict femur fracture by biochemical marker and bone mineral density? (Lee et al). 2005;46:S118 (Research Forum abstracts)
Emergency department utilization: characterization and comparison of visits by minority versus non-minority elderly populations (Marquez et al). 2005;46:S19 (Research Forum abstracts)
The etiology of cerebrovascular accidents in geriatric population (Lee et al). 2005;46:S63 (Research Forum abstracts)
Older emergency department patients with acute myocardial infarction receive lower quality of care than younger patients (Magid et al). 2005; 46:14–21
Patients at extremes of age are less likely to receive narcotic prescriptions for clavicle fractures (Dohrenwood et al). 2005;46:S65 (Research Forum abstracts)
Road traffic injuries in the elderly (Lee and Carmaron). 2005;46:S36 (Research Forum abstracts)
Serum B-type natriuretic peptide (BNP) level in geriatric heart failure (Kim). 2005;46:S19 (Research Forum abstracts)
Thrombolysis in the elderly with S-T segment elevation myocardial infarction in a district general hospital (Ritchie et al). 2005;46:S42 (Research Forum abstracts)
Validity of the Emergency Severity Index© (v.3) triage algorithm in a geriatric population (Baumann and Strout). 2005;46:S118 (Research Forum abstracts)

Aged, 80 and over
Finding advance directives in neverland: does saying goodbye grow easier with time? (Schears et al). 2005;46:S20 (Research Forum abstracts)
Prescription use and survival among nonagenarians presenting to the emergency department (Mooney et al). 2005;46:S117 (Research Forum abstracts)

Age factors
Age is associated with hospital length-of-stay but not with admission rates, anemia, or mortality in emergency department patients with elevated international normalization ratios (Lee et al). 2005;46:S117 (Research Forum abstracts)
Age is not associated with increased admission rates, hospital length-of-stay, or mortality in elderly emergency department patients presenting with undifferentiated abdominal pain (Lee et al). 2005;46:S118 (Research Forum abstracts)
Chest radiograph findings of aortic dissection as a function of patients' age, sex and dissection type (Wimpfheimer and Bentancur). 2005;46: S41 (Research Forum abstracts)
Does the patient's age play a role in deciding whether to transport trauma patients to a level one trauma center by air or by ground? (Bollinger et al). 2005;46:S46 (Research Forum abstracts)
The effects of race, age and sex on time to first ECG in patients with acute coronary syndrome (Yates and Hiestand). 2005;46:S10 (Research Forum abstracts)
Older emergency department patients with acute myocardial infarction receive lower quality of care than younger patients (Magid et al). 2005; 46:14–21
Patients at extremes of age are less likely to receive narcotic prescriptions for clavicle fractures (Dohrenwood et al). 2005;46:S65 (Research Forum abstracts)
RSD1235 in the treatment of recent onset atrial fibrillation in ACT I (Atrial Arrhythmia Conversion Trial I)—effect of age, sex, and prior rate control medications (Stiell et al). 2005;46:S115 (Research Forum abstracts)

Agitation, psychomotor. *See* Psychomotor agitation

Agkistrodon
Treating the bite: pediatric review of antivenom treatment in copperhead envenomations (Feng and Stephan). 2005;46:S53 (Research Forum abstracts)
What a bite: review of snakebites in children (Feng and Stephan). 2005;46:S54 (Research Forum abstracts)

Air ambulances
Does the patient's age play a role in deciding whether to transport trauma patients to a level one trauma center by air or by ground? (Bollinger et al). 2005;46:S46 (Research Forum abstracts)
The impact of aeromedical response to patients with moderate to severe traumatic brain injury (Davis et al). 2005;46:115–22

Albumins
Docosahexaenoic acid complexed to human albumin reduces rat brain edema triggered by

traumatic brain injury (Moises et al). 2005;46: S110 (Research Forum abstracts)

Albuterol

Clinical efficacy of racemic albuterol versus levalbuterol for the treatment of acute pediatric asthma (Qureshi et al). 2005;46:29–36

Identifying predictors for accurate diagnosis of acute shortness of breath in prehospital patients treated with albuterol and furosemide (Drummond et al). 2005;46:S61 (Research Forum abstracts)

Alcohol drinking

Breath test refusals in DWI enforcement: an interim report (National Highway Traffic Safety Administration). 2005;46:552–3 (NHTSA notes)

Commentary: reducing drunk driving: what is the role of emergency physicians? (McKay and Garrison). 2005;46:553–5 (NHTSA notes commentary)

Evaluation of a brief intervention in an inner-city emergency department (Bazargan-Hejazi et al). 2005;46:67–76

A positive blood alcohol concentration is the main predictor of recurrent motor vehicle crash (Fabbri et al). 2005;46:161–7

Risk taking behavior discovered in a one date alcohol screening event (Do et al). 2005;46:S94 (Research Forum abstracts)

Testing a model for an emergency department waiting room educational intervention (Schabowski et al). 2005;46:S25 (Research Forum abstracts)

Alcoholism

Alcohol screening in the emergency department (American College of Emergency Physicians). 2005;46:214–15 (Policy statement)

Drug and alcohol use in emergency medicine residency: an impaired resident's perspective (Milling). 2005;46:148–51 (Residents' perspective)

Emergency department screening and brief intervention of alcohol use disorders: how to do it and does it work? (Love et al). 2005;46:S12 (Research Forum abstracts)

A new acetaminophen nomogram with a different purpose (Bond). 2005;46:272–4 (Editorial)

Results of a one day alcohol screening event (Sacks et al). 2005;46:S25 (Research Forum abstracts)

A risk quantification instrument for acute acetaminophen overdose patients treated with *N*-acetylcysteine (Sivilotti et al). 2005;46: 263–71

Amantadine

Are amantadine and rimantadine effective in healthy adults with acute influenza? (Hall and Brown). 2005;46:292–3 (Systematic review abstract)

Ambulances. *See also* Air ambulances; Transportation of patients

Comparison of rural and urban ambulance crashes in Pennsylvania (Ray and Kupas). 2005; 46:S113 (Research Forum abstracts)

An optimal solution for enhancing ambulance transport safety: a real-time driver performance monitoring and feedback device (Levick and Swanson). 2005;46:S112–S113 (Research Forum abstracts)

Ambulatory care

Epidemiologic patterns of injuries treated in ambulatory care settings (Betz and Li). 2005; 46:544–51

Medicare imaging services: the impact of including hospital outpatient services in estimates of growth (Koenig et al). 2005;46:S33 (Research Forum abstracts)

Amiodarone

Effects of amiodarone in a porcine model of tricyclic antidepressant poisoning (Murr et al). 2005;46:S76–S77 (Research Forum abstracts)

Analgesia. *See also* Conscious sedation

The association between perceived pain relief and future ED visits in patients presented to the emergency department with low back pain (Hubbard et al). 2005;46:S74 (Research Forum abstracts)

Comparison of analgesia in an academic emergency department in 1999 and 2003 (Fosnocht et al). 2005;46:S50 (Research Forum abstracts)

Delivery of agents for procedural sedation and analgesia by emergency nurses (American College of Emergency Physicians). 2005;46: 368 (Policy statement)

Do injured pediatric emergency department patients really want analgesics? (Axelband et al). 2005;46:S91 (Research Forum abstracts)

Pain in the emergency department (Reznikova et al). 2005;46:S82 (Research Forum abstracts)

Patient controlled analgesia for hip fractures in the emergency department: a prospective randomized controlled trial (Michael et al). 2005;46:S74 (Research Forum abstracts)

Patient expectations for pain relief in the emergency department (Fosnocht et al). 2005; 46:S49 (Research Forum abstracts)

Patients at extremes of age are less likely to receive narcotic prescriptions for clavicle fractures (Dohrenwood et al). 2005;46:S65 (Research Forum abstracts)

Physician sex and analgesic administration patterns (Todd). 2005;46:S48–S49 (Research Forum abstracts)

Prospective evaluation of satisfaction with emergency department analgesia in patients with acute undifferentiated abdominal pain (Marinsek et al). 2005;46:S49 (Research Forum abstracts)

Analgesics. *See also* Acetaminophen

Addition of post-discharge oral secobarbital to standard emergency department treatment of migraine headache improves pain relief and patient perception of headache resolution (Gerhardt et al). 2005;46:S71–S72 (Research Forum abstracts)

Intravenous morphine at 0.1 mg/kg is not effective for controlling severe acute pain in the majority of patients (Bijur et al). 2005;46: 362–7 (Brief research report)

Is the combination of ibuprofen and acetaminophen a better pediatric antipyretic than ibuprofen alone? (Tenison et al). 2005;46: S54 (Research Forum abstracts)

Patients at extremes of age are less likely to receive narcotic prescriptions for clavicle fractures (Dohrenwood et al). 2005;46:S65 (Research Forum abstracts)

Randomized double-blind trial comparing oral paracetamol and oral nonsteroidal antiinflammatory drugs for treating pain after musculoskeletal injury (Woo et al). 2005;46: 352–61

Will the headaches of pediatric patients respond to bilateral lower cervical intramuscular bupivacaine injections? (Mellick). 2005;46:S91 (Research Forum abstracts)

Anesthesia

Histomorphologic effects of a hand held laser device for assisting topical anesthesia in a porcine model (Singer et al). 2005;46:S68 (Research Forum abstracts)

Institution of a combined rotation in anesthesia and emergency ultrasound in emergency medicine residency programs: a pathway for early dedicated ultrasound experience without compromising intubation experience for PGY-1 emergency medicine residents (Sierzenski et al). 2005;46:S52 (Research Forum abstracts)

Anesthetics, local

Topical anesthetics for dermal instrumentation: a systematic review of randomized, controlled trials (Eidelman et al). 2005;46:343–51

Will the headaches of pediatric patients respond to bilateral lower cervical intramuscular bupivacaine injections? (Mellick). 2005;46:S91 (Research Forum abstracts)

Angina, unstable. *See also* Coronary disease

Patients with evolving myocardial infarction have a significant missed opportunity for earlier treatment: experience from the SYNERGY Trial (Miller et al). 2005;46:S3 (Research Forum abstracts)

Patterns and correlates of acute (<24 hours) use of beta-blockers for non-ST-segment elevation acute coronary syndromes: results from the CRUSADE initiative (Miller et al). 2005;46: S59–S60 (Research Forum abstracts)

Practical implementation of the guidelines for unstable angina/non–ST-segment elevation myocardial infarction in the emergency department (Gibler et al). 2005;46:185–97 (AHA scientific statement)

Angina, unstable, diagnosis

Any troponin elevation is associated with increased mortality in patients with non-ST-elevation acute coronary syndromes despite variations in hospital laboratory assays and presence of renal insufficiency (Cairns et al). 2005;46:S116 (Research Forum abstracts)

Non-ST–segment elevation acute coronary syndrome mortality: an analysis of B-type natriuretic peptide and cardiac troponin (Peacock et al). 2005;46:S3 (Research Forum abstracts)

Angiocardiography

Utility of chest CT angiography and indirect lower extremity CT venography to exclude venous thromboembolism: a prospective study of emergency department patients (Richman et al). 2005;46:S98 (Research Forum abstracts)

Annals of Emergency Medicine

Journal performance report for 2004 (Callaham). 2005;46:1–2 (Journal performance report)

Anoxia

Supplemental oxygen does not prevent hypoxia during ED procedural sedation and analgesia with fentanyl and midazolam (Deitch et al). 2005;46:S73 (Research Forum abstracts)

Anthrax

Anthrax scare 2005, Washington, DC: operational issues in chemoprophylaxis (Hardeman et al). 2005;46:560 (Correspondence)

The impact of pretest probability upon radiograph interpretation: anthrax and mediastinal widening (Miller et al). 2005;46: S70 (Research Forum abstracts)

Anti-arrhythmia agents
RSD1235 in the treatment of recent onset atrial fibrillation in ACT I (Atrial Arrhythmia Conversion Trial I)—effect of age, sex, and prior rate control medications (Stiell et al). 2005;46:S115 (Research Forum abstracts)
Anti-bacterial agents
Application of literature based exclusion criteria to an implementation of the "4-hour rule" for antibiotic administration in pneumonia (Maroun et al). 2005;46:S16 (Research Forum abstracts)
Cefepime versus traditional antibiotic therapy in the treatment of nursing home acquired pneumonia: a pilot study (O'Sullivan et al). 2005;46:S19–S20 (Research Forum abstracts)
ED presentation of dyspnea in HF patients results in increased hospital stay and medication costs (Milzman et al). 2005;46:S38–S29 (Research Forum abstracts)
Incidence, susceptibility, and antibiotic use in emergency department community-acquired methicillin-resistant *Staphylococcus aureus* (CA-MRSA) abscesses (Veser et al). 2005;46: S16 (Research Forum abstracts)
Is ED testing for group A *Streptococcus* associated with antibiotic prescription rates for adults with pharyngitis? (Radeos et al). 2005;46:S16
Is your pneumonia patient getting antibiotics within 4 hours? It's less likely if you practice in a large, urban teaching hospital (Mitchiner). 2005;46:S98 (Research Forum abstracts)
Physician delay is key factor in delayed administration of antibiotics in community acquired pneumonia (Resnick et al). 2005;46: S108 (Research Forum abstracts)
Pneumonia: intravenous versus oral treatment—assessment of length of stay (PIVOTAL) (Chandra et al). 2005;46:S82–S83 (Research Forum abstracts)
The utility of initial dose intravenous antibiotics for cellulitis prior to discharge on oral antibiotics from the emergency department (Choo et al). 2005;46:S84 (Research Forum abstracts)
Antibiotics. *See* Anti-bacterial agents
Antidepressive agents, tricyclic, poisoning
Effects of amiodarone in a porcine model of tricyclic antidepressant poisoning (Murr et al). 2005;46:S76–S77 (Research Forum abstracts)
Anti-inflammatory agents, non-steroidal
Randomized double-blind trial comparing oral paracetamol and oral nonsteroidal antiinflammatory drugs for treating pain after musculoskeletal injury (Woo et al). 2005;46: 352–61
Anti-obesity agents
A Chinese herbal weight loss product adulterated with fenfluramine (Bryant et al). 2005;46:208 (Correspondence)
Antipsychotic agents
A comparison of haloperidol and zyprasidone for acute undifferentiated agitation in the emergency department (Levine et al). 2005;46: S99–S100 (Research Forum abstracts)
Intramuscular olanzapine effects on specific behaviors in agitation (Houston et al). 2005;46: S100–S101 (Research Forum abstracts)
Antithrombin III
Correlation of the serum antithrombin III to injury severity in patients with severe trauma (Lee et al). 2005;46:S66 (Research Forum abstracts)
Antivenins
Treating the bite: pediatric review of antivenom treatment in copperhead envenomations (Feng and Stephan). 2005;46:S53 (Research Forum abstracts)
What a bite: review of snakebites in children (Feng and Stephan). 2005;46:S54 (Research Forum abstracts)
Anus, injuries
Accuracy and reliability of photo-colposcopy in the documentation of anogenital injuries after sexual assault (Rossman et al). 2005;46:S96 (Research Forum abstracts)
Aorta, thoracic, injuries
A clinical decision rule to exclude thoracic aortic imaging in patients with blunt chest trauma following motor vehicle collisions (Ungar et al). 2005;46:S110 (Research Forum abstracts)
Aortic aneurysm, abdominal
Ultrasound screening for abdominal aortic aneurysm in the emergency department in an asymptomatic patient population (Romisher and Cheatham). 2005;46:S51–S52 (Research Forum abstracts)
Aortic aneurysm, thoracic
Chest radiograph findings of aortic dissection as a function of patients' age, sex and dissection type (Wimpfheimer and Bentancur). 2005;46: S41 (Research Forum abstracts)
Clinical assessment for acute thoracic aortic dissection (Bushnell and Brown). 2005;46: 90–2 (Rational clinical examination abstract)
APACHE
The assessment of lactate, Apache II scores and the revised lactate score to predict severity of illness in critically ill patients (Bilkovski et al). 2005;46:S18 (Research Forum abstracts)
Apoptosis
Platelets induce T-helper cell apoptosis in a murine model of early sepsis (Freishtat et al). 2005;46:S67 (Research Forum abstracts)
Appendicitis
Can emergency physicians positively predict acute appendicitis on focused right lower quadrant ultrasound? (Nelson et al). 2005;46: S27–S28 (Research Forum abstracts)
Colonic contrast versus oral contrast abdominal computed tomography for diagnosing acute appendicitis: assessing the impact on emergency department throughput time and patient satisfaction (Berg et al). 2005;46:S89 (Research Forum abstracts)
Influence of sex on the management of appendicitis (Crystal et al). 2005;46:S38 (Research Forum abstracts)
Arachnidism
Loxoscelism and necrotic arachnidism: more myths and minor corrections (Isbister and Vetter); Reply (Hogan et al). 2005;46:205–7 (Correspondence)
Arm injuries
Randomized double-blind trial comparing oral paracetamol and oral nonsteroidal antiinflammatory drugs for treating pain after musculoskeletal injury (Woo et al). 2005;46: 352–61
Aspirin
Compliance with acute ischemic stroke antiplatelet agent recommendations in the emergency department (Szudera et al). 2005; 46:S63 (Research Forum abstracts)
Asthma
Asthma patients presenting for emergency department care had high levels of morbidity that continued at 30 days: results from the Illinois Emergency Department Asthma Collaborative (Walter et al). 2005;46:S102 (Research Forum abstracts)
Chronic asthma severity among children presenting to the emergency department with asthma exacerbations (Camargo and Clark). 2005;46:S101–S102 (Research Forum abstracts)
Concordance between capnography and arterial blood gas measurements of carbon dioxide in acute asthma (Corbo et al). 2005;46:323–7 (Brief research report)
Feasibility of a national fatal asthma registry: more evidence of institutional review board variation in evaluation of a standard protocol (Clark et al). 2005;46:S102 (Research Forum abstracts)
Participant evaluation of a quality improvement collaborative (Walter et al). 2005;46:S92 (Research Forum abstracts)
Predictors for a positive chest x-ray in pediatric asthma (Joshi et al). 2005;46:S53 (Research Forum abstracts)
Prevalence of heroin use and heroin-related asthma symptoms among inner-city asthmatics (Minor et al). 2005;46:S102 (Research Forum abstracts)
Asthma, therapy
Airway management of status asthmaticus: analysis of 256 cases from the National Emergency Airway Registry (II) (Collins et al). 2005;46:S5 (Research Forum abstracts)
Asthma patients presenting for emergency department care had high levels of morbidity that continued at 30 days: results from the Illinois Emergency Department Asthma Collaborative (Walter et al). 2005;46:S102 (Research Forum abstracts)
Clinical efficacy of racemic albuterol versus levalbuterol for the treatment of acute pediatric asthma (Qureshi et al). 2005;46:29–36
The effect of beta-2-adrenoreceptor polymorphisms on the response to therapy in asthmatics in the emergency department (Henderson and Simma-Chiang). 2005;46: S101 (Research Forum abstracts)
The efficacy of ketamine in pediatric emergency department patients who present with acute severe asthma (Allen and Macias). 2005;46: 43–50
Inadequate follow-up controller medications among patients with asthma who visit the emergency department (Cydulka et al). 2005; 46:316–22
Athletic injuries
Association between heart rate variability and injury at an Ironman triathlon (Berkoff et al). 2005;46:S85 (Research Forum abstracts)
Bilateral calcaneal fractures and "free running": a dangerously cool emerging "sport" (Frumkin). 2005;46:300 (Correspondence)
The epidemiology of moderate to severe head injuries at ski resorts (Greve et al). 2005;46:S86 (Research Forum abstracts)
Going the distance: epidemiology of participant injuries and description of on-site medical services during the Baltimore Marathon, 2002-2004 (Brill et al). 2005;46:S31 (Research Forum abstracts)

Injury trends among helmeted and non-helmeted skiers and snowboarders (Butler-Hall and O'Kane). 2005;46:S85 (Research Forum abstracts)

Atrial fibrillation
Analysis of current management of atrial fibrillation in the acute setting: GEFAUR-1 study (del Arco et al). 2005;46:424–30
RSD1235 in the treatment of recent onset atrial fibrillation in ACT I (Atrial Arrhythmia Conversion Trial I)—effect of age, sex, and prior rate control medications (Stiell et al). 2005;46:S115 (Research Forum abstracts)
[Shocked heart] (Smalley). 2005;46:383, 392 (Images in emergency medicine)

Atropine
Treatment of peripheral vertigo without active emesis with an elixir of atropine, hyoscyamine, phenobarbital, and scopolamine: a pilot study (Vega et al). 2005;46:S71 (Research Forum abstracts)

Audiotapes. *See* Tape recording

Automated external defibrillators. *See* Defibrillators

Automation
Chief complaint based quality indicators: the challenge for automation posed by chief complaint variability (Talotta et al). 2005;46:S40 (Research Forum abstracts)

Automobile driving
Breath test refusals in DWI enforcement: an interim report (National Highway Traffic Safety Administration). 2005;46:552–3 (NHTSA notes)
Commentary: older driver safety: why emergency physicians should care about medical advisory boards (Silverstein). 2005;46:377–9 (NHTSA notes commentary)
Commentary: reducing drunk driving: what is the role of emergency physicians? (McKay and Garrison). 2005;46:553–5 (NHTSA notes commentary)
The lack of an adult seatbelt law in New Hampshire: live free and die? (Grau et al). 2005;46:S84 (Research Forum abstracts)
Prime time television seat belt usage: still a poor example (Milzman et al). 2005;46:S14 (Research Forum abstracts)
Risk taking behavior discovered in a one date alcohol screening event (Do et al). 2005;46:S94 (Research Forum abstracts)
State medical advisory boards and driver license reviews (National Highway Traffic Safety Administration). 2005;46:376–7 (NHTSA notes)

Autopsy
Traumautopsy (Sochor et al). 2005;46:S90 (Research Forum abstracts)

B

Back pain
Are Hispanic emergency department patients with the subjective diagnoses of headache and backache treated differently than Caucasians? (Jacoby et al). 2005;46:S74 (Research Forum abstracts)
The association between perceived pain relief and future ED visits in patients presented to the emergency department with low back pain (Hubbard et al). 2005;46:S74 (Research Forum abstracts)

Bandages
Randomized controlled study of silver dressing effects on partial-thickness burn outcomes (Caruso et al). 2005;46:S48 (Research Forum abstracts)

Baseball
Running outside the baseline: impact of the 2004 Major League Baseball postseason on emergency department use (Reis et al). 2005;46:386–7 (Correspondence)

Baths
Can emergency ultrasonographers utilize a water bath to more accurately identify superficial soft tissue foreign bodies? (Raio et al). 2005;46:S28 (Research Forum abstracts)

Bayes theorem
Classification of emergency department chief complaints into 7 syndromes: a retrospective analysis of 527,228 patients (Chapman et al). 2005;46:445–55

Bedding and linens
The prevalence of pathogenic bacteria on emergency department division curtains (Winter). 2005;46:S47–S48 (Research Forum abstracts)

Benzodiazepines, poisoning
Use of flumazenil in comatose patients presenting to the emergency department (Ngo et al). 2005;46:S51 (Research Forum abstracts)

Bioterrorism. *See also* Anthrax
Bioterrorism and public health emergency preparedness: a national survey of physician knowledge and perceived preparedness (Larkin et al). 2005;46:S58 (Research Forum abstracts)
Classification of emergency department chief complaints into 7 syndromes: a retrospective analysis of 527,228 patients (Chapman et al). 2005;46:445–55
In vitro charcoal binding of staphylococcal enterotoxin B (Hoffman et al). 2005;46:S77 (Research Forum abstracts)

Blast crisis
[Acute leukemia with blast crisis] (Hess and Sztajnkrycer). 2005;46:314, 322 (Images in emergency medicine)

Blood, microbiology
Are blood cultures necessary in adults with pyelonephritis? (Mills and Barros). 2005;46:285–7 (Best available evidence)
Blood cultures for community-acquired pneumonia: can we hit the target without a shotgun? (Moran and Abrahamian). 2005;46:407–8 (Editorial)
Diagnosing pneumonia in nursing home patients: the utility or futility of chest x-ray and blood cultures (Ryder and O'Neil). 2005;46:S20 (Research Forum abstracts)
Do emergency department blood cultures change practice in patients with pneumonia? (Kennedy et al). 2005;46:393–400, S105 (Research Forum abstracts)
The Joint Commission on Accreditation of Healthcare Organizations and Center for Medicare and Medicaid Services community-acquired pneumonia initiative: what went wrong? (Walls and Resnick). 2005;46:409–11 (Editorial)

Blood coagulation factors. *See* Factor VIIa; Tissue plasminogen activator

Blood gas analysis
Concordance between capnography and arterial blood gas measurements of carbon dioxide in acute asthma (Corbo et al). 2005;46:323–7 (Brief research report)
Death in the department: can we predict who will die after arriving alive (Davis et al). 2005;46:S11 (Research Forum abstracts)

Blood platelets
Platelets induce T-helper cell apoptosis in a murine model of early sepsis (Freishtat et al). 2005;46:S67 (Research Forum abstracts)

Blood pressure. *See also* Hypertension
The relationship between paramedic intubation success and systolic blood pressure, Glasgow Coma Scale, and end-tidal carbon dioxide (Davis et al). 2005;46:S62 (Research Forum abstracts)

Blood pressure determination, instrumentation
Can wrist blood pressure oscillometer be used for triage in an adult emergency department? (Rutschmann et al). 2005;46:172–6 (Brief research report)

Blood protein electrophoresis
Enhanced resolution of human plasma proteins by proteomic separation and 2-dimensional gel electrophoresis (Mitchell et al). 2005;46:S68 (Research Forum abstracts)

Body height
Bedside height estimation for calculation of ideal body weight for use in emergency department drug dosing (Stehman et al). 2005;46:S106 (Research Forum abstracts)

Body temperature
Comparison of oral and rectal temperature in adult patients with non-specific abdominal pain (Gerhardt and Kernan). 2005;46:S37 (Research Forum abstracts)
The effects of inducing mild hypothermia via peripheral intravenous fluids on core body temperature (Vogrin et al). 2005;46:S18–S19 (Research Forum abstracts)

Body weight
Bedside height estimation for calculation of ideal body weight for use in emergency department drug dosing (Stehman et al). 2005;46:S106 (Research Forum abstracts)
Weighing the 480-pound person (Schorin); Reply (Moettus). 2005;46:98 (Correspondence)

Book and media reviews
Book and media reviews. 2005;46:101–2, 212–13, 302–3, 391–2, 479–80, 565–566

Bordetella infections
Role of immunization registry data in pediatric patients diagnosed with Bordetella pertussis (Reed et al). 2005;46:S16–S17 (Research Forum abstracts)

Brain edema
Docosahexaenoic acid complexed to human albumin reduces rat brain edema triggered by traumatic brain injury (Moises et al). 2005;46:S110 (Research Forum abstracts)

Brain injuries. *See also* Craniocerebral trauma
Docosahexaenoic acid complexed to human albumin reduces rat brain edema triggered by traumatic brain injury (Moises et al). 2005;46:S110 (Research Forum abstracts)
The impact of aeromedical response to patients with moderate to severe traumatic brain injury (Davis et al). 2005;46:115–22
Pontine hemorrhage presenting as an isolated facial nerve palsy (Sherman and Thompson). 2005;46:64–6 (Case report)

Brain ischemia
Molecular characterization of ischemia-responsive protein 94 (irp94) response to unfolded protein response in neuron (Kim et al). 2005;46:S68–S69 (Research Forum abstracts)
Breath tests
Breath test refusals in DWI enforcement: an interim report (National Highway Traffic Safety Administration). 2005;46:552–3 (NHTSA notes)
Brief research reports
Brief research reports. 2005;46:37–42, 77–81, 152–7, 172–6, 323–7, 362–7
Bronchiolitis, diagnosis
Inter-rater reliability of a bronchiolitis severity assessment tool (Walsh et al). 2005;46:S91 (Research Forum abstracts)
B-type natriuretic peptide. *See* Natriuretic peptide, brain
Bupivacaine
Will the headaches of pediatric patients respond to bilateral lower cervical intramuscular bupivacaine injections? (Mellick). 2005;46:S91 (Research Forum abstracts)
Burns
Randomized controlled study of silver dressing effects on partial-thickness burn outcomes (Caruso et al). 2005;46:S48 (Research Forum abstracts)
[Shocked heart] (Smalley). 2005;46:383, 392 (Images in emergency medicine)
[Superficial partial thickness (2nd degree) burn from zeolite mineral hemostatic agent (QuickClot)] (Hurtado and Wisenbaugh). 2005;46:297, 303 (Images in emergency medicine)

C

Cadaver
A cadaver-based airway management lab is a valuable training tool for emergency medicine residents (Crystal et al). 2005;46:S86–S87 (Research Forum abstracts)
Ultrasound confirmation of intraosseous line placement using a cadaveric teaching model (Nicks and McGinnis). 2005;46:S52–S53 (Research Forum abstracts)
Calcitonin, diagnostic use
Procalcitonin level evaluation in the diagnostic work-up of severe infections with systemic involvement (Battista et al). 2005;46:S3–S4 (Research Forum abstracts)
Calcium channel blockers, poisoning
High dose insulin reverses verapamil inhibition of glucose uptake in mouse striated muscle (Ten Harmsel et al). 2005;46:S77 (Research Forum abstracts)
California
Reporting of lapses of consciousness by emergency physicians (Vierra et al). 2005;46:S33 (Research Forum abstracts)
Canada
A city wide approach to reduce ambulance diversion: the Hamilton model (Al Darrab et al). 2005;46:S40–S41 (Research Forum abstracts)
Cancer. *See* Neoplasms
Cannulation. *See* Catheterization
Capnography
Concordance between capnography and arterial blood gas measurements of carbon dioxide in acute asthma (Corbo et al). 2005;46:323–7 (Brief research report)
Emergency department capnographic confirmation of prehospital endotracheal intubation in cardiac arrest patients—a preliminary report (Silvestri et al). 2005;46:S6 (Research Forum abstracts)
Carbon dioxide
Concordance between capnography and arterial blood gas measurements of carbon dioxide in acute asthma (Corbo et al). 2005;46:323–7 (Brief research report)
The relationship between paramedic intubation success and systolic blood pressure, Glasgow Coma Scale, and end-tidal carbon dioxide (Davis et al). 2005;46:S62 (Research Forum abstracts)
Carbon monoxide poisoning
Carbon monoxide poisonings during the Southeastern ice storm of 2002: lessons learned (Promes et al). 2005;46:S57 (Research Forum abstracts)
Effect of mandated residential carbon monoxide detector use on the morbidity of reported cases (Hoffman and Hoffman). 2005;46:S34 (Research Forum abstracts)
Mandatory reporting of carbon monoxide poisoning by health care providers: effect on poison center calls (Hoffman and Hoffman). 2005;46:S35 (Research Forum abstracts)
To dive or not to dive? Use of hyperbaric oxygen therapy to prevent neurologic sequelae in patients acutely poisoned with carbon monoxide (Judge and Brown). 2005;46:462–4 (Systematic review abstract)
Cardiac care facilities
The potential safety of designated cardiac arrest receiving facilities (Davis et al). 2005;46:S17 (Research Forum abstracts)
Cardiac output
Elevation of plasma B-type natriuretic peptide and left ventricular systolic function in sepsis patients (Oh et al). 2005;46:S47 (Research Forum abstracts)
Inter-rater agreement of a non-invasive ultrasound cardiac output monitoring (USCOM) device in emergency department patients (Losey et al). 2005;46:S18 (Research Forum abstracts)
Cardiology service, hospital
Using non-interventional cardiologists as first call does not affect the door-to-balloon time or decision to use angioplasty for AMI patients presenting to the emergency department (Hoxhaj et al). 2005;46:S42–S43 (Research Forum abstracts)
Cardiopulmonary resuscitation
Automated external defibrillators: to what extent does the algorithm delay CPR? (Rea et al). 2005;46:132–41
Automatic simultaneous sterno-thoracic cardiopulmonary resuscitation device produces better hemodynamic effects than standard manual cardiopulmonary resuscitation (Hwang et al). 2005;46:S75 (Research Forum abstracts)
The cardiopulmonary resuscitation training in Korean elementary school students (Park). 2005;46:S89 (Research Forum abstracts)
A comparison of standard manual cardiopulmonary resuscitation versus the AutoPulse mechanical cardiopulmonary resuscitation device (Lairet and Lee). 2005;46:S114 (Research Forum abstracts)
Standard versus continuous compressions CPR: does fatigue play a role? (Heidenreich et al). 2005;46:S76 (Research Forum abstracts)
Cardiovascular agents
The association of cardiovascular toxins and electrocardiographic abnormality in poisoned patients (Rowden et al). 2005;46:S35 (Research Forum abstracts)
Caregivers
Accuracy of immunization histories given by adults accompanying children 3-36 months to the emergency department: are they reliable (Meza et al). 2005;46:S15 (Research Forum abstracts)
Carotid arteries
Emergency medical technicians checking the carotid pulse: performance and degree of conviction (Tahani et al). 2005;46:S76 (Research Forum abstracts)
Ultrasound evaluation of the positional vascular anatomy of the neck: position optimization for central venous access (Levin and Bair). 2005;46:S26–S27 (Research Forum abstracts)
Carotid artery, internal, dissection
Treatment of carotid artery dissection (Lang). 2005;46:294–5 (Systematic review abstract)
Case reports
Case reports. 2005;46:64–6, 256–62, 260–2, 401–4
Case scenarios
Examining practice patterns of emergency physicians through the use of simulated patient vignettes (Gerard et al). 2005;46:S100 (Research Forum abstracts)
Paper case scenarios in the assessment of triage tools (Worster and Fernandes). 2005;46:203–4 (Correspondence)
Catheterization
Comparison of two transducer types for teaching ultrasound-guided vascular access to novice users on a standard vascular access model in linear axis (Goldstein et al). 2005;46:S21 (Research Forum abstracts)
Catheterization, central venous
Optimal depth of central venous catheter by measuring reconstructed central veins using 3 dimensional computed tomography (Shin et al). 2005;46:S90 (Research Forum abstracts)
Ultrasound evaluation of the positional vascular anatomy of the neck: position optimization for central venous access (Levin and Bair). 2005;46:S26–S27 (Research Forum abstracts)
Use of real-time, single-operator dynamic ultrasound guidance for internal jugular central venous cannulation: a randomized, controlled clinical trial (Milling et al). 2005;46:S26 (Research Forum abstracts)
Catheterization, peripheral
Ultrasonography-guided peripheral intravenous access versus traditional approaches in patients with difficult intravenous access (Costantino et al). 2005;46:456–61
Catholicism
Availability of emergency contraception: a survey of hospital emergency department staff (Harrison). 2005;46:105–10
Cat-scratch disease
[Parinaud's oculoglandular syndrome] (Lemme and Seupaul). 2005;46:406, 423 (Images in emergency medicine)

Cellular phone
Cellular phone interference as a cause of acute epinephrine poisoning (Hahn et al). 2005;46: 298–9 (Correspondence)
Cellulitis
[Submandibular cellulitis: dermatologic presentation of late-onset group B streptococcus (GBS) infection in the neonate] (Coon and Linklater). 2005;46:202, 211 (Images in emergency medicine)
The utility of initial dose intravenous antibiotics for cellulitis prior to discharge on oral antibiotics from the emergency department (Choo et al). 2005;46:S84 (Research Forum abstracts)
Center for Medicare and Medicaid Services
The Joint Commission on Accreditation of Healthcare Organizations and Center for Medicare and Medicaid Services community-acquired pneumonia initiative: what went wrong? (Walls and Resnick). 2005; 46:409–11 (Editorial)
Central venous catheterization. *See* Catheterization, central venous
Central venous pressure
Correlation of inferior vena cava diameter to central venous pressure: a novel application of bedside ultrasonography (Bilkovski et al). 2005; 46:S27 (Research Forum abstracts)
Cephalosporins
Cefepime versus traditional antibiotic therapy in the treatment of nursing home acquired pneumonia: a pilot study (O'Sullivan et al). 2005;46:S19–S20 (Research Forum abstracts)
Cerebral hemorrhage. *See also* Cerebrovascular accident; Intracranial hemorrhages
[Acute leukemia with blast crisis] (Hess and Sztajnkrycer). 2005;46:314, 322 (Images in emergency medicine)
Emergency department referral bias in cerebral hemorrhage (Clinton et al). 2005;46:S64 (Research Forum abstracts)
High proportions of brain hemorrhages are admitted via the emergency department and are associated with high inpatient mortality and cost (Russell et al). 2005;46:S57 (Research Forum abstracts)
The potential role of rFVIIa in the acute treatment of spontaneous intracerebral hemorrhage in the emergency department (Jauch et al). 2005;46:S2 (Research Forum abstracts)
Cerebrospinal fluid
Xanthrochromia? By what method? A comparison of visual and spectrophotometric xanthrochromia (Sidman et al). 2005;46:51–5
Cerebrovascular accident. *See also* Cerebral hemorrhage
Acute ischemic stroke in the modern era: impact of stroke care regionalization on evaluation, documentation and patient transport—the Massachusetts General Hospital experience (Macias et al). 2005;46:S62 (Research Forum abstracts)
The concept of permissive hypertension for acute ischemic stroke (Stead et al). 2005;46:S1–S2 (Research Forum abstracts)
Influence of sex on functional outcome following emergency department presentations for acute stroke (Ganti et al). 2005;46:S63 (Research Forum abstracts)
Cerebrovascular accident, diagnosis
Assessment of head CT interpretation abilities of fourth-year medical students (Broder et al). 2005;46:S29–S30 (Research Forum abstracts)
Correlation of emergency department laboratory parameters with ischemic stroke subtype (Irvin et al). 2005;46:S71 (Research Forum abstracts)
Echocardiographic findings in patients with acute ischemic stroke (Bhagra et al). 2005;46: S62–S63 (Research Forum abstracts)
Ischemic stroke subtype predicts mortality independent of emergency department National Institute of Health Stroke Scale (Gilmore et al). 2005;46:S1 (Research Forum abstracts)
Cerebrovascular accident, etiology
The etiology of cerebrovascular accidents in geriatric population (Lee et al). 2005;46:S63 (Research Forum abstracts)
Uncovering the causes of acute ischemic stroke: implications for clinical decisionmaking in the emergency department (Gilmore and Stead). 2005;46:S72 (Research Forum abstracts)
Cerebrovascular accident, therapy
The combined approach to lysis utilizing eptifibatide and rt-PA in acute ischemic stroke (the Clear Stroke Trial): blinded results from the first dose tier (Pancioli). 2005;46:S121 (Research Forum abstracts)
Compliance with acute ischemic stroke antiplatelet agent recommendations in the emergency department (Szudera et al). 2005; 46:S63 (Research Forum abstracts)
Duty cycle dependence of ultrasound enhanced thrombolysis in an in-vitro human clot model (Shaw et al). 2005;46:S27 (Research Forum abstracts)
Piclozotan (SUN N4057), a novel 5HT1A receptor agonist, is well tolerated in patients with acute stroke (Iannuzzi et al). 2005;46: S106 (Research Forum abstracts)
Recombinant tissue plasminogen activator for minor strokes: the National Institute of Neurological Disorders and Stroke rt-Pa Stroke Study experience (The National Institute of Neurological Disorders and Stroke rt-Pa Stroke Study Group). 2005;46:243–52
Survey of emergency physicians about recombinant tissue plasminogen activator for acute ischemic stroke (Brown et al). 2005;46: 56–60
Thinking globally, acting locally (Wears and Magid). 2005;46:61–3 (Editorial)
Certification
Critical care medicine training and certification for emergency physicians (Huang et al). 2005; 46:217–23 (Concepts)
Emergency medicine and critical care medicine: have the stars (finally) aligned? (Overton). 2005;46:225–7 (Editorial)
Cervical vertebrae
Dynamic analysis of the movement of each cervical vertebra during the passive motion of the head in the most common four directions of cervical vertebral injury (Choi). 2005;46: S110–S111 (Research Forum abstracts)
Cervical vertebrae, injuries
Cervical spine fractures in the elderly (Later et al). 2005;46:S66 (Research Forum abstracts)
Dynamic analysis of the movement of each cervical vertebra during the passive motion of the head in the most common four directions of cervical vertebral injury (Choi). 2005;46: S110–S111 (Research Forum abstracts)
Should we order the lateral cervical spine and pelvic radiographs in children with major trauma (Muñiz). 2005;46:S36 (Research Forum abstracts)
Change of Shift
Change of Shift. 2005;46:93, 201, 296, 380–1, 468, 556–7
Charcoal, therapeutic use
In vitro charcoal binding of staphylococcal enterotoxin B (Hoffman et al). 2005;46:S77 (Research Forum abstracts)
Out-of-hospital activated charcoal: not so fast (Rogan and Chan); Reply (Alaspää et al). 2005; 46:299–300 (Correspondence)
Chest. *See* Thorax
Chest pain, diagnosis. *See also* Coronary disease, diagnosis
After the first negative troponin: distinguishing patients with evolving myocardial infarctions from those without infarction in emergency department patients with chest pain (Miller et al). 2005;46:S114–S115 (Research Forum abstracts)
Assessment and management of chest pain in the septuagenarian population in the emergency department chest pain unit setting (Raghavan et al). 2005;46:S43 (Research Forum abstracts)
A brief observation period for patients presenting to the emergency department with methamphetamine-associated chest pain (Daniel et al). 2005;46:S115 (Research Forum abstracts)
Cost-effectiveness of a 2 hour versus an 8 hour assessment protocol for chest pain patients with low risk of acute coronary syndrome (Upadhye and Fan). 2005;46:S39 (Research Forum abstracts)
Diagnostic accuracy of resting magnetocardiography in a cohort of moderately to severely obese emergency department chest pain observation unit patients (Giraldez et al). 2005;46:S59 (Research Forum abstracts)
The emergency department utility of Simplify D-dimer™ to exclude pulmonary embolism in patients with pleuritic chest pain (Hogg et al). 2005;46:305–10
Emergency physicians' fear of malpractice in evaluating patients with possible acute cardiac ischemia (Katz et al). 2005;46:525–33
Is it necessary to admit low-risk patients with suspected acute coronary syndrome to inpatient telemetry beds? (Chen and Mills). 2005;46: 440–4 (Best available evidence)
Is the initial diagnostic impression of "noncardiac chest pain" adequate to exclude cardiac disease? (Kosowsky); Reply (Miller). 2005;46:96–7 (Correspondence)
Magnetocardiography as a diagnostic tool to determine ischemic heart disease in patients presenting with chest pain (Smars et al). 2005; 46:S43 (Research Forum abstracts)
Numeric instability of predictive values (Gallagher). 2005;46:311–13 (Editorial)
Presenting emergency department complaints in patients with acute methamphetamine and cocaine use (Diercks et al). 2005;46:S51 (Research Forum abstracts)
Prospective evaluation of the response to nitroglycerin as a predictor of ACS in patients presenting to the ED with undifferentiated

chest pain (Chandra et al). 2005;46:S61 (Research Forum abstracts)
Reliability of three sets of cardiac enzymes in the setting of acute chest pain in patients at low risk for acute coronary syndrome in the emergency department (Papa et al). 2005;46:S59 (Research Forum abstracts)
The use of cardiac markers in emergency department 6 hour acute chest pain treatment and evaluation (ACTION) protocol—what we can learn from a randomised trial (Lim et al). 2005;46:S116 (Research Forum abstracts)
Utilization of ST-segment deviation sum and change score to identify high risk emergency department chest pain patient with acute coronary syndromes (Fesmire et al). 2005;46: S8 (Research Forum abstracts)

Chest x-ray. *See* Radiography, thoracic

Child. *See also* Adolescent; Infant; Infant, newborn
Accuracy of ECG interpretation in the pediatric emergency department (Wathen et al). 2005; 46:507–11
Accuracy of immunization histories given by adults accompanying children 3-36 months to the emergency department: are they reliable (Meza et al). 2005;46:S15 (Research Forum abstracts)
Altered mental status evaluation in children presenting to an emergency department (Muñiz). 2005;46:S72 (Research Forum abstracts)
Are individual households prepared for a disaster such as fire, flood, earthquake, blackout or a terrorist attack in their community? (Barata et al). 2005;46:S93–S94 (Research Forum abstracts)
Attitudes and practices of emergency medicine residents regarding family presence during pediatric procedural and resuscitation scenarios (Barata et al). 2005;46:S54 (Research Forum abstracts)
The cardiopulmonary resuscitation training in Korean elementary school students (Park). 2005;46:S89 (Research Forum abstracts)
Child witness of IPV (Ernst et al). 2005;46:S96 (Research Forum abstracts)
Chronic asthma severity among children presenting to the emergency department with asthma exacerbations (Camargo and Clark). 2005;46:S101–S102 (Research Forum abstracts)
Clinical efficacy of racemic albuterol versus levalbuterol for the treatment of acute pediatric asthma (Qureshi et al). 2005;46:29–36
Comparative evaluation of a rapid influenza diagnostic test in the pediatric emergency department setting using three specimen collection methods (Agoritsas et al). 2005;46: S82 (Research Forum abstracts)
Comparison of accidental and nonaccidental traumatic head injury in children on noncontrast computed tomography (Kumar et al). 2005;46:S96–S97 (Research Forum abstracts)
Comparison of 1- versus 2-person bag-valve-mask techniques for manikin ventilation of infants and children (Davidovic et al). 2005;46:37–42 (Brief research report)
Critical time: "patterning" for pediatric firearm injuries (Kim et al). 2005;46:S84 (Research Forum abstracts)
Developing a training program for managing common pediatric emergencies for non-medical personnel: a pilot study in India (Machen et al). 2005;46:S95 (Research Forum abstracts)
Do injured pediatric emergency department patients really want analgesics? (Axelband et al). 2005;46:S91 (Research Forum abstracts)
The efficacy of ketamine in pediatric emergency department patients who present with acute severe asthma (Allen and Macias). 2005;46: 43–50
Inhalational intravenous *N*-acetylcysteine use in children for acetaminophen toxicity (Feng and Stephan). 2005;46:S91 (Research Forum abstracts)
Is the combination of ibuprofen and acetaminophen a better pediatric antipyretic than ibuprofen alone? (Tenison et al). 2005;46: S54 (Research Forum abstracts)
Language and length of stay in the pediatric emergency department (Goldman et al). 2005; 46:S109 (Research Forum abstracts)
[Laryngeal papillomatosis in a child] (Hess and Colletti). 2005;46:405, 419 (Images in emergency medicine)
Limited English proficiency and the rate of unscheduled return pediatric emergency department visit and subsequent hospitalization at a community hospital (Tajian et al). 2005; 46:S31 (Research Forum abstracts)
Out-of-hospital pediatric cardiac arrest: an epidemiologic review and assessment of current knowledge (Donoghue et al). 2005;46:512–22 (Evidence-based emergency medicine)
Out-of-hospital pediatric cardiac arrest: where are we now and where do we need to go? (Zaritsky). 2005;46:523–4 (Editorial)
[Parinaud's oculoglandular syndrome] (Lemme and Seupaul). 2005;46:406, 423 (Images in emergency medicine)
Patients at extremes of age are less likely to receive narcotic prescriptions for clavicle fractures (Dohrenwood et al). 2005;46:S65 (Research Forum abstracts)
Pediatric head injury in an urban level 1 ED (Korn et al). 2005;46:S67 (Research Forum abstracts)
Pediatric laryngoscope blade size selection using facial landmarks (Mellick). 2005;46:S87 (Research Forum abstracts)
Potential adverse events in children treated in the emergency department (Vega et al). 2005;46: S54–S55 (Research Forum abstracts)
Predictors for a positive chest x-ray in pediatric asthma (Joshi et al). 2005;46:S53 (Research Forum abstracts)
Prehospital use of hydroxocobalamin in children exposed to fire smoke (Haouach et al). 2005; 46:S30 (Research Forum abstracts)
Propofol for procedural sedation in the pediatric patient (Charles et al). 2005;46:S73 (Research Forum abstracts)
Reduction of home injury hazards by home visiting program: a randomized controlled trial (Rehmani). 2005;46:S86 (Research Forum abstracts)
Role of immunization registry data in pediatric patients diagnosed with Bordetella pertussis (Reed et al). 2005;46:S16–S17 (Research Forum abstracts)
Serum lactate in children is not predictive of major trauma (Muñiz). 2005;46:S65 (Research Forum abstracts)
Should we order the lateral cervical spine and pelvic radiographs in children with major trauma (Muñiz). 2005;46:S36 (Research Forum abstracts)
[Toddler's fracture] (Seupaul and Lemme). 2005;46:490, 497 (Images in emergency medicine)
Ultrasound confirmation of intraosseous line placement using a cadaveric teaching model (Nicks and McGinnis). 2005;46:S52–S53 (Research Forum abstracts)
Use of bedside ultrasound for endotracheal tube placement in pediatric patients—a pilot study (Galicinao et al). 2005;46:S92 (Research Forum abstracts)
What a bite: review of snakebites in children (Feng and Stephan). 2005;46:S54 (Research Forum abstracts)
Will the headaches of pediatric patients respond to bilateral lower cervical intramuscular bupivacaine injections? (Mellick). 2005;46:S91 (Research Forum abstracts)

Child, hospitalized
Hospitalized pediatric poisoned patients with and without poison center consult (Norton et al). 2005;46:S50 (Research Forum abstracts)
How accurate is the Toxic Exposure Surveillance System data compared to medical record data for hospitalized poisoned pediatric patients? (Norton et al). 2005;46:S78 (Research Forum abstracts)

Child abuse
Child witness of IPV (Ernst et al). 2005;46:S96 (Research Forum abstracts)

Child abuse, sexual
HIV postexposure prophylaxis in victims of child sexual abuse (Hachey and van As). 2005;46: 97–8 (Correspondence)

Chinese herbal drugs. *See* Drugs, Chinese herbal

Chlamydia
Does the presence of pregnancy or vaginal bleeding influence gonorrhea and chlamydia testing patterns? (Pigott et al). 2005;46:S47 (Research Forum abstracts)

Cholecystitis, diagnosis
Can emergency physicians utilize the S. I. N. phenomenon (stone impacted in gallbladder neck) to accurately diagnose cholecystitis? (Nelson et al). 2005;46:S80 (Research Forum abstracts)

Clavicle, injuries
Patients at extremes of age are less likely to receive narcotic prescriptions for clavicle fractures (Dohrenwood et al). 2005;46:S65 (Research Forum abstracts)

Clinical clerkship
How often do senior medical students receive formative feedback during an emergency medicine clerkship (Wald and Barrett). 2005; 46:S88 (Research Forum abstracts)

Clinical competence. *See also* Medical errors
Accuracy of ECG interpretation in the pediatric emergency department (Wathen et al). 2005; 46:507–11
Assessment of head CT interpretation abilities of fourth-year medical students (Broder et al). 2005;46:S29–S30 (Research Forum abstracts)
Competency evaluation in a cohort of emergency medicine residents using strategic management simulation (McCabe et al). 2005;46:S29 (Research Forum abstracts)
Interpretation of electrocardiograms by emergency medicine residents in comparison to

emergency medicine attendings (Thalacker et al). 2005;46:S87–S88 (Research Forum abstracts)
Knowledge of invasive procedures and procedural competency after participation in training labs (Shah et al). 2005;46:S30 (Research Forum abstracts)
Physicians' acute coronary syndrome testing threshold and diagnostic performance (Graff et al). 2005;46:S60–S61 (Research Forum abstracts)
12-lead electrocardiogram interpretation skills of senior medical students (Wald et al). 2005;46: S13–S14 (Research Forum abstracts)
Ultrasound educational competency hierarchical outcomes: a report on the novice ultrasound user, the first year medical student (Bahner et al). 2005;46:S22 (Research Forum abstracts)

Coagulants. *See* Factor VIIa; Hemostatics; Tissue plasminogen activator

Cocaine
The impact of cocaine use in patients with new onset congestive heart failure (Yursik et al). 2005;46:S56 (Research Forum abstracts)
Presenting emergency department complaints in patients with acute methamphetamine and cocaine use (Diercks et al). 2005;46:S51 (Research Forum abstracts)
Prevalence of cocaine use in emergency department patients with severe hypertension (Givens et al). 2005;46:S50–S51 (Research Forum abstracts)

Coding. *See* Documentation

Colposcopy
Accuracy and reliability of photo-colposcopy in the documentation of anogenital injuries after sexual assault (Rossman et al). 2005;46:S96 (Research Forum abstracts)

Coma
Use of flumazenil in comatose patients presenting to the emergency department (Ngo et al). 2005;46:S51 (Research Forum abstracts)

Community health centers. *See also* Hospitals, urban
Comparison of users of an emergency department versus users of community health clinics with similar complaint profiles—a patient-centered approach (Meieran et al). 2005;46:S34 (Research Forum abstracts)
Critical care responsibility in community emergency medicine practice: results of an emergency department director survey (Sherwin and Bilkovski). 2005;46:S7–S8 (Research Forum abstracts)

Community health services
Alcohol screening in the emergency department (American College of Emergency Physicians). 2005;46:214–15 (Policy statement)
Critical care responsibility in community emergency medicine practice: results of an emergency department director survey (Sherwin and Bilkovski). 2005;46:S7–S8 (Research Forum abstracts)
An emergency department (ED) based vaccination program eliminates barriers to preventative health care (Rimple et al). 2005; 46:S58 (Research Forum abstracts)
Emergency department HIV testing and counseling: an ongoing experience in a low-prevalence area (Lyons et al). 2005;46: 22–8
Emergency department screening and brief intervention of alcohol use disorders: how to do it and does it work? (Love et al). 2005;46:S12 (Research Forum abstracts)
Evaluation of a brief intervention in an inner-city emergency department (Bazargan-Hejazi et al). 2005;46:67–76
Factors associated with compliance to community-based programs in victims of violence (Corbin et al). 2005;46:S97–S98 (Research Forum abstracts)
Identification of patients infected with the human immunodeficiency virus in the emergency department using rapid testing and social workers as dedicated counselors (Eliopoulos et al). 2005;46:S15 (Research Forum abstracts)
A pilot study for an emergency department based organ donor card center (Cheng et al). 2005; 46:S26 (Research Forum abstracts)
Results of a one day alcohol screening event (Sacks et al). 2005;46:S25 (Research Forum abstracts)
Testing a model for an emergency department waiting room educational intervention (Schabowski et al). 2005;46:S25 (Research Forum abstracts)

Concepts
Concepts. 2005;46:177–84, 217–23, 536–40

Confidentiality
Patients' perception of privacy during various phases of emergency care (McKenna et al). 2005;46:S7 (Research Forum abstracts)

Conjunctivitis
[Parinaud's oculoglandular syndrome] (Lemme and Seupaul). 2005;46:406, 423 (Images in emergency medicine)

Consciousness
Altered mental status evaluation in children presenting to an emergency department (Muñiz). 2005;46:S72 (Research Forum abstracts)
Reporting of lapses of consciousness by emergency physicians (Vierra et al). 2005;46: S33 (Research Forum abstracts)

Conscious sedation
Case-control comparison of propofol and fentanyl/midazolam for procedural sedation (Bigelow et al). 2005;46:S106 (Research Forum abstracts)
Delivery of agents for procedural sedation and analgesia by emergency nurses (American College of Emergency Physicians). 2005;46: 368 (Policy statement)
An emergency department prospective, randomized, blinded trial of suggestive audio-therapy under deep sedation for smoking cessation (Rodriguez et al). 2005;46:S95 (Research Forum abstracts)
Procedural sedation in the emergency department (American College of Emergency Physicians). 2005;46:103–4 (Policy statement)
Propofol for procedural sedation: one versus two physicians (Charles et al). 2005;46:S73–S74 (Research Forum abstracts)
Propofol for procedural sedation in a community emergency department (Charles et al). 2005;46: S64 (Research Forum abstracts)
Propofol for procedural sedation in the pediatric patient (Charles et al). 2005;46:S73 (Research Forum abstracts)
Randomized clinical trial of etomidate vs. propofol for procedural sedation during fracture and dislocation reduction in the emergency department (Danahy et al). 2005; 46:S72–S73 (Research Forum abstracts)
Supplemental oxygen does not prevent hypoxia during ED procedural sedation and analgesia with fentanyl and midazolam (Deitch et al). 2005;46:S73 (Research Forum abstracts)
The treatment of acute hyperventilation syndrome in in- or out-of-hospital patients: drug sedation, reservoir bag with O_2 and combination (Kim). 2005;46:S101 (Research Forum abstracts)

Contraception
Correlates of contraceptive usage among female emergency department patients (Merchant et al). 2005;46:S94–S95 (Research Forum abstracts)

Contraception, postcoital
Availability of emergency contraception: a survey of hospital emergency department staff (Harrison). 2005;46:105–10
Emergency contraception: what should our patients expect? (Abbott). 2005;46:111–13 (Editorial)
Emergency contraception for women at risk of unintended and preventable pregnancy (American College of Emergency Physicians). 2005;46:103 (Policy statement)
Predictors of STD and pregnancy testing and prophylaxis usage for adult female sexual assault survivors in Rhode Island EDs (Merchant et al). 2005;46:S47 (Research Forum abstracts)

Copperhead. *See* Agkistrodon

Coronary disease. *See also* Angina, unstable; Heart diseases; Myocardial infarction; Myocardial ischemia

Coronary disease, diagnosis. *See also* Chest pain, diagnosis
After the first negative troponin: distinguishing patients with evolving myocardial infarctions from those without infarction in emergency department patients with chest pain (Miller et al). 2005;46:S114–S115 (Research Forum abstracts)
Artificial neural network models for prediction of acute coronary syndromes using clinical data from the time of presentation (Harrison and Kennedy). 2005;46:431–9
Cost-effectiveness of a 2 hour versus an 8 hour assessment protocol for chest pain patients with low risk of acute coronary syndrome (Upadhye and Fan). 2005;46:S39 (Research Forum abstracts)
Determinants of acute coronary syndromes in the elderly population (Han et al). 2005;46:S9 (Research Forum abstracts)
The effects of race, age and sex on time to first ECG in patients with acute coronary syndrome (Yates and Hiestand). 2005;46:S10 (Research Forum abstracts)
Emergency physicians' fear of malpractice in evaluating patients with possible acute cardiac ischemia (Katz et al). 2005;46:525–33
Is it necessary to admit low-risk patients with suspected acute coronary syndrome to inpatient telemetry beds? (Chen and Mills). 2005;46: 440–4 (Best available evidence)
Is the initial diagnostic impression of "noncardiac chest pain" adequate to exclude cardiac disease? (Kosowsky); Reply (Miller). 2005;46:96–7 (Correspondence)
Performance of an algorithm using computerized administrative data to identify physicians'

missed acute coronary syndrome cases (Graff et al). 2005;46:S60 (Research Forum abstracts)
Physicians' acute coronary syndrome testing threshold and diagnostic performance (Graff et al). 2005;46:S60–S61 (Research Forum abstracts)
Prospective evaluation of the response to nitroglycerin as a predictor of ACS in patients presenting to the ED with undifferentiated chest pain (Chandra et al). 2005;46:S61 (Research Forum abstracts)
Reliability of three sets of cardiac enzymes in the setting of acute chest pain in patients at low risk for acute coronary syndrome in the emergency department (Papa et al). 2005;46:S59 (Research Forum abstracts)
Risk of subsequent acute coronary syndrome following emergency department presentation for transient ischemic attack (Warrington et al). 2005;46:S2–S3 (Research Forum abstracts)
Troponin T and monocyte chemoattractant protein-1 in reducing chest pain unit testing for acute coronary syndromes in low-risk emergency department patients (Mitchell et al). 2005;46:S42 (Research Forum abstracts)
The use of cardiac markers in emergency department 6 hour acute chest pain treatment and evaluation (ACTION) protocol—what we can learn from a randomised trial (Lim et al). 2005;46:S116 (Research Forum abstracts)
Utilization of ST-segment deviation sum and change score to identify high risk emergency department chest pain patient with acute coronary syndromes (Fesmire et al). 2005;46:S8 (Research Forum abstracts)

Coronary disease, therapy
Are we putting the cart ahead of the horse: who determines the standard of care for the management of patients in the emergency department? (Fesmire and Jagoda). 2005;46:198–200 (Editorial)
Patients with evolving myocardial infarction have a significant missed opportunity for earlier treatment: experience from the SYNERGY Trial (Miller et al). 2005;46:S3 (Research Forum abstracts)

Corrections
Emergency medicine and the Surviving Sepsis Campaign: an international approach to managing severe sepsis and septic shock (Osborn et al). 2005;46:228–31 (Editorial). Correction 2005;46:379

Correspondence
Correspondence. 2005;46:95–8, 203–8, 298–301, 384–7, 471–3, 473, 560–562

Costs and cost analysis
Applying cost-benefit theory to public health syndrome surveillance programs (Roberts et al). 2005;46:S25 (Research Forum abstracts)
A comprehensive point-of-care laboratory system can save time and money in the emergency department when combined with standardized care process models (Allen et al). 2005;46:S105 (Research Forum abstracts)
Cost-effectiveness of a 2 hour versus an 8 hour assessment protocol for chest pain patients with low risk of acute coronary syndrome (Upadhye and Fan). 2005;46:S39 (Research Forum abstracts)
Cost-effectiveness of an emergency department fast-track system for low-acuity patients (Fan). 2005;46:S109 (Research Forum abstracts)
Cost effective quality care for transient ischemic attack (Stead et al). 2005;46:S55 (Research Forum abstracts)
The costs of visits to emergency department—revisited (Williams); Reply (Bamezai). 2005;46:471–3 (Correspondence)
ED presentation of dyspnea in HF patients results in increased hospital stay and medication costs (Milzman et al). 2005;46:S38–S29 (Research Forum abstracts)
Effect of performing but not billing for emergency ultrasound on emergency department reimbursement (Gaspari and Dickman). 2005;46:S21 (Research Forum abstracts)
Emergency telemedicine statewide system as basis for cost-analysis study (Kenjarski et al). 2005;46:S103 (Research Forum abstracts)
Financial incentive of the pneumonia quality initiative (Irvin et al). 2005;46:S6 (Research Forum abstracts)
Projected impact of early goal directed therapy on hospital resource utilization for severe sepsis and septic shock patients (Barlotta et al). 2005;46:S24 (Research Forum abstracts)
Reimbursement for emergency department electrocardiogram and radiograph interpretations: what is it worth for the "pit doc"? (Mallon et al). 2005;46:S23 (Research Forum abstracts)
The true cost of medical student education: an examination of the loss of clinical revenue in the emergency department (Harris et al). 2005;46:S109 (Research Forum abstracts)

Craniocerebral trauma. *See also* Brain injuries
Comparison of accidental and nonaccidental traumatic head injury in children on noncontrast computed tomography (Kumar et al). 2005;46:S96–S97 (Research Forum abstracts)
Does intubation prehospital improve outcomes for head injured patients (Cameron et al). 2005;46:S112 (Research Forum abstracts)
The epidemiology of moderate to severe head injuries at ski resorts (Greve et al). 2005;46:S86 (Research Forum abstracts)
Pediatric head injury in an urban level 1 ED (Korn et al). 2005;46:S67 (Research Forum abstracts)
Using a head injury performa improves the quality of written documentation in head injuries (Ritchie et al). 2005;46:S93 (Research Forum abstracts)

Craniocerebral trauma, diagnosis
The evaluation of intracranial injury in patients who admitted with isolated closed head injury in emergency department compared with external wound characteristics (Kim). 2005;46:S37 (Research Forum abstracts)
Mild head injury—computed tomography or inhospital observation? A randomized controlled trial concerning effects and costs (af Geijerstam et al). 2005;46:S109–S110 (Research Forum abstracts)

Creatine kinase, diagnostic use
Reliability of three sets of cardiac enzymes in the setting of acute chest pain in patients at low risk for acute coronary syndrome in the emergency department (Papa et al). 2005;46:S59 (Research Forum abstracts)
The use of cardiac markers in emergency department 6 hour acute chest pain treatment and evaluation (ACTION) protocol—what we can learn from a randomised trial (Lim et al). 2005;46:S116 (Research Forum abstracts)

Cricothyrotomy. *See* Tracheotomy

Critical care
Critical care medicine training and certification for emergency physicians (Huang et al). 2005;46:217–23 (Concepts)
Critical care responsibility in community emergency medicine practice: results of an emergency department director survey (Sherwin and Bilkovski). 2005;46:S7–S8 (Research Forum abstracts)
Emergency medicine and critical care medicine: have the stars (finally) aligned? (Overton). 2005;46:225–7 (Editorial)

Critical illness
The assessment of lactate, Apache II scores and the revised lactate score to predict severity of illness in critically ill patients (Bilkovski et al). 2005;46:S18 (Research Forum abstracts)
Length of stay of critically ill patients in the emergency department (Price et al). 2005;46:S40 (Research Forum abstracts)
Prognostic value of an initial strong ion gap in critically ill patients in the emergency department (Kim). 2005;46:S104–S105 (Research Forum abstracts)

Crohn disease
[Psoas abscess as the presenting manifestation of Crohn's disease] (Catenacci and King). 2005;46:559, 564 (Images in emergency medicine)

Cross infection
Once upon a time in the emergency department: a cautionary tale (Cass). 2005;46:541–3 (Editorial)
Prevalence of methicillin-resistant *Staphylococcus aureus* among emergency department health care workers (Mason-Plunkett et al). 2005;46:S15–S16 (Research Forum abstracts)
The prevalence of pathogenic bacteria on emergency department division curtains (Winter). 2005;46:S47–S48 (Research Forum abstracts)

Crowding. *See also* Emergency service, hospital, utilization; Patient care management
Boarding inpatients in the emergency department: patient preferences (Walsh et al). 2005;46:S40 (Research Forum abstracts)
Caring for emergency department "boarders" (American College of Emergency Physicians). 2005;46:104 (Policy statement)
A city wide approach to reduce ambulance diversion: the Hamilton model (Al Darrab et al). 2005;46:S40–S41 (Research Forum abstracts)
ED patient flow: utilizing the Six Sigma approach to reduce emergency department overcrowding (Maniago et al). 2005;46:S8 (Research Forum abstracts)
Impact of emergency department volume on registered nurse time at the bedside (Hobgood et al). 2005;46:481–9
In the eye of the beholder: how emergency department doctors and nurses differ in their perception and approach to emergency department crowding (Flottemesch et al). 2005;46:S33 (Research Forum abstracts)
Once upon a time in the emergency department: a cautionary tale (Cass). 2005;46:541–3 (Editorial)
Validation of a simple model predicting displaced patients in the ED (Jackson et al). 2005;46:S107 (Research Forum abstracts)

Cyanides, poisoning
Does the type of cyanide modify the cyanide toxidrome? (Baud et al). 2005;46:S45 (Research Forum abstracts)
Hydroxocobalamin for empiric treatment of smoke inhalation-associated cyanide poisoning: results of a prospective study in the prehospital setting (Borron et al). 2005;46:S77 (Research Forum abstracts)
Prehospital use of hydroxocobalamin in children exposed to fire smoke (Haouach et al). 2005; 46:S30 (Research Forum abstracts)

D

D-dimer. *See* Fibrin fibrinogen degradation products
Death. *See also* Mortality
Traumautopsy (Sochor et al). 2005;46:S90 (Research Forum abstracts)
We WERE there (Knatterud). 2005;46:468 (Change of shift)
Decision making
Competency evaluation in a cohort of emergency medicine residents using strategic management simulation (McCabe et al). 2005;46:S29 (Research Forum abstracts)
Decisions, decisions: emergency physician evaluation of low probability—high morbidity conditions (Schriger and Brown). 2005;46: 534–5 (Editorial)
Emergency physician judgment more specific than criteria for trauma (Ronan-Bentle et al). 2005;46:S111 (Research Forum abstracts)
Thinking globally, acting locally (Wears and Magid). 2005;46:61–3 (Editorial)
Defensive medicine
Decisions, decisions: emergency physician evaluation of low probability—high morbidity conditions (Schriger and Brown). 2005;46: 534–5 (Editorial)
Emergency physicians' fear of malpractice in evaluating patients with possible acute cardiac ischemia (Katz et al). 2005;46:525–33
Defibrillators
Automated external defibrillators: to what extent does the algorithm delay CPR? (Rea et al). 2005;46:132–41
Bystander automated external defibrillator is faster than standard cardiac arrest team response for a public visitor area of a hospital (Anderson et al). 2005;46:S75–S76 (Research Forum abstracts)
Location of cardiac arrests in the Public Access Defibrillation trial (Reed et al). 2005;46:S75 (Research Forum abstracts)
A video based training program improves defibrillator inspection compliance (Adams et al). 2005;46:S18 (Research Forum abstracts)
Dengue
Travel-associated dengue infections—United States, 2001-2004 (Centers for Disease Control and Prevention); Commentary (van Zyl). 2005; 46:420–3 (CDC update)
Depression
Examining practice patterns of emergency physicians through the use of simulated patient vignettes (Gerard et al). 2005;46:S100 (Research Forum abstracts)
Multicenter study of smoking, depression, and suicidal ideation among emergency department patients (Boudreaux et al). 2005;46:S99 (Research Forum abstracts)
Developing countries
Travel-associated dengue infections—United States, 2001-2004 (Centers for Disease Control and Prevention); Commentary (van Zyl). 2005; 46:420–3 (CDC update)
Diabetes mellitus
Poor glycemic control in diabetic patients in the emergency department (Josephson and Rusnak). 2005;46:S32 (Research Forum abstracts)
Diagnostic imaging. *See also specific techniques*
Medicare imaging services: the impact of including hospital outpatient services in estimates of growth (Koenig et al). 2005;46:S33 (Research Forum abstracts)
Diagnostic techniques and procedures. *See also* Triage; *specific diagnoses and techniques*
Accelerated care at triage: physician-directed ancillary testing at triage for patients waiting in an emergency department (Chan et al). 2005; 46:S107–S108 (Research Forum abstracts)
Diclofenac
Randomized double-blind trial comparing oral paracetamol and oral nonsteroidal antiinflammatory drugs for treating pain after musculoskeletal injury (Woo et al). 2005;46: 352–61
Disaster planning
Alpha testing of a system for creating on-demand positive and negative-pressure isolation environments in typical emergency department rooms (Giasi et al). 2005;46:S70 (Research Forum abstracts)
Are individual households prepared for a disaster such as fire, flood, earthquake, blackout or a terrorist attack in their community? (Barata et al). 2005;46:S93–S94 (Research Forum abstracts)
Basic disaster life support training improves student confidence to respond to disasters (Coule et al). 2005;46:S70 (Research Forum abstracts)
Bioterrorism and public health emergency preparedness: a national survey of physician knowledge and perceived preparedness (Larkin et al). 2005;46:S58 (Research Forum abstracts)
Potential under-triage of acute non-traumatic conditions using the Simple Triage And Rapid Treatment system (Madsen et al). 2005;46:S69 (Research Forum abstracts)
Potential use of a single ventilator for multiple victim ventilation (Irvin and Neyman). 2005; 46:S69 (Research Forum abstracts)
Surge capacity planning: a new paradigm (Williams et al). 2005;46:S69 (Research Forum abstracts)
Disease outbreaks
Classification of emergency department chief complaints into 7 syndromes: a retrospective analysis of 527,228 patients (Chapman et al). 2005;46:445–55
Dislocations
[Carpometacarpal dislocation] (Young et al). 2005;46:13, 21 (Images in emergency medicine)
Randomized clinical trial of etomidate vs. propofol for procedural sedation during fracture and dislocation reduction in the emergency department (Danahy et al). 2005; 46:S72–S73 (Research Forum abstracts)
Docosahexaenoic acids
Docosahexaenoic acid complexed to human albumin reduces rat brain edema triggered by traumatic brain injury (Moises et al). 2005;46: S110 (Research Forum abstracts)
Documentation. *See also* Medical records
Documentation accuracy: does emergency medicine residency training make a difference? (Maniago and Ardolic). 2005;46:S8 (Research Forum abstracts)
Documenting pain intensity: distortions in the electronic medical record (DeSandre et al). 2005;46:S64–S65 (Research Forum abstracts)
Impact of coder feedback on down-coding (Parker et al). 2005;46:S23 (Research Forum abstracts)
The law of unintended consequences: implementation of point-of-care testing regulations decreases physician performance of digital rectal exams (McHugh et al). 2005;46: S32–S33 (Research Forum abstracts)
Using a head injury performa improves the quality of written documentation in head injuries (Ritchie et al). 2005;46:S93 (Research Forum abstracts)
Domestic violence
Child witness of IPV (Ernst et al). 2005;46:S96 (Research Forum abstracts)
Medical inquiry for intimate partner violence as reported by women in a shelter (Bansal et al). 2005;46:S96 (Research Forum abstracts)
Violence-related injuries and domestic violence against women in an urban emergency department (Masip et al). 2005;46:S97 (Research Forum abstracts)
Drug abuse. *See* Substance-related disorders
Drugs. *See* Pharmaceutical preparations
Drugs, Chinese herbal
A Chinese herbal weight loss product adulterated with fenfluramine (Bryant et al). 2005;46:208 (Correspondence)
Duodenal obstruction
[Malrotation with midgut volvulus] (Hess and Mannenbach). 2005;46:498, 506 (Images in emergency medicine)
Dyspnea, diagnosis
Comet tail artifacts on lung sonography predict the presence of congestive heart failure and elevated B-type natriuretic peptide levels (Sidransky et al). 2005;46:S51 (Research Forum abstracts)
ED presentation of dyspnea in HF patients results in increased hospital stay and medication costs (Milzman et al). 2005;46:S38–S29 (Research Forum abstracts)
Identifying predictors for accurate diagnosis of acute shortness of breath in prehospital patients treated with albuterol and furosemide (Drummond et al). 2005;46:S61 (Research Forum abstracts)

E

Echocardiography
Echocardiographic findings in patients with acute ischemic stroke (Bhagra et al). 2005;46: S62–S63 (Research Forum abstracts)
Economics, hospital. *See also* Costs and cost analysis; Emergency service, hospital, economics
Financial incentive of the pneumonia quality initiative (Irvin et al). 2005;46:S6 (Research Forum abstracts)
Projected impact of early goal directed therapy on hospital resource utilization for severe sepsis

and septic shock patients (Barlotta et al). 2005; 46:S24 (Research Forum abstracts)

Editorials
Editorials. 2005;46:11–12, 61–3, 111–13, 158–60, 198–200, 225–31, 253–5, 272–4, 311–13, 379, 407–11, 523–4, 534–5, 541–3

Education. *See also* Teaching, methods
Basic disaster life support training improves student confidence to respond to disasters (Coule et al). 2005;46:S70 (Research Forum abstracts)

Education, medical. *See also* Internship and residency; Teaching, methods
Assessment of head CT interpretation abilities of fourth-year medical students (Broder et al). 2005;46:S29–S30 (Research Forum abstracts)
Effect of a medical student rotation in emergency ultrasound on the number of scans performed by faculty and residents (Waters et al). 2005;46: S80 (Research Forum abstracts)
How often do senior medical students receive formative feedback during an emergency medicine clerkship (Wald and Barrett). 2005; 46:S88 (Research Forum abstracts)
Randomized controlled trial of physical examination teaching to first-year medical students in the emergency department (Masser et al). 2005;46:S14–S15 (Research Forum abstracts)
The true cost of medical student education: an examination of the loss of clinical revenue in the emergency department (Harris et al). 2005; 46:S109 (Research Forum abstracts)
12-lead electrocardiogram interpretation skills of senior medical students (Wald et al). 2005;46: S13–S14 (Research Forum abstracts)
Ultrasound educational competency hierarchical outcomes: a report on the novice ultrasound user, the first year medical student (Bahner et al). 2005;46:S22 (Research Forum abstracts)

Education, medical, continuing
Critical care medicine training and certification for emergency physicians (Huang et al). 2005; 46:217–23 (Concepts)
Emergency medicine and critical care medicine: have the stars (finally) aligned? (Overton). 2005;46:225–7 (Editorial)
The minimum training standard for emergency physicians performing obstetric ultrasonography (Jang et al). 2005;46:S79 (Research Forum abstracts)

Education, nonprofessional. *See also* Patient education
Basic disaster life support training improves student confidence to respond to disasters (Coule et al). 2005;46:S70 (Research Forum abstracts)
The cardiopulmonary resuscitation training in Korean elementary school students (Park). 2005;46:S89 (Research Forum abstracts)
Developing a training program for managing common pediatric emergencies for non-medical personnel: a pilot study in India (Machen et al). 2005;46:S95 (Research Forum abstracts)
Reduction of home injury hazards by home visiting program: a randomized controlled trial (Rehmani). 2005;46:S86 (Research Forum abstracts)

Education, professional
Comparison of two transducer types for teaching ultrasound-guided vascular access to novice users on a standard vascular access model in linear axis (Goldstein et al). 2005;46:S21 (Research Forum abstracts)
Drug-assisted intubation in the prehospital setting (American College of Emergency Physicians). 2005;46:214 (Policy statement)
New education delivery system plays vital role in getting patients to emergency department within 'Golden Hour' (Crews and Holbrook). 2005;46:S88 (Research Forum abstracts)
An observational study comparing the Combitube and the King Laryngeal Tracheal Device in combat trauma airway training for U.S. Army combat medic students (McManus et al). 2005;46:S46 (Research Forum abstracts)
Participant evaluation of a quality improvement collaborative (Walter et al). 2005;46:S92 (Research Forum abstracts)
Performance characteristics of independent novice sonographers in gallbladder, FAST, and DVT studies (Theodoro et al). 2005;46:S78 (Research Forum abstracts)
A video based training program improves defibrillator inspection compliance (Adams et al). 2005;46:S18 (Research Forum abstracts)

Educational status
Emergency department physician estimates of patient literacy: how accurate are we? (Engel et al). 2005;46:S26 (Research Forum abstracts)
The impact of triage classification and level of training on emergency department patient flow as measured by use of a Web-based infrared passive-tracking system (Villarin et al). 2005; 46:S103 (Research Forum abstracts)

Educational techniques. *See* Teaching, methods

Ehrlichiosis
[Morula within a monocyte] (Ochoa et al). 2005;46:470, 480 (Images in emergency medicine)

Electric countershock
Bystander automated external defibrillator is faster than standard cardiac arrest team response for a public visitor area of a hospital (Anderson et al). 2005;46:S75–S76 (Research Forum abstracts)
Location of cardiac arrests in the Public Access Defibrillation trial (Reed et al). 2005;46:S75 (Research Forum abstracts)

Electric countershock, instrumentation. *See* Defibrillators

Electric injuries
[Shocked heart] (Smalley). 2005;46:383, 392 (Images in emergency medicine)

Electrocardiography
Accuracy of ECG interpretation in the pediatric emergency department (Wathen et al). 2005; 46:507–11
The association of cardiovascular toxins and electrocardiographic abnormality in poisoned patients (Rowden et al). 2005;46:S35 (Research Forum abstracts)
The effects of race, age and sex on time to first ECG in patients with acute coronary syndrome (Yates and Hiestand). 2005;46:S10 (Research Forum abstracts)
Epidemiology of ECG findings in patients presenting with syncope to the emergency department (Voskanian et al). 2005;46:S9 (Research Forum abstracts)
Interpretation of electrocardiograms by emergency medicine residents in comparison to emergency medicine attendings (Thalacker et al). 2005;46:S87–S88 (Research Forum abstracts)
Reimbursement for emergency department electrocardiogram and radiograph interpretations: what is it worth for the "pit doc"? (Mallon et al). 2005;46:S23 (Research Forum abstracts)
Supine vs. semi-recumbent and upright twelve-lead ECG: does change in body position alter ECG interpretation for ischemia? (Baevsky et al). 2005;46:S9 (Research Forum abstracts)
12-lead electrocardiogram interpretation skills of senior medical students (Wald et al). 2005;46: S13–S14 (Research Forum abstracts)
The use of electrocardiograph R-wave amplitude fails to predict early hypovolemia in humans (McManus et al). 2005;46:S66–S67 (Research Forum abstracts)

Electromagnetics
Cellular phone interference as a cause of acute epinephrine poisoning (Hahn et al). 2005;46: 298–9 (Correspondence)

Electroshock. *See also* Electric countershock; Electric injuries
The role of Tasers in police restraint-related deaths (Strote et al). 2005;46:S85 (Research Forum abstracts)
Withdrawal of Taser electroshock devices: too much, too soon (Bozeman). 2005;46:300–1 (Correspondence)

Emergency medical services. *See also* Transportation of patients
Agreement of existing and imputed prehospital data in a state trauma registry when compared to ambulance data (Newgard). 2005;46:S62 (Research Forum abstracts)
Can paramedics appropriately downgrade ALS to BLS transport based on a given set of protocols? (Morello et al). 2005;46:S31 (Research Forum abstracts)
Comparative study of airway management during confined-space urban rescue (Deibel et al). 2005; 46:S4–S5 (Research Forum abstracts)
Does intubation prehospital improve outcomes for head injured patients (Cameron et al). 2005;46:S112 (Research Forum abstracts)
Drug-assisted intubation in the prehospital setting (American College of Emergency Physicians). 2005;46:214 (Policy statement)
Drug-facilitated effects on protective airway reflexes during out-of-hospital endotracheal intubation (Cole et al). 2005;46:S5 (Research Forum abstracts)
Emergency medical technicians checking the carotid pulse: performance and degree of conviction (Tahani et al). 2005;46:S76 (Research Forum abstracts)
Evaluation of restraint use in emergency medical services (EMS) and the correlation with assaults on EMS personnel (Cheney et al). 2005;46:S32 (Research Forum abstracts)
How accurate is paramedic identification of ST segment elevation myocardial infarction in the prehospital setting? (Chawla and Moyer). 2005; 46:S45 (Research Forum abstracts)
Identifying predictors for accurate diagnosis of acute shortness of breath in prehospital patients treated with albuterol and furosemide (Drummond et al). 2005;46:S61 (Research Forum abstracts)
The impact of aeromedical response to patients with moderate to severe traumatic brain injury (Davis et al). 2005;46:115–22
Integration of emergency medical services and special weapons and tactics teams: a decade of

experience (Jones et al). 2005;46:S32 (Research Forum abstracts)
New education delivery system plays vital role in getting patients to emergency department within 'Golden Hour' (Crews and Holbrook). 2005;46:S88 (Research Forum abstracts)
Out-of-hospital activated charcoal: not so fast (Rogan and Chan); Reply (Alaspää et al). 2005; 46:299–300 (Correspondence)
Out-of-hospital management of human exposures to toxic substances (Kwon et al). 2005;46:S36 (Research Forum abstracts)
Out-of-hospital pediatric cardiac arrest: where are we now and where do we need to go? (Zaritsky). 2005;46:523–4 (Editorial)
Physician integration into an emergency medical services managed mass gathering event (Martin-Gill et al). 2005;46:S46 (Research Forum abstracts)
Prehospital use of hydroxocobalamin in children exposed to fire smoke (Haouach et al). 2005; 46:S30 (Research Forum abstracts)
Prospective performance assessment of an out-of-hospital protocol for selective spine immobilization using clinical spine clearance criteria (Domeier et al). 2005;46:123–31
The relationship between paramedic intubation success and systolic blood pressure, Glasgow Coma Scale, and end-tidal carbon dioxide (Davis et al). 2005;46:S62 (Research Forum abstracts)
Role of state EMS medical director (American College of Emergency Physicians). 2005;46: 103 (Policy statement)
Survival following penetrating trauma and response time delays (Megargel et al). 2005:46: S36 (Research Forum abstracts)
Unnecessary prehospital spinal immobilization (Winslow et al). 2005;46:S61 (Research Forum abstracts)
Validation of probabilistic linkage for matching de-identified ambulance records to a state trauma registry (Newgard). 2005;46:S45 (Research Forum abstracts)
Workplace violence: a survey of emergency physicians in the state of Michigan (Kowalenko et al). 2005;46:142–7

Emergency medical technicians. *See also* Emergency medical services
Can paramedics appropriately downgrade ALS to BLS transport based on a given set of protocols? (Morello et al). 2005;46:S31 (Research Forum abstracts)
Emergency medical technicians checking the carotid pulse: performance and degree of conviction (Tahani et al). 2005;46:S76 (Research Forum abstracts)
Evaluation of restraint use in emergency medical services (EMS) and the correlation with assaults on EMS personnel (Cheney et al). 2005;46:S32 (Research Forum abstracts)
How accurate is paramedic identification of ST segment elevation myocardial infarction in the prehospital setting? (Chawla and Moyer). 2005; 46:S45 (Research Forum abstracts)

Emergency medical technicians, education
Drug-assisted intubation in the prehospital setting (American College of Emergency Physicians). 2005;46:214 (Policy statement)
New education delivery system plays vital role in getting patients to emergency department within 'Golden Hour' (Crews and Holbrook). 2005;46:S88 (Research Forum abstracts)

Emergency medicine
Evaluation of combat casualty care outcomes after the introduction of emergency medicine providers and an emergency medicine systems approach to the setting of tactical ground combat (Gerhardt et al). 2005;46:S45–S46 (Research Forum abstracts)
The next generation of emergency medicine reality television (Freeman). 2005;46:380–1 (Change of shift)

Emergency service, hospital. *See also* Cross infection; *entries under* Patient; Patients; *specific services*
Alpha testing of a system for creating on-demand positive and negative-pressure isolation environments in typical emergency department rooms (Giasi et al). 2005;46:S70 (Research Forum abstracts)
The ED waiting room: a captured audience for emergency medicine research (Schabowski et al). 2005;46:S58 (Research Forum abstracts)
Effects of emergency department closures on hospital ambulance diversion hours, Los Angeles County 1998-2004 (Sun and Asch). 2005;46:S119 (Research Forum abstracts)
Quality in emergency department care: results of the Sullivan Group's Emergency Medicine Risk Initiative national audit (Hafner et al). 2005; 46:S22 (Research Forum abstracts)
Randomized controlled trial of physical examination teaching to first-year medical students in the emergency department (Masser et al). 2005;46:S14–S15 (Research Forum abstracts)

Emergency service, hospital, economics
A comprehensive point-of-care laboratory system can save time and money in the emergency department when combined with standardized care process models (Allen et al). 2005;46:S105 (Research Forum abstracts)
Cost-effectiveness of a 2 hour versus an 8 hour assessment protocol for chest pain patients with low risk of acute coronary syndrome (Upadhye and Fan). 2005;46:S39 (Research Forum abstracts)
Cost-effectiveness of an emergency department fast-track system for low-acuity patients (Fan). 2005;46:S109 (Research Forum abstracts)
Cost effective quality care for transient ischemic attack (Stead et al). 2005;46:S55 (Research Forum abstracts)
The costs of visits to emergency department—revisited (Williams); Reply (Bamezai). 2005;46:471–3 (Correspondence)
ED presentation of dyspnea in HF patients results in increased hospital stay and medication costs (Milzman et al). 2005;46:S38–S29 (Research Forum abstracts)
Effect of performing but not billing for emergency ultrasound on emergency department reimbursement (Gaspari and Dickman). 2005;46:S21 (Research Forum abstracts)
Financial incentive of the pneumonia quality initiative (Irvin et al). 2005;46:S6 (Research Forum abstracts)
Reimbursement for emergency department electrocardiogram and radiograph interpretations: what is it worth for the "pit doc"? (Mallon et al). 2005;46:S23 (Research Forum abstracts)
The true cost of medical student education: an examination of the loss of clinical revenue in the emergency department (Harris et al). 2005; 46:S109 (Research Forum abstracts)
What do health savings accounts mean for the emergency department? (McConnell). 2005;46: 536–40 (Concepts)

Emergency service, hospital, organization & administration. *See* Patient admission; Patient care management; Triage

Emergency service, hospital, utilization. *See also* Crowding; Length of stay
Boarding inpatients in the emergency department: patient preferences (Walsh et al). 2005;46:S40 (Research Forum abstracts)
Caring for emergency department "boarders" (American College of Emergency Physicians). 2005;46:104 (Policy statement)
Comparison of users of an emergency department versus users of community health clinics with similar complaint profiles—a patient-centered approach (Meieran et al). 2005;46:S34 (Research Forum abstracts)
The correlation between Medicaid rate and emergency department patient volumes during a physician slowdown (Junker et al). 2005;46: S34 (Research Forum abstracts)
The costs of visits to emergency department—revisited (Williams); Reply (Bamezai). 2005;46:471–3 (Correspondence)
Dutch emergency department patient characteristics: implications for an emergency medicine residency program (Elshove-Bolk et al). 2005;46:S88–S89 (Research Forum abstracts)
Emergency department size determines the demographics of emergency department patients (Michalke et al). 2005;46:S39 (Research Forum abstracts)
Emergency department utilization: characterization and comparison of visits by minority versus non-minority elderly populations (Marquez et al). 2005;46:S19 (Research Forum abstracts)
Has prudent layperson legislation achieved its goals of increasing access for emergency care? (Hsia et al). 2005;46:S119 (Research Forum abstracts)
Health risks and behaviors among young Latinas who present to the emergency department (Natarajan et al). 2005;46:S94 (Research Forum abstracts)
Impact of cutbacks in the Oregon Health Plan on emergency department use: a statewide study (Lowe et al). 2005;46:S120 (Research Forum abstracts)
Medicare imaging services: the impact of including hospital outpatient services in estimates of growth (Koenig et al). 2005;46:S33 (Research Forum abstracts)
National study of US emergency department visits for attempted suicide and self-inflicted injury, 1997-2001 (Doshi et al). 2005;46:369–75
Predicting patient volume per hour (Siler Fisher et al). 2005;46:S6–S7 (Research Forum abstracts)
Running outside the baseline: impact of the 2004 Major League Baseball postseason on emergency department use (Reis et al). 2005; 46:386–7 (Correspondence)
Seasonal variation in firearm related emergency department visits (Irvin and Holley). 2005;46: S57 (Research Forum abstracts)
Truer ED volume: interpreting the effect of recidivism amongst patients (Milzman et al). 2005;46:S11 (Research Forum abstracts)

Emphysematous cholecystitis
[Emphysematous cholecystitis] (Akritidis et al). 2005;46:94, 98 (Images in emergency medicine)
Endoplasmic reticulum
Molecular characterization of ischemia-responsive protein 94 (irp94) response to unfolded protein response in neuron (Kim et al). 2005;46: S68–S69 (Research Forum abstracts)
Enterococcus
The prevalence of pathogenic bacteria on emergency department division curtains (Winter). 2005;46:S47–S48 (Research Forum abstracts)
Enterotoxins
In vitro charcoal binding of staphylococcal enterotoxin B (Hoffman et al). 2005;46:S77 (Research Forum abstracts)
Enzyme-linked immunosorbent assay
The introduction of a rapid ELISA D-dimer increases emergency department testing with no effect on the diagnosis of pulmonary embolism (Kabrhel et al). 2005;46:S11 (Research Forum abstracts)
Epinephrine, poisoning
Cellular phone interference as a cause of acute epinephrine poisoning (Hahn et al). 2005;46: 298–9 (Correspondence)
Epistaxis
Comparison of the effectiveness of nasal packing devices for emergency department treatment of epistaxis (Lefkowits et al). 2005;46:S112 (Research Forum abstracts)
Epidemiology of epistaxis in US emergency departments, 1992 to 2001 (Pallin et al). 2005; 46:77–81 (Brief research report)
Erythema chronicum migrans
[Erythema migrans rash in Tennessee] (Snyder and Thurman). 2005;46:224, 227 (Images in emergency medicine)
Ethics
Availability of emergency contraception: a survey of hospital emergency department staff (Harrison). 2005;46:105–10
Emergency contraception: what should our patients expect? (Abbott). 2005;46:111–13 (Editorial)
Ethnic groups. *See also* Hispanic Americans
The effects of race, age and sex on time to first ECG in patients with acute coronary syndrome (Yates and Hiestand). 2005;46:S10 (Research Forum abstracts)
Emergency department utilization: characterization and comparison of visits by minority versus non-minority elderly populations (Marquez et al). 2005;46:S19 (Research Forum abstracts)
Etomidate
Randomized clinical trial of etomidate vs. propofol for procedural sedation during fracture and dislocation reduction in the emergency department (Danahy et al). 2005; 46:S72–S73 (Research Forum abstracts)

F

Facial injuries
Initial assessment and management of facial gunshot injuries (Chan et al). 2005;46: S36–S37 (Research Forum abstracts)
Use of the tongue-blade test to identify patients with mandible & maxillary sinus fractures (Haydel et al). 2005;46:S66 (Research Forum abstracts)
Facial nerve injuries
Pontine hemorrhage presenting as an isolated facial nerve palsy (Sherman and Thompson). 2005;46:64–6 (Case report)
Factor VIIa
The potential role of rFVIIa in the acute treatment of spontaneous intracerebral hemorrhage in the emergency department (Jauch et al). 2005;46:S2 (Research Forum abstracts)
Falls, accidental. *See* Accidental falls
Family
Accuracy of immunization histories given by adults accompanying children 3-36 months to the emergency department: are they reliable (Meza et al). 2005;46:S15 (Research Forum abstracts)
The advocate (Kassman). 2005;46:556–7 (Change of shift)
Are individual households prepared for a disaster such as fire, flood, earthquake, blackout or a terrorist attack in their community? (Barata et al). 2005;46:S93–S94 (Research Forum abstracts)
Attitudes and practices of emergency medicine residents regarding family presence during pediatric procedural and resuscitation scenarios (Barata et al). 2005;46:S54 (Research Forum abstracts)
Family presence during critical resuscitation in the emergency department: the patient's perspective (Chakel et al). 2005;46:S76 (Research Forum abstracts)
Femoral fractures
Does it predict femur fracture by biochemical marker and bone mineral density? (Lee et al). 2005;46:S118 (Research Forum abstracts)
Knee-thigh-hip injuries in frontal crashes (National Highway Traffic Safety Administration). 2005;46:168–9 (NHTSA notes)
Fenfluramine
A Chinese herbal weight loss product adulterated with fenfluramine (Bryant et al). 2005;46:208 (Correspondence)
Fentanyl
Case-control comparison of propofol and fentanyl/midazolam for procedural sedation (Bigelow et al). 2005;46:S106 (Research Forum abstracts)
Supplemental oxygen does not prevent hypoxia during ED procedural sedation and analgesia with fentanyl and midazolam (Deitch et al). 2005;46:S73 (Research Forum abstracts)
Fentanyl, poisoning
Rectal insertion of fentanyl patches: a new route of toxicity (Coon et al). 2005;46:473 (Correspondence)
Fetal heart, ultrasonography
Emergency nurses' utilization and accuracy of handheld ultrasound devices for detection of fetal heart tones in pregnant patients (Aguilera and De Guzman). 2005;46:S14 (Research Forum abstracts)
Fever
Is the combination of ibuprofen and acetaminophen a better pediatric antipyretic than ibuprofen alone? (Tenison et al). 2005;46: S54 (Research Forum abstracts)
Travel-associated dengue infections—United States, 2001-2004 (Centers for Disease Control and Prevention); Commentary (van Zyl). 2005; 46:420–3 (CDC update)
Urinary tract infection one must exclude in febrile infants less than 3 months of age with respiratory syncytial virus (RSV) (Muñiz). 2005;46:S83 (Research Forum abstracts)
Fibrin fibrinogen degradation products
D-dimer performance in low and high risk populations: is it reliable? (Salen et al). 2005; 46:S105 (Research Forum abstracts)
The emergency department utility of Simplify D-dimer™ to exclude pulmonary embolism in patients with pleuritic chest pain (Hogg et al). 2005;46:305–10
The introduction of a rapid ELISA D-dimer increases emergency department testing with no effect on the diagnosis of pulmonary embolism (Kabrhel et al). 2005;46:S11 (Research Forum abstracts)
Numeric instability of predictive values (Gallagher). 2005;46:311–13 (Editorial)
Pulmonary embolism is uncommon in patients with moderate or high pre-test probability and negative D-dimers (Nordenholz et al). 2005;46: S10–S11 (Research Forum abstracts)
Firearms
Assault weapon ban (American College of Emergency Physicians). 2005;46:104 (Policy statement)
Firearms, injuries. *See* Wounds, gunshot
First aid
Developing a training program for managing common pediatric emergencies for non-medical personnel: a pilot study in India (Machen et al). 2005;46:S95 (Research Forum abstracts)
School preparedness for medical and traumatic emergencies (Barata et al). 2005;46:S57–S58 (Research Forum abstracts)
Flumazenil
Use of flumazenil in comatose patients presenting to the emergency department (Ngo et al). 2005;46:S51 (Research Forum abstracts)
Food poisoning, staphylococcal. *See* Staphylococcal food poisoning
Football
Retrospective review of relationship between spectator illness and temperature at Division I football games (Winslow). 2005;46:S30 (Research Forum abstracts)
Spectator risk at professional sporting events: an analysis of the Cleveland clinic event medicine program (Tallman et al). 2005;46:S114 (Research Forum abstracts)
Foreign bodies, ultrasonography
Can emergency ultrasonographers utilize a water bath to more accurately identify superficial soft tissue foreign bodies? (Raio et al). 2005;46:S28 (Research Forum abstracts)
Learning ultrasound for detection of soft tissue foreign bodies: how difficult? (Jansen and Mencl). 2005;46:S21 (Research Forum abstracts)
The utility of bedside ultrasound for the detection of soft tissue foreign bodies in the emergency department (Kaylor et al). 2005;46: S79 (Research Forum abstracts)
Fractures. *See also* Femoral fractures; Hip injuries; Pelvic bones, injuries
Cervical spine fractures in the elderly (Later et al). 2005;46:S66 (Research Forum abstracts)
Commentary: emergency department patients and crash test dummies: what do they have in

common? (Sochor and Rupp). 2005;46:169–71 (NHTSA notes commentary)
Patients at extremes of age are less likely to receive narcotic prescriptions for clavicle fractures (Dohrenwood et al). 2005;46:S65 (Research Forum abstracts)
Prospective evaluation of ultrasound for detection of hand fractures by emergency physicians (Tayal et al). 2005;46:S80 (Research Forum abstracts)
Randomized clinical trial of etomidate vs. propofol for procedural sedation during fracture and dislocation reduction in the emergency department (Danahy et al). 2005;46:S72–S73 (Research Forum abstracts)
Should we order the lateral cervical spine and pelvic radiographs in children with major trauma (Muñiz). 2005;46:S36 (Research Forum abstracts)
[Toddler's fracture] (Seupaul and Lemme). 2005;46:490, 497 (Images in emergency medicine)
Use of the tongue-blade test to identify patients with mandible & maxillary sinus fractures (Haydel et al). 2005;46:S66 (Research Forum abstracts)

Furosemide
Identifying predictors for accurate diagnosis of acute shortness of breath in prehospital patients treated with albuterol and furosemide (Drummond et al). 2005;46:S61 (Research Forum abstracts)

G

Gastrointestinal hemorrhage
Predictors of a clinically significant diagnostic nasogastric aspirate (Evans et al). 2005;46:S10 (Research Forum abstracts)

Genitalia
Diagnostic utility of the genital gram stain in emergency department patients (Riley et al). 2005;46:S104 (Research Forum abstracts)

Genitalia, female, injuries
Accuracy and reliability of photo-colposcopy in the documentation of anogenital injuries after sexual assault (Rossman et al). 2005;46:S96 (Research Forum abstracts)

Genotype
The effect of beta-2-adrenoreceptor polymorphisms on the response to therapy in asthmatics in the emergency department (Henderson and Simma-Chiang). 2005;46:S101 (Research Forum abstracts)

Glucose
High dose insulin reverses verapamil inhibition of glucose uptake in mouse striated muscle (Ten Harmsel et al). 2005;46:S77 (Research Forum abstracts)

Gonorrhea
Does the presence of pregnancy or vaginal bleeding influence gonorrhea and chlamydia testing patterns? (Pigott et al). 2005;46:S47 (Research Forum abstracts)

Gram's stain
Diagnostic utility of the genital gram stain in emergency department patients (Riley et al). 2005;46:S104 (Research Forum abstracts)

Great Britain
Imported malaria into a region in the United Kingdom (Ritchie and McGuire). 2005;46:S58–S59 (Research Forum abstracts)

Guideline adherence
Compliance with acute ischemic stroke antiplatelet agent recommendations in the emergency department (Szudera et al). 2005;46:S63 (Research Forum abstracts)

H

Haloperidol
A comparison of haloperidol and zyprasidone for acute undifferentiated agitation in the emergency department (Levine et al). 2005;46:S99–S100 (Research Forum abstracts)

Hand injuries
[Carpometacarpal dislocation] (Young et al). 2005;46:13, 21 (Images in emergency medicine)
Prospective evaluation of ultrasound for detection of hand fractures by emergency physicians (Tayal et al). 2005;46:S80 (Research Forum abstracts)
[Shocked heart] (Smalley). 2005;46:383, 392 (Images in emergency medicine)
The value of radiographs in high-pressure injection injuries of the hand (Hart et al). 2005;46:S89–S90 (Research Forum abstracts)

Hazardous substances
Out-of-hospital management of human exposures to toxic substances (Kwon et al). 2005;46:S36 (Research Forum abstracts)

Head, radiography
Assessment of head CT interpretation abilities of fourth-year medical students (Broder et al). 2005;46:S29–S30 (Research Forum abstracts)

Headache
Are Hispanic emergency department patients with the subjective diagnoses of headache and backache treated differently than Caucasians? (Jacoby et al). 2005;46:S74 (Research Forum abstracts)
Headache evaluation in United States emergency departments: frequency of neuroimaging and diagnostic yield (Goldstein et al). 2005;46:S72 (Research Forum abstracts)
Will the headaches of pediatric patients respond to bilateral lower cervical intramuscular bupivacaine injections? (Mellick). 2005;46:S91 (Research Forum abstracts)

Head protective devices
Injury trends among helmeted and non-helmeted skiers and snowboarders (Butler-Hall and O'Kane). 2005;46:S85 (Research Forum abstracts)

Health behavior
Correlates of contraceptive usage among female emergency department patients (Merchant et al). 2005;46:S94–S95 (Research Forum abstracts)
Health risks and behaviors among young Latinas who present to the emergency department (Natarajan et al). 2005;46:S94 (Research Forum abstracts)
Risk taking behavior discovered in a one date alcohol screening event (Do et al). 2005;46:S94 (Research Forum abstracts)

Health personnel. *See also* Emergency medical technicians; Internship and residency; Nurses; Physician executives; Physicians; Students, medical
Availability of emergency contraception: a survey of hospital emergency department staff (Harrison). 2005;46:105–10
Health care worker blood or body fluid exposures and HIV prophylaxis provision at Rhode Island emergency departments (Merchant et al). 2005;46:S93 (Research Forum abstracts)
An observational study comparing the Combitube and the King Laryngeal Tracheal Device in combat trauma airway training for U.S. Army combat medic students (McManus et al). 2005;46:S46 (Research Forum abstracts)
Prevalence of methicillin-resistant *Staphylococcus aureus* among emergency department health care workers (Mason-Plunkett et al). 2005;46:S15–S16 (Research Forum abstracts)
Role of state EMS medical director (American College of Emergency Physicians). 2005;46:103 (Policy statement)
Rotators in the emergency department: conference attendance, duty hours compliance, sick call, and other issues. A survey of academic emergency medicine programs (Lovett et al). 2005;46:S12–S13 (Research Forum abstracts)
Using non-interventional cardiologists as first call does not affect the door-to-balloon time or decision to use angioplasty for AMI patients presenting to the emergency department (Hoxhaj et al). 2005;46:S42–S43 (Research Forum abstracts)
The workload and efficiency of nursing assistants trained to work as emergency transfer liaisons (McKenna et al). 2005;46:S7 (Research Forum abstracts)

Health services accessibility
Has prudent layperson legislation achieved its goals of increasing access for emergency care? (Hsia et al). 2005;46:S119 (Research Forum abstracts)
How Oregon Health Plan cutbacks have affected rural Oregon: the experience of a rural emergency department (Karwowski et al). 2005;46:S119–S120 (Research Forum abstracts)
Impact of cutbacks in the Oregon Health Plan on emergency department use: a statewide study (Lowe et al). 2005;46:S120 (Research Forum abstracts)
Impact of Oregon Health Plan cutbacks on emergency department patients varies by ethnicity (Ogden et al). 2005;46:S33–S34 (Research Forum abstracts)
24/7: the next big thing? (Frumkin). 2005;46:95–6 (Correspondence)
What is the status of the prudent layperson standard in state legislation? (Chesney et al). 2005;46:S120 (Research Forum abstracts)

Heart arrest
The chain of survival: is it time for a fifth link? (Garcia et al). 2005;46:S17 (Research Forum abstracts)
Emergency department capnographic confirmation of prehospital endotracheal intubation in cardiac arrest patients—a preliminary report (Silvestri et al). 2005;46:S6 (Research Forum abstracts)
Location of cardiac arrests in the Public Access Defibrillation trial (Reed et al). 2005;46:S75 (Research Forum abstracts)
Out-of-hospital pediatric cardiac arrest: an epidemiologic review and assessment of current knowledge (Donoghue et al). 2005;46:512–22 (Evidence-based emergency medicine)

Out-of-hospital pediatric cardiac arrest: where are we now and where do we need to go? (Zaritsky). 2005;46:523–4 (Editorial)
The potential safety of designated cardiac arrest receiving facilities (Davis et al). 2005;46:S17 (Research Forum abstracts)
The presence of an emergent airway response team and its effects on in-hospital Code Blue (Henderson et al). 2005;46:S17 (Research Forum abstracts)
Recurrence risk for emergency department survivors of pulseless cardiac arrest: a report from the National Registry of Cardiopulmonary Resuscitation (Larkin et al). 2005;46:S17–S18 (Research Forum abstracts)

Heart arrest, therapy. *See* Cardiopulmonary resuscitation; Electric countershock

Heart diseases. *See also* Coronary disease
Epidemiology of ECG findings in patients presenting with syncope to the emergency department (Voskanian et al). 2005;46:S9 (Research Forum abstracts)

Heart failure, congestive
Hospital admissions for congestive heart failure decrease with increasing temperature in a tropical climate (Balaji and Allegra). 2005;46:S60 (Research Forum abstracts)
The impact of cocaine use in patients with new onset congestive heart failure (Yursik et al). 2005;46:S56 (Research Forum abstracts)

Heart failure, congestive, diagnosis
Admission B-type natriuretic peptide levels in acute decompensated heart failure predict hospital length of stay: an analysis of 48,629 hospitalizations in ADHERE (Peacock et al). 2005;46:S114 (Research Forum abstracts)
Comet tail artifacts on lung sonography predict the presence of congestive heart failure and elevated B-type natriuretic peptide levels (Sidransky et al). 2005;46:S51 (Research Forum abstracts)
Correlation of acute and convalescent BNP levels in symptomatic heart failure patients presenting to the emergency department (Prendergast et al). 2005;46:S115–S116 (Research Forum abstracts)
ED presentation of dyspnea in HF patients results in increased hospital stay and medication costs (Milzman et al). 2005;46:S38–S29 (Research Forum abstracts)
Emergency physician use of the B-type natriuretic peptide value and the effect of variance between commercial assays in the diagnosis and treatment of congestive heart failure (Bork et al). 2005;46:S44 (Research Forum abstracts)
Factors that influence length of visit in the emergency department for patients with congestive heart failure (Schears et al). 2005;46:S117 (Research Forum abstracts)
Serum B-type natriuretic peptide (BNP) level in geriatric heart failure (Kim). 2005;46:S19 (Research Forum abstracts)

Heart failure, congestive, therapy
Bi-level positive airway pressure for management of acute congestive heart failure: safer than previously thought? (Tubbs et al). 2005;46:S81–S82 (Research Forum abstracts)
Does early nesiritide use in acute decompensated heart failure improve outcomes? (DeLuca and Martino). 2005;46:S41 (Research Forum abstracts)
Neseritide versus nitroglycerin for congestive heart failure: a randomized trial (White et al). 2005;46:S116 (Research Forum abstracts)
Renal effects of nesiritide during short-term infusion for decompensated heart failure (Peacock and Emerman). 2005;46:S105–S106 (Research Forum abstracts)
The utility of nesiritide for hemodialysis-dependent patients with acutely decompensated heart failure as a bridge to outpatient dialysis (Chandra et al). 2005;46:S81 (Research Forum abstracts)

Heart function tests. *See also* Echocardiography; Electrocardiography
Diagnostic accuracy of resting magnetocardiography in a cohort of moderately to severely obese emergency department chest pain observation unit patients (Giraldez et al). 2005;46:S59 (Research Forum abstracts)
Magnetocardiography as a diagnostic tool to determine ischemic heart disease in patients presenting with chest pain (Smars et al). 2005;46:S43 (Research Forum abstracts)

Heart rate
Changes in parasympathetic tone in elite athletes: power versus endurance, is there a difference? (Berkoff et al). 2005;46:S8–S9 (Research Forum abstracts)

Heel, injuries
Bilateral calcaneal fractures and "free running": a dangerously cool emerging "sport" (Frumkin). 2005;46:300 (Correspondence)

Hematoma
[Acute rectus sheath hematoma] (Raven and Hoffman). 2005;46:558, 562 (Images in emergency medicine)

Hematoma, epidural, spinal
[Spontaneous cervicothoracic epidural hematoma] (Hess and Sztajnkrycer). 2005;46:382, 392 (Images in emergency medicine)

Hemorrhages. *See also specific types of hemorrhage*
Influence of positive end-expiratory pressure ventilation on survival during severe hemorrhagic shock (Krismer et al). 2005;46:337–42
The use of electrocardiograph R-wave amplitude fails to predict early hypovolemia in humans (McManus et al). 2005;46:S66–S67 (Research Forum abstracts)

Hemostatics, adverse effects
[Superficial partial thickness (2nd degree) burn from zeolite mineral hemostatic agent (QuickClot)] (Hurtado and Wisenbaugh). 2005;46:297, 303 (Images in emergency medicine)

Herbal medicine. *See* Medicine, herbal

Herbicides, poisoning
Intentional self-poisoning with the chlorophenoxy herbicide 4-chloro-2-methylphenoxyacetic acid (MCPA) (Roberts et al). 2005;46:275–84
Stat laboratory parameters predicting outcome in paraquat poisoned patients (Jeung et al). 2005;46:S35 (Research Forum abstracts)

Heroin
Prevalence of heroin use and heroin-related asthma symptoms among inner-city asthmatics (Minor et al). 2005;46:S102 (Research Forum abstracts)

Hip injuries
Commentary: emergency department patients and crash test dummies: what do they have in common? (Sochor and Rupp). 2005;46:169–71 (NHTSA notes commentary)
Knee-thigh-hip injuries in frontal crashes (National Highway Traffic Safety Administration). 2005;46:168–9 (NHTSA notes)
Patient controlled analgesia for hip fractures in the emergency department: a prospective randomized controlled trial (Michael et al). 2005;46:S74 (Research Forum abstracts)

Hispanic Americans
Are Hispanic emergency department patients with the subjective diagnoses of headache and backache treated differently than Caucasians? (Jacoby et al). 2005;46:S74 (Research Forum abstracts)
Health risks and behaviors among young Latinas who present to the emergency department (Natarajan et al). 2005;46:S94 (Research Forum abstracts)
Impact of Oregon Health Plan cutbacks on emergency department patients varies by ethnicity (Ogden et al). 2005;46:S33–S34 (Research Forum abstracts)

HIV infection, prevention & control
Antiretroviral postexposure prophylaxis after sexual, injection-drug use, or other nonoccupational exposure to HIV in the United States (Centers for Disease Control and Prevention); Commentary (Merchant). 2005;46:82–6 (CDC update)
Emergency department HIV testing and counseling: an ongoing experience in a low-prevalence area (Lyons et al). 2005;46:22–8
Health care worker blood or body fluid exposures and HIV prophylaxis provision at Rhode Island emergency departments (Merchant et al). 2005;46:S93 (Research Forum abstracts)
HIV postexposure prophylaxis in victims of child sexual abuse (Hachey and van As). 2005;46:97–8 (Correspondence)
Identification of patients infected with the human immunodeficiency virus in the emergency department using rapid testing and social workers as dedicated counselors (Eliopoulos et al). 2005;46:S15 (Research Forum abstracts)

Home care services
Reduction of home injury hazards by home visiting program: a randomized controlled trial (Rehmani). 2005;46:S86 (Research Forum abstracts)

Hospitalization
Admission B-type natriuretic peptide levels in acute decompensated heart failure predict hospital length of stay: an analysis of 48,629 hospitalizations in ADHERE (Peacock et al). 2005;46:S114 (Research Forum abstracts)
Age is associated with hospital length-of-stay but not with admission rates, anemia, or mortality in emergency department patients with elevated international normalization ratios (Lee et al). 2005;46:S117 (Research Forum abstracts)
Age is not associated with increased admission rates, hospital length-of-stay, or mortality in elderly emergency department patients presenting with undifferentiated abdominal pain (Lee et al). 2005;46:S118 (Research Forum abstracts)

Hospitalized child. ***See*** **Child, hospitalized**
Hospitals. ***See also*** **Academic medical centers; Economics, hospital**
Hospitals, urban
Identification of patients infected with the human immunodeficiency virus in the emergency department using rapid testing and social workers as dedicated counselors (Eliopoulos et al). 2005;46:S15 (Research Forum abstracts)
Is your pneumonia patient getting antibiotics within 4 hours? It's less likely if you practice in a large, urban teaching hospital (Mitchiner). 2005;46:S98 (Research Forum abstracts)
Limited English proficiency and the rate of unscheduled return pediatric emergency department visit and subsequent hospitalization at a community hospital (Tajian et al). 2005; 46:S31 (Research Forum abstracts)
Hospital units
Accuracy of ECG interpretation in the pediatric emergency department (Wathen et al). 2005; 46:507–11
Assessment and management of chest pain in the septuagenarian population in the emergency department chest pain unit setting (Raghavan et al). 2005;46:S43 (Research Forum abstracts)
The potential safety of designated cardiac arrest receiving facilities (Davis et al). 2005;46:S17 (Research Forum abstracts)
Hydroxocobalamin
Hydroxocobalamin for empiric treatment of smoke inhalation-associated cyanide poisoning: results of a prospective study in the prehospital setting (Borron et al). 2005;46:S77 (Research Forum abstracts)
Prehospital use of hydroxocobalamin in children exposed to fire smoke (Haouach et al). 2005; 46:S30 (Research Forum abstracts)
Hyperbaric oxygenation
To dive or not to dive? Use of hyperbaric oxygen therapy to prevent neurologic sequelae in patients acutely poisoned with carbon monoxide (Judge and Brown). 2005;46:462–4 (Systematic review abstract)
Hyperglycemia
Incidence of acute neurological abnormalities associated with hyperglycemia (Kolb et al). 2005;46:S71 (Research Forum abstracts)
Hypertension
The concept of permissive hypertension for acute ischemic stroke (Stead et al). 2005;46:S1–S2 (Research Forum abstracts)
ED overcrowding: an opportunity to improve public health through education (Schabowski et al). 2005;46:S25–S26 (Research Forum abstracts)
Prevalence of cocaine use in emergency department patients with severe hypertension (Givens et al). 2005;46:S50–S51 (Research Forum abstracts)
Hyperventilation
The treatment of acute hyperventilation syndrome in in- or out-of-hospital patients: drug sedation, reservoir bag with O_2 and combination (Kim). 2005;46:S101 (Research Forum abstracts)
Hypotension
Mortality of hypotensive patients with sepsis in the emergency department compared with hypotensive patients of other etiologies (Filbin et al). 2005;46:S75 (Research Forum abstracts)
Hypothermia, induced
The effects of inducing mild hypothermia via peripheral intravenous fluids on core body temperature (Vogrin et al). 2005;46:S18–S19 (Research Forum abstracts)
Hypovolemia
The use of electrocardiograph R-wave amplitude fails to predict early hypovolemia in humans (McManus et al). 2005;46:S66–S67 (Research Forum abstracts)

I

Ibuprofen
Is the combination of ibuprofen and acetaminophen a better pediatric antipyretic than ibuprofen alone? (Tenison et al). 2005;46: S54 (Research Forum abstracts)
Immobilization. ***See also*** **Restraint, physical**
Prospective performance assessment of an out-of-hospital protocol for selective spine immobilization using clinical spine clearance criteria (Domeier et al). 2005;46:123–31
Unnecessary prehospital spinal immobilization (Winslow et al). 2005;46:S61 (Research Forum abstracts)
Immunization
Accuracy of immunization histories given by adults accompanying children 3-36 months to the emergency department: are they reliable (Meza et al). 2005;46:S15 (Research Forum abstracts)
An emergency department (ED) based vaccination program eliminates barriers to preventative health care (Rimple et al). 2005; 46:S58 (Research Forum abstracts)
Evaluation of a pilot emergency department–based influenza vaccination initiative (Oyama et al). 2005;46:S24–S25 (Research Forum abstracts)
Role of immunization registry data in pediatric patients diagnosed with Bordetella pertussis (Reed et al). 2005;46:S16–S17 (Research Forum abstracts)
India
Developing a training program for managing common pediatric emergencies for non-medical personnel: a pilot study in India (Machen et al). 2005;46:S95 (Research Forum abstracts)
Infant
Accuracy of immunization histories given by adults accompanying children 3-36 months to the emergency department: are they reliable (Meza et al). 2005;46:S15 (Research Forum abstracts)
Comparison of 1- versus 2-person bag-valve-mask techniques for manikin ventilation of infants and children (Davidovic et al). 2005;46:37–42 (Brief research report)
Urinary tract infection one must exclude in febrile infants less than 3 months of age with respiratory syncytial virus (RSV) (Muñiz). 2005;46:S83 (Research Forum abstracts)
Infant, newborn
[Malrotation with midgut volvulus] (Hess and Mannenbach). 2005;46:498, 506 (Images in emergency medicine)
[Submandibular cellulitis: dermatologic presentation of late-onset group B streptococcus (GBS) infection in the neonate] (Coon and Linklater). 2005;46:202, 211 (Images in emergency medicine)
Influenza
Are amantadine and rimantadine effective in healthy adults with acute influenza? (Hall and Brown). 2005;46:292–3 (Systematic review abstract)
Comparative evaluation of a rapid influenza diagnostic test in the pediatric emergency department setting using three specimen collection methods (Agoritsas et al). 2005;46: S82 (Research Forum abstracts)
Evaluation of a pilot emergency department–based influenza vaccination initiative (Oyama et al). 2005;46:S24–S25 (Research Forum abstracts)
Performance characteristics of clinical diagnosis, a clinical decision rule, and a rapid influenza test in the detection of influenza infection in a community sample of adults (Stein et al). 2005; 46:412–19
Information systems. ***See also*** **Medical records systems, computerized**
How accurate is the Toxic Exposure Surveillance System data compared to medical record data for hospitalized poisoned pediatric patients? (Norton et al). 2005;46:S78 (Research Forum abstracts)
Performance of an algorithm using computerized administrative data to identify physicians' missed acute coronary syndrome cases (Graff et al). 2005;46:S60 (Research Forum abstracts)
Infusion pumps
Cellular phone interference as a cause of acute epinephrine poisoning (Hahn et al). 2005;46: 298–9 (Correspondence)
Infusions, intraosseous
Intraosseous line placement: ultrasound/Color Flow Doppler confirmation of tip location and leakage (Hsu et al). 2005;46:S22 (Research Forum abstracts)
Ultrasound confirmation of intraosseous line placement using a cadaveric teaching model (Nicks and McGinnis). 2005;46:S52–S53 (Research Forum abstracts)
Insecticides, poisoning
The clinical characteristics of organophosphate intoxication in geriatric patients (Kim). 2005; 46:S19 (Research Forum abstracts)
Insulin, therapeutic use
High dose insulin reverses verapamil inhibition of glucose uptake in mouse striated muscle (Ten Harmsel et al). 2005;46:S77 (Research Forum abstracts)
Insurance, health
Has prudent layperson legislation achieved its goals of increasing access for emergency care? (Hsia et al). 2005;46:S119 (Research Forum abstracts)
What do health savings accounts mean for the emergency department? (McConnell). 2005;46: 536–40 (Concepts)
What is the status of the prudent layperson standard in state legislation? (Chesney et al). 2005;46:S120 (Research Forum abstracts)
Insurance, health, reimbursement
Financial incentive of the pneumonia quality initiative (Irvin et al). 2005;46:S6 (Research Forum abstracts)
Internal medicine
Rotators in the emergency department: conference attendance, duty hours compliance, sick call, and other issues. A survey of academic emergency medicine programs (Lovett et al). 2005;46:S12–S13 (Research Forum abstracts)

Internet
Acceptance of an Internet-based resident training tool (Beeson and Jwayyed). 2005;46:S30 (Research Forum abstracts)
New education delivery system plays vital role in getting patients to emergency department within 'Golden Hour' (Crews and Holbrook). 2005;46:S88 (Research Forum abstracts)
Internship and residency
Acceptance of an Internet-based resident training tool (Beeson and Jwayyed). 2005;46:S30 (Research Forum abstracts)
Airway management by US and Canadian emergency medicine residents: a multicenter analysis of more than 6,000 endotracheal intubation attempts (Sagarin et al). 2005;46: 328–36
Attitudes and practices of emergency medicine residents regarding family presence during pediatric procedural and resuscitation scenarios (Barata et al). 2005;46:S54 (Research Forum abstracts)
A cadaver-based airway management lab is a valuable training tool for emergency medicine residents (Crystal et al). 2005;46:S86–S87 (Research Forum abstracts)
Community-associated methicillin resistant *Staphylococcus aureus* in an emergency medicine resident: lessons learned (Storch et al); Reply (Frazee and Perdreau-Remington). 2005;46: 384–5 (Correspondence)
A comparison of digital video and still imaging for ultrasonography: an evaluation of diagnostic accuracy, user confidence and image quality (Pigott et al). 2005;46:S52 (Research Forum abstracts)
Competency evaluation in a cohort of emergency medicine residents using strategic management simulation (McCabe et al). 2005;46:S29 (Research Forum abstracts)
The comprehensive physical exam: when and why do emergency medicine residents perform them on patients with minor chief complaints? (Phelps and Rodriguez). 2005;46:S28–S29 (Research Forum abstracts)
Documentation accuracy: does emergency medicine residency training make a difference? (Maniago and Ardolic). 2005;46:S8 (Research Forum abstracts)
Do emergency medicine residency programs meet American College of Emergency Physicians requirement of ultrasound curricula? (Bakhtari et al). 2005;46:S79 (Research Forum abstracts)
Drug and alcohol use in emergency medicine residency: an impaired resident's perspective (Milling). 2005;46:148–51 (Residents' perspective)
Effect of a medical student rotation in emergency ultrasound on the number of scans performed by faculty and residents (Waters et al). 2005;46: S80 (Research Forum abstracts)
Experiential learning in emergency medicine (Finnell and Seupaul). 2005;46:S29 (Research Forum abstracts)
How do emergency medicine residents learn? (Rowden and Ramalanjaona). 2005;46:S14 (Research Forum abstracts)
The impact of triage classification and level of training on emergency department patient flow as measured by use of a Web-based infrared passive-tracking system (Villarin et al). 2005; 46:S103 (Research Forum abstracts)
Institution of a combined rotation in anesthesia and emergency ultrasound in emergency medicine residency programs: a pathway for early dedicated ultrasound experience without compromising intubation experience for PGY-1 emergency medicine residents (Sierzenski et 2005;46:S52 (Research Forum abstracts)
Interpretation of electrocardiograms by emergency medicine residents in comparison to emergency medicine attendings (Thalacker et al). 2005;46:S87–S88 (Research Forum abstracts)
Knowledge of invasive procedures and procedural competency after participation in training labs (Shah et al). 2005;46:S30 (Research Forum abstracts)
Proctored ultrasound examinations (PUE) significantly improve success in emergency medicine ultrasound education (Sutingco and Noble). 2005;46:S79–S80 (Research Forum abstracts)
Resident sex and the pelvic exam: the effect of physician sex on selection and management of patients who may require a pelvic exam (Mohart et al). 2005;46:S55–S56 (Research Forum abstracts)
Rotators in the emergency department: conference attendance, duty hours compliance, sick call, and other issues. A survey of academic emergency medicine programs (Lovett et al). 2005;46:S12–S13 (Research Forum abstracts)
Short and long term skill retention after resident training in cricothyroidotomy (Stromski et al). 2005;46:S13 (Research Forum abstracts)
Use of a Web-based electronic tracking system to enroll patients in clinical studies in the emergency department (Kurz et al). 2005;46: S103 (Research Forum abstracts)
Intestinal obstruction
Surgical intervention for small bowel obstruction: clues in the serum chemistry? (Thacker et al). 2005;46:S104 (Research Forum abstracts)
Intestinal volvulus
[Malrotation with midgut volvulus] (Hess and Mannenbach). 2005;46:498, 506 (Images in emergency medicine)
Intracranial hemorrhages. *See also* Cerebral hemorrhage
High proportions of brain hemorrhages are admitted via the emergency department and are associated with high inpatient mortality and cost (Russell et al). 2005;46:S57 (Research Forum abstracts)
Intubation, intratracheal
Airway management by US and Canadian emergency medicine residents: a multicenter analysis of more than 6,000 endotracheal intubation attempts (Sagarin et al). 2005;46: 328–36
Airway management of status asthmaticus: analysis of 256 cases from the National Emergency Airway Registry (II) (Collins et al). 2005;46:S5 (Research Forum abstracts)
Attitudes and practices of emergency medicine residents regarding family presence during pediatric procedural and resuscitation scenarios (Barata et al). 2005;46:S54 (Research Forum abstracts)
A cadaver-based airway management lab is a valuable training tool for emergency medicine residents (Crystal et al). 2005;46:S86–S87 (Research Forum abstracts)
Does intubation prehospital improve outcomes for head injured patients (Cameron et al). 2005;46:S112 (Research Forum abstracts)
Emergency department capnographic confirmation of prehospital endotracheal intubation in cardiac arrest patients—a preliminary report (Silvestri et al). 2005;46:S6 (Research Forum abstracts)
Evaluation of a novel animal model for emergency surgical airway skills training (Schepker et al). 2005;46:S13 (Research Forum abstracts)
Institution of a combined rotation in anesthesia and emergency ultrasound in emergency medicine residency programs: a pathway for early dedicated ultrasound experience without compromising intubation experience for PGY-1 emergency medicine residents (Sierzenski et 2005;46:S52 (Research Forum abstracts)
The relationship between paramedic intubation success and systolic blood pressure, Glasgow Coma Scale, and end-tidal carbon dioxide (Davis et al). 2005;46:S62 (Research Forum abstracts)
Intubation, intratracheal, instrumentation
The effect of stylet bend angle on tracheal tube passage using a straight-to-cuff shape (Levitan et al). 2005;46:S5 (Research Forum abstracts)
An observational study comparing the Combitube and the King Laryngeal Tracheal Device in combat trauma airway training for U.S. Army combat medic students (McManus et al). 2005;46:S46 (Research Forum abstracts)
Pediatric laryngoscope blade size selection using facial landmarks (Mellick). 2005;46:S87 (Research Forum abstracts)
The use of an endotracheal tube introducer and King LT airway for endotracheal intubation (Schwartz et al). 2005;46:S87 (Research Forum abstracts)
Intubation, intratracheal, methods
Comparative study of airway management during confined-space urban rescue (Deibel et al). 2005;46:S4–S5 (Research Forum abstracts)
Drug-assisted intubation in the prehospital setting (American College of Emergency Physicians). 2005;46:214 (Policy statement)
Drug-facilitated effects on protective airway reflexes during out-of-hospital endotracheal intubation (Cole et al). 2005;46:S5 (Research Forum abstracts)
Is digital intubation an option for emergency physicians in definitive airway management? (Young et al). 2005;46:S6 (Research Forum abstracts)
Pilot study to evaluate the accuracy of ultrasound in confirming endotracheal tube placement (Werner et al). 2005;46:S4 (Research Forum abstracts)
Use of bedside ultrasound for endotracheal tube placement in pediatric patients—a pilot study (Galicinao et al). 2005;46:S92 (Research Forum abstracts)
Ischemia. *See also* Myocardial ischemia
Emergency department factors associated with acute mesenteric ischemia in an urban academic hospital (Hultin et al). 2005;46:S43 (Research Forum abstracts)
Molecular characterization of ischemia-responsive protein 94 (irp94) response to unfolded protein response in neuron (Kim et al). 2005;46: S68–S69 (Research Forum abstracts)
Ischemic attack, transient
Cost effective quality care for transient ischemic attack (Stead et al). 2005;46:S55 (Research Forum abstracts)

Risk of subsequent acute coronary syndrome following emergency department presentation for transient ischemic attack (Warrington et al). 2005;46:S2–S3 (Research Forum abstracts)

Italy

Road traffic injuries in Lazio, Italy: a descriptive analysis from an emergency department–based surveillance system (Rossi et al). 2005;46: 152–7 (Brief research report)

J

Job satisfaction

Is satisfaction in the eye of the beholder?: understanding physician job satisfaction (Simmons et al). 2005;46:S22–S23 (Research Forum abstracts)

Joint Commission on Accreditation of Healthcare Organizations

The Joint Commission on Accreditation of Healthcare Organizations and Center for Medicare and Medicaid Services community-acquired pneumonia initiative: what went wrong? (Walls and Resnick). 2005; 46:409–11 (Editorial)

The law of unintended consequences: implementation of point-of-care testing regulations decreases physician performance of digital rectal exams (McHugh et al). 2005;46: S32–S33 (Research Forum abstracts)

Judgment

Emergency physician judgment more specific than criteria for trauma (Ronan-Bentle et al). 2005;46:S111 (Research Forum abstracts)

Jugular veins

[Case of Lemierre syndrome in a 19 year old girl] (Chaudhry). 2005;46:114, 131 (Images in emergency medicine)

Ultrasound evaluation of the positional vascular anatomy of the neck: position optimization for central venous access (Levin and Bair). 2005; 46:S26–S27 (Research Forum abstracts)

Use of real-time, single-operator dynamic ultrasound guidance for internal jugular central venous cannulation: a randomized, controlled clinical trial (Milling et al). 2005;46:S26 (Research Forum abstracts)

Jurisprudence. *See also* Mandatory reporting

Assault weapon ban (American College of Emergency Physicians). 2005;46:104 (Policy statement)

Effect of mandated residential carbon monoxide detector use on the morbidity of reported cases (Hoffman and Hoffman). 2005;46:S34 (Research Forum abstracts)

Has prudent layperson legislation achieved its goals of increasing access for emergency care? (Hsia et al). 2005;46:S119 (Research Forum abstracts)

The lack of an adult seatbelt law in New Hampshire: live free and die? (Grau et al). 2005;46:S84 (Research Forum abstracts)

What is the status of the prudent layperson standard in state legislation? (Chesney et al). 2005;46:S120 (Research Forum abstracts)

K

Ketamine

The efficacy of ketamine in pediatric emergency department patients who present with acute severe asthma (Allen and Macias). 2005;46: 43–50

Kidney

Renal effects of nesiritide during short-term infusion for decompensated heart failure (Peacock and Emerman). 2005;46:S105–S106 (Research Forum abstracts)

Kidney calculi

Does kidney stone location, sex, or time of presentation affect rates of hospital admission in emergency department patients who present with renal colic? (Lee et al). 2005;46:S43–S44 (Research Forum abstracts)

Kidney failure, chronic

Relative risk of pulmonary embolism in end stage renal disease (O'Leary et al). 2005;46: S80–S81 (Research Forum abstracts)

The utility of nesiritide for hemodialysis-dependent patients with acutely decompensated heart failure as a bridge to outpatient dialysis (Chandra et al). 2005;46: S81 (Research Forum abstracts)

Knee injuries

Knee-thigh-hip injuries in frontal crashes (National Highway Traffic Safety Administration). 2005;46:168–9 (NHTSA notes)

Korea

The cardiopulmonary resuscitation training in Korean elementary school students (Park). 2005;46:S89 (Research Forum abstracts)

L

Laboratory techniques and procedures

A comprehensive point-of-care laboratory system can save time and money in the emergency department when combined with standardized care process models (Allen et al). 2005;46:S105 (Research Forum abstracts)

Lacerations

Cost-effectiveness of hair apposition technique compared with standard suturing in scalp lacerations (Ong et al). 2005;46:237–42

Lactic acid, diagnostic use

The assessment of lactate, Apache II scores and the revised lactate score to predict severity of illness in critically ill patients (Bilkovski et al). 2005;46:S18 (Research Forum abstracts)

Lactate: a prognostic indicator in sepsis syndrome (Ebarb et al). 2005;46:S10 (Research Forum abstracts)

Serum lactate as a predictor of mortality in emergency department patients with infection: does the lactate level tell the whole story? (Gaieski and Goyal); Reply (Shapiro et al). 2005;46:560–562 (Correspondence)

Serum lactate in children is not predictive of major trauma (Muñiz). 2005;46:S65 (Research Forum abstracts)

Language

Language and length of stay in the pediatric emergency department (Goldman et al). 2005; 46:S109 (Research Forum abstracts)

Limited English proficiency and the rate of unscheduled return pediatric emergency department visit and subsequent hospitalization at a community hospital (Tajian et al). 2005; 46:S31 (Research Forum abstracts)

Laryngeal masks

Comparative study of airway management during confined-space urban rescue (Deibel et al). 2005;46:S4–S5 (Research Forum abstracts)

Laryngoscopes

Pediatric laryngoscope blade size selection using facial landmarks (Mellick). 2005;46:S87 (Research Forum abstracts)

Larynx

[Laryngeal papillomatosis in a child] (Hess and Colletti). 2005;46:405, 419 (Images in emergency medicine)

Lasers

Histomorphologic effects of a hand held laser device for assisting topical anesthesia in a porcine model (Singer et al). 2005;46:S68 (Research Forum abstracts)

Law enforcement

Breath test refusals in DWI enforcement: an interim report (National Highway Traffic Safety Administration). 2005;46:552–3 (NHTSA notes)

Commentary: reducing drunk driving: what is the role of emergency physicians? (McKay and Garrison). 2005;46:553–5 (NHTSA notes commentary)

Deaths in police custody: an 8 month surveillance study (Ho et al). 2005;46:S94 (Research Forum abstracts)

Integration of emergency medical services and special weapons and tactics teams: a decade of experience (Jones et al). 2005;46:S32 (Research Forum abstracts)

The role of Tasers in police restraint-related deaths (Strote et al). 2005;46:S85 (Research Forum abstracts)

Withdrawal of Taser electroshock devices: too much, too soon (Bozeman). 2005;46:300–1 (Correspondence)

Lawyers

Comparison of emergency physicians' and attorneys' opinions on restraints usage in emergency department patients (Macias et al). 2005;46:S97 (Research Forum abstracts)

Learning

Experiential learning in emergency medicine (Finnell and Seupaul). 2005;46:S29 (Research Forum abstracts)

How do emergency medicine residents learn? (Rowden and Ramalanjaona). 2005;46:S14 (Research Forum abstracts)

Legionnaires' disease

Legionnaires disease associated with potable water in a hotel—Ocean City, MD, October 2003 to February 2004 (Centers for Disease Control and Prevention); Commentary (Oliver and Gross). 2005;46:288–91 (CDC update)

Length of stay

Admission B-type natriuretic peptide levels in acute decompensated heart failure predict hospital length of stay: an analysis of 48,629 hospitalizations in ADHERE (Peacock et al). 2005;46:S114 (Research Forum abstracts)

Age is associated with hospital length-of-stay but not with admission rates, anemia, or mortality in emergency department patients with elevated international normalization ratios (Lee et al). 2005;46:S117 (Research Forum abstracts)

Age is not associated with increased admission rates, hospital length-of-stay, or mortality in elderly emergency department patients presenting with undifferentiated abdominal pain (Lee et al). 2005;46:S118 (Research Forum abstracts)

Factors that influence length of visit in the emergency department for patients with

congestive heart failure (Schears et al). 2005;46: S117 (Research Forum abstracts)
Feasibility of an electronic medical record and its impact on emergency department length of stay (Boie). 2005;46:S7 (Research Forum abstracts)
Impact of rapid entry and accelerated care at triage on reducing emergency department patient wait times, lengths of stay, and rate of left without being seen (Chan et al). 2005;46: 491–7
The impact of triage classification and level of training on emergency department patient flow as measured by use of a Web-based infrared passive-tracking system (Villarin et al). 2005; 46:S103 (Research Forum abstracts)
Language and length of stay in the pediatric emergency department (Goldman et al). 2005; 46:S109 (Research Forum abstracts)
Length of stay of critically ill patients in the emergency department (Price et al). 2005;46: S40 (Research Forum abstracts)
Pneumonia: intravenous versus oral treatment—assessment of length of stay (PIVOTAL) (Chandra et al). 2005;46:S82–S83 (Research Forum abstracts)

Leptospirosis
Travel-associated dengue infections—United States, 2001-2004 (Centers for Disease Control and Prevention); Commentary (van Zyl). 2005; 46:420–3 (CDC update)

Leukemia
[Acute leukemia with blast crisis] (Hess and Sztajnkrycer). 2005;46:314, 322 (Images in emergency medicine)

Levalbuterol. *See* Albuterol

Lidocaine
Topical anesthetics for dermal instrumentation: a systematic review of randomized, controlled trials (Eidelman et al). 2005;46:343–51

Literacy. *See* Educational status

Logistic models
Artificial neural network models for prediction of acute coronary syndromes using clinical data from the time of presentation (Harrison and Kennedy). 2005;46:431–9
When to use relative risk or odds ratios in describing study results (Mayer and Young); Reply (Frazee and Charlebois). 2005;46:385–6 (Correspondence)

Los Angeles
Effects of emergency department closures on hospital ambulance diversion hours, Los Angeles County 1998-2004 (Sun and Asch). 2005;46:S119 (Research Forum abstracts)

Low back pain
The association between perceived pain relief and future ED visits in patients presented to the emergency department with low back pain (Hubbard et al). 2005;46:S74 (Research Forum abstracts)

Lower extremity
Patient follow-up after negative lower extremity ultrasound for deep venous thrombosis (McIlrath et al). 2005;46:S53 (Research Forum abstracts)
Utility of chest CT angiography and indirect lower extremity CT venography to exclude venous thromboembolism: a prospective study of emergency department patients (Richman et al). 2005;46:S98 (Research Forum abstracts)

Lower extremity, injuries
Commentary: emergency department patients and crash test dummies: what do they have in common? (Sochor and Rupp). 2005;46:169–71 (NHTSA notes commentary)
Knee-thigh-hip injuries in frontal crashes (National Highway Traffic Safety Administration). 2005;46:168–9 (NHTSA notes)

Lung, ultrasonography
Comet tail artifacts on lung sonography predict the presence of congestive heart failure and elevated B-type natriuretic peptide levels (Sidransky et al). 2005;46:S51 (Research Forum abstracts)

M

Magnetic resonance imaging
Emergency department utilization of magnetic resonance imaging in patients with acute neurologic conditions (Borczuk et al). 2005;46: S63–S64 (Research Forum abstracts)

Magnetics
Cellular phone interference as a cause of acute epinephrine poisoning (Hahn et al). 2005;46: 298–9 (Correspondence)
Diagnostic accuracy of resting magnetocardiography in a cohort of moderately to severely obese emergency department chest pain observation unit patients (Giraldez et al). 2005;46:S59 (Research Forum abstracts)
Magnetocardiography as a diagnostic tool to determine ischemic heart disease in patients presenting with chest pain (Smars et al). 2005; 46:S43 (Research Forum abstracts)

Malaria
Imported malaria into a region in the United Kingdom (Ritchie and McGuire). 2005;46: S58–S59 (Research Forum abstracts)
Travel-associated dengue infections—United States, 2001-2004 (Centers for Disease Control and Prevention); Commentary (van Zyl). 2005; 46:420–3 (CDC update)

Malpractice. *See* Defensive medicine

Mandatory reporting
Mandatory reporting of carbon monoxide poisoning by health care providers: effect on poison center calls (Hoffman and Hoffman). 2005;46:S35 (Research Forum abstracts)
Reporting of lapses of consciousness by emergency physicians (Vierra et al). 2005;46: S33 (Research Forum abstracts)

Mandibular injuries
Use of the tongue-blade test to identify patients with mandible & maxillary sinus fractures (Haydel et al). 2005;46:S66 (Research Forum abstracts)

Maxillary fractures
Use of the tongue-blade test to identify patients with mandible & maxillary sinus fractures (Haydel et al). 2005;46:S66 (Research Forum abstracts)

MCPA, poisoning. *See* 2-Methyl-4-chlorophenoxyacetic acid, poisoning

Mediastinum
The impact of pretest probability upon radiograph interpretation: anthrax and mediastinal widening (Miller et al). 2005;46: S70 (Research Forum abstracts)

Medicaid
The correlation between Medicaid rate and emergency department patient volumes during a physician slowdown (Junker et al). 2005;46: S34 (Research Forum abstracts)

Medical assistance. *See* Medicaid; Medicare Part B; State health plans

Medical errors. *See also* Clinical competence
Effect of rapid patient evaluation on the rate and type of error citation of emergency physicians (Levy et al). 2005;46:S108–S109 (Research Forum abstracts)
Medication errors in admitted patients held in the emergency department after admission (Irvin and Worthy). 2005;46:S119 (Research Forum abstracts)
Performance of an algorithm using computerized administrative data to identify physicians' missed acute coronary syndrome cases (Graff et al). 2005;46:S60 (Research Forum abstracts)

Medical history taking
Accuracy of immunization histories given by adults accompanying children 3-36 months to the emergency department: are they reliable (Meza et al). 2005;46:S15 (Research Forum abstracts)
The accuracy of the patient history: amount of the overdose (Henson et al). 2005;46:S37 (Research Forum abstracts)
Emergency department patients are willing to complete self-report forms while waiting to be seen (Bastani et al). 2005;46:S92 (Research Forum abstracts)
Patients' perception of privacy during various phases of emergency care (McKenna et al). 2005;46:S7 (Research Forum abstracts)
Reliability of patient history in determining pregnancy status (Strote et al). 2005;46:S56 (Research Forum abstracts)

Medically uninsured
Factors associated with 'no-shows' for medical clinic appointments made from the emergency department (Naderi et al). 2005;46:S113 (Research Forum abstracts)

Medical record linkage
Validation of probabilistic linkage for matching de-identified ambulance records to a state trauma registry (Newgard). 2005;46:S45 (Research Forum abstracts)

Medical records. *See also* Documentation; Medical history taking; Registries
Agreement of existing and imputed prehospital data in a state trauma registry when compared to ambulance data (Newgard). 2005;46:S62 (Research Forum abstracts)
How accurate is the Toxic Exposure Surveillance System data compared to medical record data for hospitalized poisoned pediatric patients? (Norton et al). 2005;46:S78 (Research Forum abstracts)

Medical records systems, computerized
Documenting pain intensity: distortions in the electronic medical record (DeSandre et al). 2005;46:S64–S65 (Research Forum abstracts)
Feasibility of an electronic medical record and its impact on emergency department length of stay (Boie). 2005;46:S7 (Research Forum abstracts)
Improving syndrome surveillance case definitions and outcomes by using existing data (Roberts et al). 2005;46:S24 (Research Forum abstracts)

Medical savings accounts
What do health savings accounts mean for the emergency department? (McConnell). 2005;46: 536–40 (Concepts)

Medicare Part B
Medicare imaging services: the impact of including hospital outpatient services in

estimates of growth (Koenig et al). 2005;46:S33 (Research Forum abstracts)

Medication errors
Medication errors in admitted patients held in the emergency department after admission (Irvin and Worthy). 2005;46:S119 (Research Forum abstracts)

Medicine, herbal
A Chinese herbal weight loss product adulterated with fenfluramine (Bryant et al). 2005;46:208 (Correspondence)
Herbal medicine use by patients presenting to the emergency department (Kwon et al). 2005;46:S77–S78 (Research Forum abstracts)

Meningitis, diagnosis
A simple clinical decision rule to differentiate bacterial from viral meningitis (D'Amore et al). 2005;46:S83–S84 (Research Forum abstracts)

Meningoencephalitis
Improving syndrome surveillance case definitions and outcomes by using existing data (Roberts et al). 2005;46:S24 (Research Forum abstracts)

Mesenteric arteries
Emergency department factors associated with acute mesenteric ischemia in an urban academic hospital (Hultin et al). 2005;46:S43 (Research Forum abstracts)

Metacarpus, injuries
[Carpometacarpal dislocation] (Young et al). 2005;46:13, 21 (Images in emergency medicine)

Methamphetamine
A brief observation period for patients presenting to the emergency department with methamphetamine-associated chest pain (Daniel et al). 2005;46:S115 (Research Forum abstracts)
Presenting emergency department complaints in patients with acute methamphetamine and cocaine use (Diercks et al). 2005;46:S51 (Research Forum abstracts)

2-Methyl-4-chlorophenoxyacetic acid, poisoning
Intentional self-poisoning with the chlorophenoxy herbicide 4-chloro-2-methylphenoxyacetic acid (MCPA) (Roberts et al). 2005;46:275–84

Methylphenidate
Hospitalization for methylphenidate abuse is associated with concomitant abuse of other pharmaceutical products (Anderson et al). 2005;46:S78 (Research Forum abstracts)

Michigan
Workplace violence: a survey of emergency physicians in the state of Michigan (Kowalenko et al). 2005;46:142–7

Midazolam
Case-control comparison of propofol and fentanyl/midazolam for procedural sedation (Bigelow et al). 2005;46:S106 (Research Forum abstracts)
Supplemental oxygen does not prevent hypoxia during ED procedural sedation and analgesia with fentanyl and midazolam (Deitch et al). 2005;46:S73 (Research Forum abstracts)

Migraine, drug therapy
Addition of post-discharge oral secobarbital to standard emergency department treatment of migraine headache improves pain relief and patient perception of headache resolution (Gerhardt et al). 2005;46:S71–S72 (Research Forum abstracts)

Military medicine
Evaluation of combat casualty care outcomes after the introduction of emergency medicine providers and an emergency medicine systems approach to the setting of tactical ground combat (Gerhardt et al). 2005;46:S45–S46 (Research Forum abstracts)
An observational study comparing the Combitube and the King Laryngeal Tracheal Device in combat trauma airway training for U.S. Army combat medic students (McManus et al). 2005;46:S46 (Research Forum abstracts)

Models, animal
Comparison of the Copenhagen and Sprague-Dawley rat strains in an experimental model of autologous clot pulmonary embolism (Runyon et al). 2005;46:S68 (Research Forum abstracts)
Evaluation of a novel animal model for emergency surgical airway skills training (Schepker et al). 2005;46:S13 (Research Forum abstracts)

Models, statistical
Acetaminophen nomogram versus Buckley categories to predict overdose outcome (Martin et al). 2005;46:S50 (Research Forum abstracts)
Artificial neural network models for prediction of acute coronary syndromes using clinical data from the time of presentation (Harrison and Kennedy). 2005;46:431–9
A new acetaminophen nomogram with a different purpose (Bond). 2005;46:272–4 (Editorial)
Numeric instability of predictive values (Gallagher). 2005;46:311–13 (Editorial)
A risk quantification instrument for acute acetaminophen overdose patients treated with *N*-acetylcysteine (Sivilotti et al). 2005;46:263–71
Subgroups, reanalyses, and other dangerous things (Wears et al). 2005;46:253–5 (Editorial)
Surge capacity planning: a new paradigm (Williams et al). 2005;46:S69 (Research Forum abstracts)
Validation of a simple model predicting displaced patients in the ED (Jackson et al). 2005;46:S107 (Research Forum abstracts)
When to use relative risk or odds ratios in describing study results (Mayer and Young); Reply (Frazee and Charlebois). 2005;46:385–6 (Correspondence)

Monitoring, physiologic. *See also* Observation
Inter-rater agreement of a non-invasive ultrasound cardiac output monitoring (USCOM) device in emergency department patients (Losey et al). 2005;46:S18 (Research Forum abstracts)
Is 24 hour monitoring necessary for patients presenting with syncope unexplained in the emergency department? (Henderson and Syan). 2005;46:S60 (Research Forum abstracts)
Is it necessary to admit low-risk patients with suspected acute coronary syndrome to inpatient telemetry beds? (Chen and Mills). 2005;46:440–4 (Best available evidence)

Monocyte chemoattractant protein-1
Troponin T and monocyte chemoattractant protein-1 in reducing chest pain unit testing for acute coronary syndromes in low-risk emergency department patients (Mitchell et al). 2005;46:S42 (Research Forum abstracts)

Monocytes
[Morula within a monocyte] (Ochoa et al). 2005;46:470, 480 (Images in emergency medicine)

Morphine
Intravenous morphine at 0.1 mg/kg is not effective for controlling severe acute pain in the majority of patients (Bijur et al). 2005;46:362–7 (Brief research report)

Mortality. *See also* Death; *specific medical conditions*
Death in the department: can we predict who will die after arriving alive (Davis et al). 2005;46:S11 (Research Forum abstracts)
Deaths in police custody: an 8 month surveillance study (Ho et al). 2005;46:S94 (Research Forum abstracts)
Prescription use and survival among nonagenarians presenting to the emergency department (Mooney et al). 2005;46:S117 (Research Forum abstracts)

Morula
[Morula within a monocyte] (Ochoa et al). 2005;46:470, 478 (Images in emergency medicine)

Myelitis, transverse
Emergency department presentations of transverse myelitis: two case reports (Hammerstedt et al). 2005;46:256–9 (Case report)

Myocardial infarction. *See also* Angina, unstable; Coronary disease

Myocardial infarction, diagnosis
After the first negative troponin: distinguishing patients with evolving myocardial infarctions from those without infarction in emergency department patients with chest pain (Miller et al). 2005;46:S114–S115 (Research Forum abstracts)
How accurate is paramedic identification of ST segment elevation myocardial infarction in the prehospital setting? (Chawla and Moyer). 2005;46:S45 (Research Forum abstracts)
Utilization of ST-segment deviation sum and change score to identify high risk emergency department chest pain patient with acute coronary syndromes (Fesmire et al). 2005;46:S8 (Research Forum abstracts)

Myocardial infarction, therapy
Older emergency department patients with acute myocardial infarction receive lower quality of care than younger patients (Magid et al). 2005;46:14–21
Patients with evolving myocardial infarction have a significant missed opportunity for earlier treatment: experience from the SYNERGY Trial (Miller et al). 2005;46:S3 (Research Forum abstracts)
Predictors of early and late reperfusion for emergency department myocardial infarction patients—impact of process, temporal and resource demands (Swor et al). 2005;46:S42 (Research Forum abstracts)
Thrombolysis in the elderly with S-T segment elevation myocardial infarction in a district general hospital (Ritchie et al). 2005;46:S42 (Research Forum abstracts)
Using non-interventional cardiologists as first call does not affect the door-to-balloon time or decision to use angioplasty for AMI patients presenting to the emergency department (Hoxhaj et al). 2005;46:S42–S43 (Research Forum abstracts)

Myocardial ischemia, diagnosis. *See also* Coronary disease, diagnosis
Diagnostic accuracy of resting magnetocardiography in a cohort of moderately to severely obese emergency department chest pain observation unit patients (Giraldez et al). 2005;46:S59 (Research Forum abstracts)
Magnetocardiography as a diagnostic tool to determine ischemic heart disease in patients presenting with chest pain (Smars et al). 2005; 46:S43 (Research Forum abstracts)
Supine vs. semi-recumbent and upright twelve-lead ECG: does change in body position alter ECG interpretation for ischemia? (Baevsky et al). 2005;46:S9 (Research Forum abstracts)
Myocardial reperfusion
Predictors of early and late reperfusion for emergency department myocardial infarction patients—impact of process, temporal and resource demands (Swor et al). 2005;46:S42 (Research Forum abstracts)

N

Natriuretic peptide, brain
Admission B-type natriuretic peptide levels in acute decompensated heart failure predict hospital length of stay: an analysis of 48,629 hospitalizations in ADHERE (Peacock et al). 2005;46:S114 (Research Forum abstracts)
Comet tail artifacts on lung sonography predict the presence of congestive heart failure and elevated B-type natriuretic peptide levels (Sidransky et al). 2005;46:S51 (Research Forum abstracts)
Correlation of acute and convalescent BNP levels in symptomatic heart failure patients presenting to the emergency department (Prendergast et al). 2005;46:S115–S116 (Research Forum abstracts)
Elevation of plasma B-type natriuretic peptide and left ventricular systolic function in sepsis patients (Oh et al). 2005;46:S47 (Research Forum abstracts)
Emergency physician use of the B-type natriuretic peptide value and the effect of variance between commercial assays in the diagnosis and treatment of congestive heart failure (Bork et al). 2005;46:S44 (Research Forum abstracts)
Non-ST-segment elevation acute coronary syndrome mortality: an analysis of B-type natriuretic peptide and cardiac troponin (Peacock et al). 2005;46:S3 (Research Forum abstracts)
Serum B-type natriuretic peptide (BNP) level in geriatric heart failure (Kim). 2005;46:S19 (Research Forum abstracts)
Natriuretic peptide, brain, therapeutic use
Does early nesiritide use in acute decompensated heart failure improve outcomes? (DeLuca and Martino). 2005;46:S41 (Research Forum abstracts)
Neseritide versus nitroglycerin for congestive heart failure: a randomized trial (White et al). 2005;46:S116 (Research Forum abstracts)
Renal effects of nesiritide during short-term infusion for decompensated heart failure (Peacock and Emerman). 2005;46:S105–S106 (Research Forum abstracts)
The utility of nesiritide for hemodialysis-dependent patients with acutely decompensated heart failure as a bridge to outpatient dialysis (Chandra et al). 2005;46: S81 (Research Forum abstracts)
Natural disasters
Carbon monoxide poisonings during the Southeastern ice storm of 2002: lessons learned (Promes et al). 2005;46:S57 (Research Forum abstracts)
Neck
Dynamic analysis of the movement of each cervical vertebra during the passive motion of the head in the most common four directions of cervical vertebral injury (Choi). 2005;46: S110–S111 (Research Forum abstracts)
Ultrasound evaluation of the positional vascular anatomy of the neck: position optimization for central venous access (Levin and Bair). 2005; 46:S26–S27 (Research Forum abstracts)
Will the headaches of pediatric patients respond to bilateral lower cervical intramuscular bupivacaine injections? (Mellick). 2005;46:S91 (Research Forum abstracts)
Neck injuries. *See* Cervical vertebrae, injuries
Needlestick injuries
Health care worker blood or body fluid exposures and HIV prophylaxis provision at Rhode Island emergency departments (Merchant et al). 2005;46:S93 (Research Forum abstracts)
Neoplasms
Symptom burden and physical, emotional and functional well-being in cancer patients in the emergency department (Quest and Bell). 2005; 46:S99 (Research Forum abstracts)
Nervous system diseases
Emergency department utilization of magnetic resonance imaging in patients with acute neurologic conditions (Borczuk et al). 2005;46: S63–S64 (Research Forum abstracts)
Nesiritide. *See* Natriuretic peptide, brain
Netherlands
Dutch emergency department patient characteristics: implications for an emergency medicine residency program (Elshove-Bolk et al). 2005;46:S88–S89 (Research Forum abstracts)
Neural networks (computer)
Artificial neural network models for prediction of acute coronary syndromes using clinical data from the time of presentation (Harrison and Kennedy). 2005;46:431–9
Neurologic examination
Emergency physicians and the neurologic examination (Nagurney et al). 2005;46:S88 (Research Forum abstracts)
Neurologic manifestations
Incidence of acute neurological abnormalities associated with hyperglycemia (Kolb et al). 2005;46:S71 (Research Forum abstracts)
New Hampshire
The lack of an adult seatbelt law in New Hampshire: live free and die? (Grau et al). 2005;46:S84 (Research Forum abstracts)
Nitroglycerin
Neseritide versus nitroglycerin for congestive heart failure: a randomized trial (White et al). 2005;46:S116 (Research Forum abstracts)
Prospective evaluation of the response to nitroglycerin as a predictor of ACS in patients presenting to the ED with undifferentiated chest pain (Chandra et al). 2005;46:S61 (Research Forum abstracts)
Nomograms
Acetaminophen nomogram versus Buckley categories to predict overdose outcome (Martin et al). 2005;46:S50 (Research Forum abstracts)
A new acetaminophen nomogram with a different purpose (Bond). 2005;46:272–4 (Editorial)
A risk quantification instrument for acute acetaminophen overdose patients treated with *N*-acetylcysteine (Sivilotti et al). 2005;46: 263–71
Nurses
Delivery of agents for procedural sedation and analgesia by emergency nurses (American College of Emergency Physicians). 2005;46: 368 (Policy statement)
Emergency nurses' utilization and accuracy of handheld ultrasound devices for detection of fetal heart tones in pregnant patients (Aguilera and De Guzman). 2005;46:S14 (Research Forum abstracts)
Impact of emergency department volume on registered nurse time at the bedside (Hobgood et al). 2005;46:481–9
In the eye of the beholder: how emergency department doctors and nurses differ in their perception and approach to emergency department crowding (Flottemesch et al). 2005; 46:S33 (Research Forum abstracts)
Nurses' aides
The workload and efficiency of nursing assistants trained to work as emergency transfer liaisons (McKenna et al). 2005;46:S7 (Research Forum abstracts)
Nursing homes
Cefepime versus traditional antibiotic therapy in the treatment of nursing home acquired pneumonia: a pilot study (O'Sullivan et al). 2005;46:S19–S20 (Research Forum abstracts)
Diagnosing pneumonia in nursing home patients: the utility or futility of chest x-ray and blood cultures (Ryder and O'Neil). 2005;46: S20 (Research Forum abstracts)

O

Obesity
Diagnostic accuracy of resting magnetocardiography in a cohort of moderately to severely obese emergency department chest pain observation unit patients (Giraldez et al). 2005;46:S59 (Research Forum abstracts)
Weighing the 480-pound person (Schorin); Reply (Moettus). 2005;46:98 (Correspondence)
Observation. *See also* Monitoring, physiologic
A brief observation period for patients presenting to the emergency department with methamphetamine-associated chest pain (Daniel et al). 2005;46:S115 (Research Forum abstracts)
Emergency department observation unit management of trauma patients (Norton et al). 2005;46:S110 (Research Forum abstracts)
Mild head injury—computed tomography or inhospital observation? A randomized controlled trial concerning effects and costs (af Geijerstam et al). 2005;46:S109–S110 (Research Forum abstracts)
Occult blood
The law of unintended consequences: implementation of point-of-care testing regulations decreases physician performance of

digital rectal exams (McHugh et al). 2005;46: S32–S33 (Research Forum abstracts)
The role of stool assessment for gross and occult blood for the prediction of need for urgent intervention in non-specific abdominal pain (Gerhardt and Kernan). 2005;46:S37–S38 (Research Forum abstracts)
Self-collection of stool: an alternative to digital rectal examination for fecal occult blood testing in the emergency department (Lovett et al). 2005;46:S65 (Research Forum abstracts)

Ocular motility disorders
[Parinaud's oculoglandular syndrome] (Lemme and Seupaul). 2005;46:406, 423 (Images in emergency medicine)

Odds ratio
When to use relative risk or odds ratios in describing study results (Mayer and Young); Reply (Frazee and Charlebois). 2005;46:385–6 (Correspondence)

Olanzapine
Intramuscular olanzapine effects on specific behaviors in agitation (Houston et al). 2005;46: S100–S101 (Research Forum abstracts)

Optical coherence tomography. *See* Tomography, optical coherence

Oregon
How Oregon Health Plan cutbacks have affected rural Oregon: the experience of a rural emergency department (Karwowski et al). 2005;46:S119–S120 (Research Forum abstracts)
Impact of cutbacks in the Oregon Health Plan on emergency department use: a statewide study (Lowe et al). 2005;46:S120 (Research Forum abstracts)
Impact of Oregon Health Plan cutbacks on emergency department patients varies by ethnicity (Ogden et al). 2005;46:S33–S34 (Research Forum abstracts)

Organ donation. *See* Tissue and organ procurement

Organophosphates, poisoning. *See* Phosphoric acid esters, poisoning

Osteoporosis
Does it predict femur fracture by biochemical marker and bone mineral density? (Lee et al). 2005;46:S118 (Research Forum abstracts)

Overdose. *See also* Acetaminophen, poisoning
The accuracy of the patient history: amount of the overdose (Henson et al). 2005;46:S37 (Research Forum abstracts)
N-Acetylcysteine is often needed in cases of prescription narcotic abuse in young adults (Tudor et al). 2005;46:S35 (Research Forum abstracts)
Cellular phone interference as a cause of acute epinephrine poisoning (Hahn et al). 2005;46: 298–9 (Correspondence)
Effects of amiodarone in a porcine model of tricyclic antidepressant poisoning (Murr et al). 2005;46:S76–S77 (Research Forum abstracts)
Rectal insertion of fentanyl patches: a new route of toxicity (Coon et al). 2005;46:473 (Correspondence)
Use of flumazenil in comatose patients presenting to the emergency department (Ngo et al). 2005;46:S51 (Research Forum abstracts)

Oxygen inhalation therapy
Supplemental oxygen does not prevent hypoxia during ED procedural sedation and analgesia with fentanyl and midazolam (Deitch et al). 2005;46:S73 (Research Forum abstracts)
The treatment of acute hyperventilation syndrome in in- or out-of-hospital patients: drug sedation, reservoir bag with O_2 and combination (Kim). 2005;46:S101 (Research Forum abstracts)

P

Pain
History of severe pain in patients presenting to the emergency department (Fosnocht et al). 2005;46:S49 (Research Forum abstracts)

Pain measurement
Documenting pain intensity: distortions in the electronic medical record (DeSandre et al). 2005;46:S64–S65 (Research Forum abstracts)
Pain in the emergency department (Reznikova et al). 2005;46:S82 (Research Forum abstracts)
Prospective evaluation of satisfaction with emergency department analgesia in patients with acute undifferentiated abdominal pain (Marinsek et al). 2005;46:S49 (Research Forum abstracts)

Pain relief. *See* Analgesia

Pakistan
Perception of users and providers regarding district level emergency care system in Pakistan (Razzak and Hyder). 2005;46:S95 (Research Forum abstracts)
Reduction of home injury hazards by home visiting program: a randomized controlled trial (Rehmani). 2005;46:S86 (Research Forum abstracts)

Panic disorder, diagnosis
Examining practice patterns of emergency physicians through the use of simulated patient vignettes (Gerard et al). 2005;46:S100 (Research Forum abstracts)

Papilloma
[Laryngeal papillomatosis in a child] (Hess and Colletti). 2005;46:405, 419 (Images in emergency medicine)

Paracetamol. *See* Acetaminophen

Paraquat, poisoning
Stat laboratory parameters predicting outcome in paraquat poisoned patients (Jeung et al). 2005; 46:S35 (Research Forum abstracts)

Parinaud's syndrome. *See* Ocular motility disorders

Patient admission
Admission by appointment decreases the wait time of patients being held in the emergency department (Bastani et al). 2005;46:S39 (Research Forum abstracts)
Age is associated with hospital length-of-stay but not with admission rates, anemia, or mortality in emergency department patients with elevated international normalization ratios (Lee et al). 2005;46:S117 (Research Forum abstracts)
Age is not associated with increased admission rates, hospital length-of-stay, or mortality in elderly emergency department patients presenting with undifferentiated abdominal pain (Lee et al). 2005;46:S118 (Research Forum abstracts)
An evaluation of emergency physician efficiency as determined by average time to disposition, number of laboratories ordered, and rate of admission in a level 1 urban emergency department (Villarin et al). 2005;46: S103–S104 (Research Forum abstracts)
In room registration significantly decreases the rate of departmental LWT's (Carr et al). 2005; 46:S39–S40 (Research Forum abstracts)
Medication errors in admitted patients held in the emergency department after admission (Irvin and Worthy). 2005;46:S119 (Research Forum abstracts)

Patient care management
Accelerated care at triage: physician-directed ancillary testing at triage for patients waiting in an emergency department (Chan et al). 2005; 46:S107–S108 (Research Forum abstracts)
Admission by appointment decreases the wait time of patients being held in the emergency department (Bastani et al). 2005;46:S39 (Research Forum abstracts)
Boarding inpatients in the emergency department: patient preferences (Walsh et al). 2005;46:S40 (Research Forum abstracts)
Caring for emergency department "boarders" (American College of Emergency Physicians). 2005;46:104 (Policy statement)
Chief complaint based quality indicators: the challenge for automation posed by chief complaint variability (Talotta et al). 2005;46: S40 (Research Forum abstracts)
A comprehensive point-of-care laboratory system can save time and money in the emergency department when combined with standardized care process models (Allen et al). 2005;46:S105 (Research Forum abstracts)
Cost-effectiveness of an emergency department fast-track system for low-acuity patients (Fan). 2005;46:S109 (Research Forum abstracts)
Direct discharge from triage in emergency departments: assessment, risks and patient satisfaction (Sanchez et al). 2005;46:S24 (Research Forum abstracts)
ED patient flow: utilizing the Six Sigma approach to reduce emergency department overcrowding (Maniago et al). 2005;46:S8 (Research Forum abstracts)
Emergency department observation unit management of trauma patients (Norton et al). 2005;46:S110 (Research Forum abstracts)
Emergency department patients are willing to complete self-report forms while waiting to be seen (Bastani et al). 2005;46:S92 (Research Forum abstracts)
An evaluation of emergency physician efficiency as determined by average time to disposition, number of laboratories ordered, and rate of admission in a level 1 urban emergency department (Villarin et al). 2005;46: S103–S104 (Research Forum abstracts)
Impact of emergency department volume on registered nurse time at the bedside (Hobgood et al). 2005;46:481–9
Impact of rapid entry and accelerated care at triage on reducing emergency department patient wait times, lengths of stay, and rate of left without being seen (Chan et al). 2005;46: 491–7
The impact of triage classification and level of training on emergency department patient flow as measured by use of a Web-based infrared passive-tracking system (Villarin et al). 2005; 46:S103 (Research Forum abstracts)
The 29 minute guarantee—improving patient triage and flow (Rosenthal et al). 2005;46:S107 (Research Forum abstracts)
A primary care physician seeing patients in a fast track area: effect on effectiveness, efficiency, and

perceived care quality (Jimenez et al). 2005;46: S55 (Research Forum abstracts)
Team assignment system: expediting emergency department care (Patel and Vinson). 2005;46: 499–506
Time value stream mapping as a tool to measure patient flow through emergency department triage (Kaale et al). 2005;46:S108 (Research Forum abstracts)

Patient compliance
Demographic, socioeconomic, and psychological factors related to medication nonadherence among emergency department patients (Davis et al). 2005;46:S100 (Research Forum abstracts)
Factors associated with compliance to community-based programs in victims of violence (Corbin et al). 2005;46:S97–S98 (Research Forum abstracts)
Factors associated with 'no-shows' for medical clinic appointments made from the emergency department (Naderi et al). 2005;46:S113 (Research Forum abstracts)

Patient discharge
Direct discharge from triage in emergency departments: assessment, risks and patient satisfaction (Sanchez et al). 2005;46:S24 (Research Forum abstracts)

Patient dropouts
Impact of rapid entry and accelerated care at triage on reducing emergency department patient wait times, lengths of stay, and rate of left without being seen (Chan et al). 2005;46: 491–7
In room registration significantly decreases the rate of departmental LWT's (Carr et al). 2005; 46:S39–S40 (Research Forum abstracts)

Patient education
Does preparing patients for their emergency department experience through a waiting room video about process of care improve their satisfaction? (Papa et al). 2005;46:S23–S24 (Research Forum abstracts)
ED overcrowding: an opportunity to improve public health through education (Schabowski et al). 2005;46:S25–S26 (Research Forum abstracts)
The effect of information delivery on patient satisfaction in the emergency department (White et al). 2005;46:S120–S121 (Research Forum abstracts)
Testing a model for an emergency department waiting room educational intervention (Schabowski et al). 2005;46:S25 (Research Forum abstracts)

Patient isolation
Alpha testing of a system for creating on-demand positive and negative-pressure isolation environments in typical emergency department rooms (Giasi et al). 2005;46:S70 (Research Forum abstracts)

Patient-physician relations. *See* Physician-patient relations

Patient preference. *See* Patient satisfaction

Patient readmission
Limited English proficiency and the rate of unscheduled return pediatric emergency department visit and subsequent hospitalization at a community hospital (Tajian et al). 2005; 46:S31 (Research Forum abstracts)
Truer ED volume: interpreting the effect of recidivism amongst patients (Milzman et al). 2005;46:S11 (Research Forum abstracts)

Patients
The accuracy of the patient history: amount of the overdose (Henson et al). 2005;46:S37 (Research Forum abstracts)
Comparison of users of an emergency department versus users of community health clinics with similar complaint profiles—a patient-centered approach (Meieran et al). 2005;46:S34 (Research Forum abstracts)
Dutch emergency department patient characteristics: implications for an emergency medicine residency program (Elshove-Bolk et al). 2005;46:S88–S89 (Research Forum abstracts)
Emergency department patients are willing to complete self-report forms while waiting to be seen (Bastani et al). 2005;46:S92 (Research Forum abstracts)
History of severe pain in patients presenting to the emergency department (Fosnocht et al). 2005;46:S49 (Research Forum abstracts)
Multicenter study of smoking, depression, and suicidal ideation among emergency department patients (Boudreaux et al). 2005;46:S99 (Research Forum abstracts)
Patient expectations for pain relief in the emergency department (Fosnocht et al). 2005; 46:S49 (Research Forum abstracts)
Reliability of patient history in determining pregnancy status (Strote et al). 2005;46:S56 (Research Forum abstracts)
Symptom burden and physical, emotional and functional well-being in cancer patients in the emergency department (Quest and Bell). 2005; 46:S99 (Research Forum abstracts)

Patient satisfaction
Boarding inpatients in the emergency department: patient preferences (Walsh et al). 2005;46:S40 (Research Forum abstracts)
Developing an efficient model to select emergency department patient satisfaction improvement strategies (Brown et al). 2005;46: 3–10
Direct discharge from triage in emergency departments: assessment, risks and patient satisfaction (Sanchez et al). 2005;46:S24 (Research Forum abstracts)
Does preparing patients for their emergency department experience through a waiting room video about process of care improve their satisfaction? (Papa et al). 2005;46:S23–S24 (Research Forum abstracts)
Do injured pediatric emergency department patients really want analgesics? (Axelband et al). 2005;46:S91 (Research Forum abstracts)
The effect of information delivery on patient satisfaction in the emergency department (White et al). 2005;46:S120–S121 (Research Forum abstracts)
Family presence during critical resuscitation in the emergency department: the patient's perspective (Chakel et al). 2005;46:S76 (Research Forum abstracts)
Is satisfaction in the eye of the beholder?: understanding physician job satisfaction (Simmons et al). 2005;46:S22–S23 (Research Forum abstracts)
Patient controlled analgesia for hip fractures in the emergency department: a prospective randomized controlled trial (Michael et al). 2005;46:S74 (Research Forum abstracts)
Patient satisfaction and the curse of Kelvin (Wears). 2005;46:11–12 (Editorial)
Patients' perception of privacy during various phases of emergency care (McKenna et al). 2005;46:S7 (Research Forum abstracts)
Prospective evaluation of satisfaction with emergency department analgesia in patients with acute undifferentiated abdominal pain (Marinsek et al). 2005;46:S49 (Research Forum abstracts)
Should emergency physicians sit or stand? Does not matter much (Gambarota et al). 2005;46: S56 (Research Forum abstracts)

Patient selection
The ED waiting room: a captured audience for emergency medicine research (Schabowski et al). 2005;46:S58 (Research Forum abstracts)
Use of a Web-based electronic tracking system to enroll patients in clinical studies in the emergency department (Kurz et al). 2005;46: S103 (Research Forum abstracts)

Patient transfer
Bias and variability in interhospital trauma transfer practices in a statewide rural trauma system (Newgard et al). 2005;46:S111 (Research Forum abstracts)
The workload and efficiency of nursing assistants trained to work as emergency transfer liaisons (McKenna et al). 2005;46:S7 (Research Forum abstracts)

Pelvic bones, injuries
Bilateral acetabular fractures associated with a seizure: a case report (Friedburg and Buras). 2005;46:260–2 (Case report)
The epidemiology and mortality of pelvic fractures (Phua and Seow). 2005;46:S67 (Research Forum abstracts)
Should we order the lateral cervical spine and pelvic radiographs in children with major trauma (Muñiz). 2005;46:S36 (Research Forum abstracts)

Pelvis
Resident sex and the pelvic exam: the effect of physician sex on selection and management of patients who may require a pelvic exam (Mohart et al). 2005;46:S55–S56 (Research Forum abstracts)
Utility of the ED pelvic exam: results of a prospective pilot study (Brown et al). 2005;46: S38 (Research Forum abstracts)

Pennsylvania
Comparison of rural and urban ambulance crashes in Pennsylvania (Ray and Kupas). 2005; 46:S113 (Research Forum abstracts)

Pericarditis
[Vaccinia-associated myopericarditis] (Shawcross et al). 2005;46:315, 327 (Images in emergency medicine)

Periodicity
Critical time: "patterning" for pediatric firearm injuries (Kim et al). 2005;46:S84 (Research Forum abstracts)
Does kidney stone location, sex, or time of presentation affect rates of hospital admission in emergency department patients who present with renal colic? (Lee et al). 2005;46:S43–S44 (Research Forum abstracts)
Hospital admissions for congestive heart failure decrease with increasing temperature in a tropical climate (Balaji and Allegra). 2005;46: S60 (Research Forum abstracts)
Predicting patient volume per hour (Siler Fisher et al). 2005;46:S6–S7 (Research Forum abstracts)

Running outside the baseline: impact of the 2004 Major League Baseball postseason on emergency department use (Reis et al). 2005; 46:386–7 (Correspondence)
Seasonal variation in firearm related emergency department visits (Irvin and Holley). 2005;46: S57 (Research Forum abstracts)
Temporal arrival patterns and subspecialty needs of trauma patients requiring emergency operating room operative intervention (Henry et al). 2005;46:S67 (Research Forum abstracts)
24/7: the next big thing? (Frumkin). 2005;46: 95–6 (Correspondence)
Validation of a simple model predicting displaced patients in the ED (Jackson et al). 2005;46:S107 (Research Forum abstracts)

Pharmaceutical preparations
Bedside height estimation for calculation of ideal body weight for use in emergency department drug dosing (Stehman et al). 2005;46:S106 (Research Forum abstracts)
Prescription use and survival among nonagenarians presenting to the emergency department (Mooney et al). 2005;46:S117 (Research Forum abstracts)

Pharyngitis
[Case of Lemierre syndrome in a 19 year old girl] (Chaudhry). 2005;46:114, 131 (Images in emergency medicine)
The clinical diagnosis of streptococcal pharyngitis (Hafner). 2005;46:87–9 (Rational clinical examination abstract)
Is ED testing for group A *Streptococcus* associated with antibiotic prescription rates for adults with pharyngitis? (Radeos et al). 2005;46:S16

Phenobarbital
Treatment of peripheral vertigo without active emesis with an elixir of atropine, hyoscyamine, phenobarbital, and scopolamine: a pilot study (Vega et al). 2005;46:S71 (Research Forum abstracts)

Phlebography
Utility of chest CT angiography and indirect lower extremity CT venography to exclude venous thromboembolism: a prospective study of emergency department patients (Richman et al). 2005;46:S98 (Research Forum abstracts)

Phosphoric acid esters, poisoning
The clinical characteristics of organophosphate intoxication in geriatric patients (Kim). 2005; 46:S19 (Research Forum abstracts)

Physical endurance
Changes in parasympathetic tone in elite athletes: power versus endurance, is there a difference? (Berkoff et al). 2005;46:S8–S9 (Research Forum abstracts)

Physical examination
The clinical impact of cardiac, abdominal, and lung exams for emergency department patients with minor chief complaints (Phelps and Rodriguez). 2005;46:S12 (Research Forum abstracts)
The comprehensive physical exam: when and why do emergency medicine residents perform them on patients with minor chief complaints? (Phelps and Rodriguez). 2005;46:S28–S29 (Research Forum abstracts)
The law of unintended consequences: implementation of point-of-care testing regulations decreases physician performance of digital rectal exams (McHugh et al). 2005;46: S32–S33 (Research Forum abstracts)
Randomized controlled trial of physical examination teaching to first-year medical students in the emergency department (Masser et al). 2005;46:S14–S15 (Research Forum abstracts)
Resident sex and the pelvic exam: the effect of physician sex on selection and management of patients who may require a pelvic exam (Mohart et al). 2005;46:S55–S56 (Research Forum abstracts)
Utility of the digital rectal examination as a diagnostic predictor variable in the presentation of undifferentiated abdominal pain (Lanigan et al). 2005;46:S81 (Research Forum abstracts)
Utility of the ED pelvic exam: results of a prospective pilot study (Brown et al). 2005;46: S38 (Research Forum abstracts)

Physician executives
Critical care responsibility in community emergency medicine practice: results of an emergency department director survey (Sherwin and Bilkovski). 2005;46:S7–S8 (Research Forum abstracts)
Role of state EMS medical director (American College of Emergency Physicians). 2005;46: 103 (Policy statement)

Physician-patient relations
The advocate (Kassman). 2005;46:556–7 (Change of shift)
Defining the outcome (Compton). 2005;46:201 (Change of shift)
Is satisfaction in the eye of the beholder?: understanding physician job satisfaction (Simmons et al). 2005;46:S22–S23 (Research Forum abstracts)
Should emergency physicians sit or stand? Does not matter much (Gambarota et al). 2005;46: S56 (Research Forum abstracts)

Physicians
Accelerated care at triage: physician-directed ancillary testing at triage for patients waiting in an emergency department (Chan et al). 2005; 46:S107–S108 (Research Forum abstracts)
Bioterrorism and public health emergency preparedness: a national survey of physician knowledge and perceived preparedness (Larkin et al). 2005;46:S58 (Research Forum abstracts)
Can emergency physicians positively predict acute appendicitis on focused right lower quadrant ultrasound? (Nelson et al). 2005;46: S27–S28 (Research Forum abstracts)
Comparison of emergency physicians' and attorneys' opinions on restraints usage in emergency department patients (Macias et al). 2005;46:S97 (Research Forum abstracts)
Critical care responsibility in community emergency medicine practice: results of an emergency department director survey (Sherwin and Bilkovski). 2005;46:S7–S8 (Research Forum abstracts)
Effect of rapid patient evaluation on the rate and type of error citation of emergency physicians (Levy et al). 2005;46:S108–S109 (Research Forum abstracts)
Emergency department physician estimates of patient literacy: how accurate are we? (Engel et al). 2005;46:S26 (Research Forum abstracts)
Emergency physician judgment more specific than criteria for trauma (Ronan-Bentle et al). 2005;46:S111 (Research Forum abstracts)
An evaluation of emergency physician efficiency as determined by average time to disposition, number of laboratories ordered, and rate of admission in a level 1 urban emergency department (Villarin et al). 2005;46: S103–S104 (Research Forum abstracts)
Impact of coder feedback on down-coding (Parker et al). 2005;46:S23 (Research Forum abstracts)
In the eye of the beholder: how emergency department doctors and nurses differ in their perception and approach to emergency department crowding (Flottemesch et al). 2005; 46:S33 (Research Forum abstracts)
Is satisfaction in the eye of the beholder?: understanding physician job satisfaction (Simmons et al). 2005;46:S22–S23 (Research Forum abstracts)
A primary care physician seeing patients in a fast track area: effect on effectiveness, efficiency, and perceived care quality (Jimenez et al). 2005;46: S55 (Research Forum abstracts)
Reporting of lapses of consciousness by emergency physicians (Vierra et al). 2005;46: S33 (Research Forum abstracts)
Workplace violence: a survey of emergency physicians in the state of Michigan (Kowalenko et al). 2005;46:142–7

Physicians, economics
Compensation arrangements for emergency physicians (American College of Emergency Physicians). 2005;46:104 (Policy statement)
Reimbursement for emergency department electrocardiogram and radiograph interpretations: what is it worth for the "pit doc"? (Mallon et al). 2005;46:S23 (Research Forum abstracts)

Physicians, psychology
Coming to the end (Freedman). 2005;46:296 (Change of shift)

Physician's practice patterns
Attitudes and practices of emergency medicine residents regarding family presence during pediatric procedural and resuscitation scenarios (Barata et al). 2005;46:S54 (Research Forum abstracts)
Decisions, decisions: emergency physician evaluation of low probability—high morbidity conditions (Schriger and Brown). 2005;46: 534–5 (Editorial)
Documentation accuracy: does emergency medicine residency training make a difference? (Maniago and Ardolic). 2005;46:S8 (Research Forum abstracts)
Emergency physicians and the neurologic examination (Nagurney et al). 2005;46:S88 (Research Forum abstracts)
Emergency physicians' fear of malpractice in evaluating patients with possible acute cardiac ischemia (Katz et al). 2005;46:525–33
Emergency physician use of the B-type natriuretic peptide value and the effect of variance between commercial assays in the diagnosis and treatment of congestive heart failure (Bork et al). 2005;46:S44 (Research Forum abstracts)
Examining practice patterns of emergency physicians through the use of simulated patient vignettes (Gerard et al). 2005;46:S100 (Research Forum abstracts)
The law of unintended consequences: implementation of point-of-care testing regulations decreases physician performance of digital rectal exams (McHugh et al). 2005;46: S32–S33 (Research Forum abstracts)

Patterns and correlates of acute (<24 hours) use of beta-blockers for non-ST-segment elevation acute coronary syndromes: results from the CRUSADE initiative (Miller et al). 2005;46: S59–S60 (Research Forum abstracts)
Physician delay is key factor in delayed administration of antibiotics in community acquired pneumonia (Resnick et al). 2005;46: S108 (Research Forum abstracts)
Physicians' acute coronary syndrome testing threshold and diagnostic performance (Graff et al). 2005;46:S60–S61 (Research Forum abstracts)
Physician sex and analgesic administration patterns (Todd). 2005;46:S48–S49 (Research Forum abstracts)
Survey of emergency physicians about recombinant tissue plasminogen activator for acute ischemic stroke (Brown et al). 2005;46: 56–60
Thinking globally, acting locally (Wears and Magid). 2005;46:61–3 (Editorial)

Physician's role
Commentary: reducing drunk driving: what is the role of emergency physicians? (McKay and Garrison). 2005;46:553–5 (NHTSA notes commentary)
Physician integration into an emergency medical services managed mass gathering event (Martin-Gill et al). 2005;46:S46 (Research Forum abstracts)

Physiological processes
[Synypnea] (Goyal et al). 2005;46:469 (Images in emergency medicine)

Plasma
Enhanced resolution of human plasma proteins by proteomic separation and 2-dimensional gel electrophoresis (Mitchell et al). 2005;46:S68 (Research Forum abstracts)

Platelet aggregation inhibitors
Compliance with acute ischemic stroke antiplatelet agent recommendations in the emergency department (Szudera et al). 2005; 46:S63 (Research Forum abstracts)

Platelet glycoprotein GPIIb-IIIa complex
The combined approach to lysis utilizing eptifibatide and rt-PA in acute ischemic stroke (the Clear Stroke Trial): blinded results from the first dose tier (Pancioli). 2005;46:S121 (Research Forum abstracts)

Pneumonia
Community-acquired pneumonia in patients with chronic obstructive pulmonary disease at the emergency department (Coma et al). 2005; 46:S92–S93 (Research Forum abstracts)
Financial incentive of the pneumonia quality initiative (Irvin et al). 2005;46:S6 (Research Forum abstracts)
The Joint Commission on Accreditation of Healthcare Organizations and Center for Medicare and Medicaid Services community-acquired pneumonia initiative: what went wrong? (Walls and Resnick). 2005; 46:409–11 (Editorial)
Legionnaires disease associated with potable water in a hotel—Ocean City, MD, October 2003 to February 2004 (Centers for Disease Control and Prevention); Commentary (Oliver and Gross). 2005;46:288–91 (CDC update)

Pneumonia, diagnosis
Blood cultures for community-acquired pneumonia: can we hit the target without a shotgun? (Moran and Abrahamian). 2005;46: 407–8 (Editorial)
Diagnosing pneumonia by medical history and physical examination (Rosh). 2005;46:465–7 (Rational clinical examination abstract)
Diagnosing pneumonia in nursing home patients: the utility or futility of chest x-ray and blood cultures (Ryder and O'Neil). 2005;46: S20 (Research Forum abstracts)
Do emergency department blood cultures change practice in patients with pneumonia? (Kennedy et al). 2005;46:393–400, S105 (Research Forum abstracts)
Identifying predictors for accurate diagnosis of acute shortness of breath in prehospital patients treated with albuterol and furosemide (Drummond et al). 2005;46:S61 (Research Forum abstracts)

Pneumonia, drug therapy
Application of literature based exclusion criteria to an implementation of the "4-hour rule" for antibiotic administration in pneumonia (Maroun et al). 2005;46:S16 (Research Forum abstracts)
Cefepime versus traditional antibiotic therapy in the treatment of nursing home acquired pneumonia: a pilot study (O'Sullivan et al). 2005;46:S19–S20 (Research Forum abstracts)
Is your pneumonia patient getting antibiotics within 4 hours? It's less likely if you practice in a large, urban teaching hospital (Mitchiner). 2005;46:S98 (Research Forum abstracts)
Physician delay is key factor in delayed administration of antibiotics in community acquired pneumonia (Resnick et al). 2005;46: S108 (Research Forum abstracts)
Pneumonia: intravenous versus oral treatment—assessment of length of stay (PIVOTAL) (Chandra et al). 2005;46:S82–S83 (Research Forum abstracts)

Pneumonia, staphylococcal
Blood cultures for community-acquired pneumonia: can we hit the target without a shotgun? (Moran and Abrahamian). 2005;46: 407–8 (Editorial)
Fatal community-associated methicillin-resistant *Staphylococcus aureus* pneumonia in an immunocompetent young adult (Frazee et al). 2005;46:401–4 (Case report)

Pneumothorax
Clinical course and associated factor of reexpansion pulmonary edema in non-traumatic spontaneous pneumothorax (Kim). 2005;46:S99 (Research Forum abstracts)

Point-of-care systems
A comprehensive point-of-care laboratory system can save time and money in the emergency department when combined with standardized care process models (Allen et al). 2005;46:S105 (Research Forum abstracts)
The law of unintended consequences: implementation of point-of-care testing regulations decreases physician performance of digital rectal exams (McHugh et al). 2005;46: S32–S33 (Research Forum abstracts)

Poisoning. *See also specific agents*
The association of cardiovascular toxins and electrocardiographic abnormality in poisoned patients (Rowden et al). 2005;46:S35 (Research Forum abstracts)
Hospitalized pediatric poisoned patients with and without poison center consult (Norton et al). 2005;46:S50 (Research Forum abstracts)
How accurate is the Toxic Exposure Surveillance System data compared to medical record data for hospitalized poisoned pediatric patients? (Norton et al). 2005;46:S78 (Research Forum abstracts)
Out-of-hospital management of human exposures to toxic substances (Kwon et al). 2005;46:S36 (Research Forum abstracts)
Reduction of home injury hazards by home visiting program: a randomized controlled trial (Rehmani). 2005;46:S86 (Research Forum abstracts)

Policy statements
Alcohol screening in the emergency department (American College of Emergency Physicians). 2005;46:214–15
Assault weapon ban (American College of Emergency Physicians). 2005;46:104
Caring for emergency department "boarders" (American College of Emergency Physicians). 2005;46:104
Compensation arrangements for emergency physicians (American College of Emergency Physicians). 2005;46:104
Delivery of agents for procedural sedation and analgesia by emergency nurses (American College of Emergency Physicians). 2005;46: 368
Drug-assisted intubation in the prehospital setting (American College of Emergency Physicians). 2005;46:214
Emergency contraception for women at risk of unintended and preventable pregnancy (American College of Emergency Physicians). 2005;46:103
Procedural sedation in the emergency department (American College of Emergency Physicians). 2005;46:103–4
Role of state EMS medical director (American College of Emergency Physicians). 2005;46: 103

Polymorphism, genetic
The effect of beta-2-adrenoreceptor polymorphisms on the response to therapy in asthmatics in the emergency department (Henderson and Simma-Chiang). 2005;46: S101 (Research Forum abstracts)

Population surveillance. *See also* Registries
Applying cost-benefit theory to public health syndrome surveillance programs (Roberts et al). 2005;46:S25 (Research Forum abstracts)
Classification of emergency department chief complaints into 7 syndromes: a retrospective analysis of 527,228 patients (Chapman et al). 2005;46:445–55
Counting road traffic deaths and injuries: poor data should not detract from doing something! (Peden and Toroyan). 2005;46:158–60 (Editorial)
How accurate is the Toxic Exposure Surveillance System data compared to medical record data for hospitalized poisoned pediatric patients? (Norton et al). 2005;46:S78 (Research Forum abstracts)
Improving syndrome surveillance case definitions and outcomes by using existing data (Roberts et al). 2005;46:S24 (Research Forum abstracts)

Positive pressure respiration
Alpha testing of a system for creating on-demand positive and negative-pressure isolation

environments in typical emergency department rooms (Giasi et al). 2005;46:S70 (Research Forum abstracts)
Bi-level positive airway pressure for management of acute congestive heart failure: safer than previously thought? (Tubbs et al). 2005;46: S81–S82 (Research Forum abstracts)
Effectiveness of prehospital continuous positive airway pressure in treating adult respiratory distress (Bultman et al). 2005;46:S113 (Research Forum abstracts)
Influence of positive end-expiratory pressure ventilation on survival during severe hemorrhagic shock (Krismer et al). 2005;46: 337–42

Poverty
Coming to the end (Freedman). 2005;46:296 (Change of shift)

Practice guidelines
Application of literature based exclusion criteria to an implementation of the "4-hour rule" for antibiotic administration in pneumonia (Maroun et al). 2005;46:S16 (Research Forum abstracts)
Are we putting the cart ahead of the horse: who determines the standard of care for the management of patients in the emergency department? (Fesmire and Jagoda). 2005;46: 198–200 (Editorial)
Compliance with acute ischemic stroke antiplatelet agent recommendations in the emergency department (Szudera et al). 2005; 46:S63 (Research Forum abstracts)
How good are the BTS guidelines for diagnosis of pulmonary embolism in patients admitted onto a clinical decision unit? (Lim et al). 2005; 46:S98 (Research Forum abstracts)
Improving the uniformity of care with a sepsis bundle in the emergency department (Nguyen et al). 2005;46:S83 (Research Forum abstracts)
The Joint Commission on Accreditation of Healthcare Organizations and Center for Medicare and Medicaid Services community-acquired pneumonia initiative: what went wrong? (Walls and Resnick). 2005; 46:409–11 (Editorial)
The law of unintended consequences: implementation of point-of-care testing regulations decreases physician performance of digital rectal exams (McHugh et al). 2005;46: S32–S33 (Research Forum abstracts)
Practical implementation of the guidelines for unstable angina/non–ST-segment elevation myocardial infarction in the emergency department (Gibler et al). 2005;46:185–97 (AHA scientific statement)
Standardized approach for assessment and investigation of undifferentiated abdominal pain (UDAP) (Alshinkity et al). 2005;46:S121 (Research Forum abstracts)

Predictive value of tests
Numeric instability of predictive values (Gallagher). 2005;46:311–13 (Editorial)

Pregnancy
Does the presence of pregnancy or vaginal bleeding influence gonorrhea and chlamydia testing patterns? (Pigott et al). 2005;46:S47 (Research Forum abstracts)
Emergency nurses' utilization and accuracy of handheld ultrasound devices for detection of fetal heart tones in pregnant patients (Aguilera and De Guzman). 2005;46:S14 (Research Forum abstracts)

Pregnancy, ectopic
Ruptured ectopic pregnancy diagnosed in the emergency department (Korn et al). 2005;46: S56 (Research Forum abstracts)

Pregnancy tests
Predictors of STD and pregnancy testing and prophylaxis usage for adult female sexual assault survivors in Rhode Island EDs (Merchant et al). 2005;46:S47 (Research Forum abstracts)
Reliability of patient history in determining pregnancy status (Strote et al). 2005;46:S56 (Research Forum abstracts)

Prenatal ultrasonography. *See* Ultrasonography, prenatal

Prilocaine
Topical anesthetics for dermal instrumentation: a systematic review of randomized, controlled trials (Eidelman et al). 2005;46:343–51

Primary health care
Comparison of users of an emergency department versus users of community health clinics with similar complaint profiles—a patient-centered approach (Meieran et al). 2005;46:S34 (Research Forum abstracts)
The correlation between Medicaid rate and emergency department patient volumes during a physician slowdown (Junker et al). 2005;46: S34 (Research Forum abstracts)
Factors associated with 'no-shows' for medical clinic appointments made from the emergency department (Naderi et al). 2005;46:S113 (Research Forum abstracts)
Inadequate follow-up controller medications among patients with asthma who visit the emergency department (Cydulka et al). 2005; 46:316–22
Medical inquiry for intimate partner violence as reported by women in a shelter (Bansal et al). 2005;46:S96 (Research Forum abstracts)
Patient follow-up after negative lower extremity ultrasound for deep venous thrombosis (McIlrath et al). 2005;46:S53 (Research Forum abstracts)
A primary care physician seeing patients in a fast track area: effect on effectiveness, efficiency, and perceived care quality (Jimenez et al). 2005;46: S55 (Research Forum abstracts)

Privacy of patient data. *See* Confidentiality

Probabilistic models. *See* Models, statistical

Probability
Validation of probabilistic linkage for matching de-identified ambulance records to a state trauma registry (Newgard). 2005;46:S45 (Research Forum abstracts)

Propofol
Case-control comparison of propofol and fentanyl/midazolam for procedural sedation (Bigelow et al). 2005;46:S106 (Research Forum abstracts)
Propofol for procedural sedation: one versus two physicians (Charles et al). 2005;46:S73–S74 (Research Forum abstracts)
Propofol for procedural sedation in a community emergency department (Charles et al). 2005;46: S64 (Research Forum abstracts)
Propofol for procedural sedation in the pediatric patient (Charles et al). 2005;46:S73 (Research Forum abstracts)
Randomized clinical trial of etomidate vs. propofol for procedural sedation during fracture and dislocation reduction in the emergency department (Danahy et al). 2005; 46:S72–S73 (Research Forum abstracts)

Protective devices
Effect of mandated residential carbon monoxide detector use on the morbidity of reported cases (Hoffman and Hoffman). 2005;46:S34 (Research Forum abstracts)
Injury trends among helmeted and non-helmeted skiers and snowboarders (Butler-Hall and O'Kane). 2005;46:S85 (Research Forum abstracts)

Proteins
Molecular characterization of ischemia-responsive protein 94 (irp94) response to unfolded protein response in neuron (Kim et al). 2005;46:S68–S69 (Research Forum abstracts)

Proteomes
Enhanced resolution of human plasma proteins by proteomic separation and 2-dimensional gel electrophoresis (Mitchell et al). 2005;46:S68 (Research Forum abstracts)

Psoas abscess
[Psoas abscess as the presenting manifestation of Crohn's disease] (Catenacci and King). 2005; 46:559, 564 (Images in emergency medicine)

Psychomotor agitation
A comparison of haloperidol and zyprasidone for acute undifferentiated agitation in the emergency department (Levine et al). 2005;46: S99–S100 (Research Forum abstracts)
Development of an agitation rating scale for use with acute presentation behavioral management patients (Strout et al). 2005;46:S100 (Research Forum abstracts)
Intramuscular olanzapine effects on specific behaviors in agitation (Houston et al). 2005;46: S100–S101 (Research Forum abstracts)

Public health surveillance. *See* Population surveillance

Pulmonary disease, chronic obstructive
Community-acquired pneumonia in patients with chronic obstructive pulmonary disease at the emergency department (Coma et al). 2005; 46:S92–S93 (Research Forum abstracts)
Effectiveness of prehospital continuous positive airway pressure in treating adult respiratory distress (Bultman et al). 2005;46:S113 (Research Forum abstracts)
Identifying predictors for accurate diagnosis of acute shortness of breath in prehospital patients treated with albuterol and furosemide (Drummond et al). 2005;46:S61 (Research Forum abstracts)

Pulmonary edema
Clinical course and associated factor of reexpansion pulmonary edema in non-traumatic spontaneous pneumothorax (Kim). 2005;46:S99 (Research Forum abstracts)
Effectiveness of prehospital continuous positive airway pressure in treating adult respiratory distress (Bultman et al). 2005;46:S113 (Research Forum abstracts)
Identifying predictors for accurate diagnosis of acute shortness of breath in prehospital patients treated with albuterol and furosemide (Drummond et al). 2005;46:S61 (Research Forum abstracts)
A prospective comparison of thoracic ultrasound to chest x-ray for detection of pulmonary edema (Blaivas et al). 2005;46:S20–S21 (Research Forum abstracts)

Pulmonary embolism
Comparison of the Copenhagen and Sprague-Dawley rat strains in an experimental model of autologous clot pulmonary embolism (Runyon et al). 2005;46:S68 (Research Forum abstracts)
Relative risk of pulmonary embolism in end stage renal disease (O'Leary et al). 2005;46: S80–S81 (Research Forum abstracts)
Pulmonary embolism, diagnosis
Alternate diagnoses are frequently established by pulmonary embolism protocol contrast-enhanced chest computed tomography (Pesek-McCoy and O'Connor). 2005;46:S44 (Research Forum abstracts)
D-dimer performance in low and high risk populations: is it reliable? (Salen et al). 2005; 46:S105 (Research Forum abstracts)
Emergency department predictors of in-hospital morbidity and mortality in patients diagnosed with pulmonary embolism (Wolf et al). 2005; 46:S98–S99 (Research Forum abstracts)
The emergency department utility of Simplify D-dimer™ to exclude pulmonary embolism in patients with pleuritic chest pain (Hogg et al). 2005;46:305–10
Enhanced resolution of human plasma proteins by proteomic separation and 2-dimensional gel electrophoresis (Mitchell et al). 2005;46:S68 (Research Forum abstracts)
How good are the BTS guidelines for diagnosis of pulmonary embolism in patients admitted onto a clinical decision unit? (Lim et al). 2005; 46:S98 (Research Forum abstracts)
The introduction of a rapid ELISA D-dimer increases emergency department testing with no effect on the diagnosis of pulmonary embolism (Kabrhel et al). 2005;46:S11 (Research Forum abstracts)
Numeric instability of predictive values (Gallagher). 2005;46:311–13 (Editorial)
Pulmonary embolism is uncommon in patients with moderate or high pre-test probability and negative D-dimers (Nordenholz et al). 2005;46: S10–S11 (Research Forum abstracts)
Pulse
Emergency medical technicians checking the carotid pulse: performance and degree of conviction (Tahani et al). 2005;46:S76 (Research Forum abstracts)
Pyelonephritis
Are blood cultures necessary in adults with pyelonephritis? (Mills and Barros). 2005;46: 285–7 (Best available evidence)

Q

Quality of health care
Chief complaint based quality indicators: the challenge for automation posed by chief complaint variability (Talotta et al). 2005;46: S40 (Research Forum abstracts)
Financial incentive of the pneumonia quality initiative (Irvin et al). 2005;46:S6 (Research Forum abstracts)
The law of unintended consequences: implementation of point-of-care testing regulations decreases physician performance of digital rectal exams (McHugh et al). 2005;46: S32–S33 (Research Forum abstracts)
Participant evaluation of a quality improvement collaborative (Walter et al). 2005;46:S92 (Research Forum abstracts)
Quality in emergency department care: results of the Sullivan Group's Emergency Medicine Risk Initiative national audit (Hafner et al). 2005; 46:S22 (Research Forum abstracts)

R

Radiography. ***See also specific techniques***
Reimbursement for emergency department electrocardiogram and radiograph interpretations: what is it worth for the "pit doc"? (Mallon et al). 2005;46:S23 (Research Forum abstracts)
Should we order the lateral cervical spine and pelvic radiographs in children with major trauma (Muñiz). 2005;46:S36 (Research Forum abstracts)
The value of radiographs in high-pressure injection injuries of the hand (Hart et al). 2005; 46:S89–S90 (Research Forum abstracts)
Radiography, abdominal
Colonic contrast versus oral contrast abdominal computed tomography for diagnosing acute appendicitis: assessing the impact on emergency department throughput time and patient satisfaction (Berg et al). 2005;46:S89 (Research Forum abstracts)
Do all patients with left costal margin injuries require radiographic evaluation for intraabdominal injury? (Holmes et al). 2005; 46:232–6
Do plain abdominal radiographs have any place in the modern accident and emergency department? (Brand and Lynch). 2005;46:S90 (Research Forum abstracts)
Radiography, thoracic
Alternate diagnoses are frequently established by pulmonary embolism protocol contrast-enhanced chest computed tomography (Pesek-McCoy and O'Connor). 2005;46:S44 (Research Forum abstracts)
Chest radiograph findings of aortic dissection as a function of patients' age, sex and dissection type (Wimpfheimer and Bentancur). 2005;46: S41 (Research Forum abstracts)
Diagnosing pneumonia in nursing home patients: the utility or futility of chest x-ray and blood cultures (Ryder and O'Neil). 2005;46: S20 (Research Forum abstracts)
The impact of pretest probability upon radiograph interpretation: anthrax and mediastinal widening (Miller et al). 2005;46: S70 (Research Forum abstracts)
Predictors for a positive chest x-ray in pediatric asthma (Joshi et al). 2005;46:S53 (Research Forum abstracts)
A prospective comparison of thoracic ultrasound to chest x-ray for detection of pulmonary edema (Blaivas et al). 2005;46:S20–S21 (Research Forum abstracts)
Utility of chest CT angiography and indirect lower extremity CT venography to exclude venous thromboembolism: a prospective study of emergency department patients (Richman et al). 2005;46:S98 (Research Forum abstracts)
Rape
Accuracy and reliability of photo-colposcopy in the documentation of anogenital injuries after sexual assault (Rossman et al). 2005;46:S96 (Research Forum abstracts)
Adult sexual assault evaluations at Rhode Island emergency departments, 1995-2001 (Merchant et al). 2005;46:S97 (Research Forum abstracts)
Availability of emergency contraception: a survey of hospital emergency department staff (Harrison). 2005;46:105–10
Emergency contraception: what should our patients expect? (Abbott). 2005;46:111–13 (Editorial)
Predictors of STD and pregnancy testing and prophylaxis usage for adult female sexual assault survivors in Rhode Island EDs (Merchant et al). 2005;46:S47 (Research Forum abstracts)
Receptor, serotonin, 5-HT1A
Piclozotan (SUN N4057), a novel 5HT1A receptor agonist, is well tolerated in patients with acute stroke (Iannuzzi et al). 2005;46: S106 (Research Forum abstracts)
Receptors, adrenergic, beta-2
The effect of beta-2-adrenoreceptor polymorphisms on the response to therapy in asthmatics in the emergency department (Henderson and Simma-Chiang). 2005;46: S101 (Research Forum abstracts)
Recombinant proteins. ***See*** **Factor VIIa; Tissue plasminogen activator**
Recreation. ***See also*** **Sports**
Physician integration into an emergency medical services managed mass gathering event (Martin-Gill et al). 2005;46:S46 (Research Forum abstracts)
Rectum
Comparison of oral and rectal temperature in adult patients with non-specific abdominal pain (Gerhardt and Kernan). 2005;46:S37 (Research Forum abstracts)
The law of unintended consequences: implementation of point-of-care testing regulations decreases physician performance of digital rectal exams (McHugh et al). 2005;46: S32–S33 (Research Forum abstracts)
Rectal insertion of fentanyl patches: a new route of toxicity (Coon et al). 2005;46:473 (Correspondence)
Utility of the digital rectal examination as a diagnostic predictor variable in the presentation of undifferentiated abdominal pain (Lanigan et al). 2005;46:S81 (Research Forum abstracts)
Rectus abdominis
[Acute rectus sheath hematoma] (Raven and Hoffman). 2005;46:558, 562 (Images in emergency medicine)
Regional medical programs
Acute ischemic stroke in the modern era: impact of stroke care regionalization on evaluation, documentation and patient transport—the Massachusetts General Hospital experience (Macias et al). 2005;46:S62 (Research Forum abstracts)
Registries
Agreement of existing and imputed prehospital data in a state trauma registry when compared to ambulance data (Newgard). 2005;46:S62 (Research Forum abstracts)
Feasibility of a national fatal asthma registry: more evidence of institutional review board variation in evaluation of a standard protocol (Clark et al). 2005;46:S102 (Research Forum abstracts)
Role of immunization registry data in pediatric patients diagnosed with Bordetella pertussis (Reed et al). 2005;46:S16–S17 (Research Forum abstracts)
Routinely collected data from an electronic trauma registry: trends over time in injury

mechanism and patient outcome (Mehta et al). 2005;46:S85 (Research Forum abstracts)
Validation of probabilistic linkage for matching de-identified ambulance records to a state trauma registry (Newgard). 2005;46:S45 (Research Forum abstracts)

Reimbursement, incentive
Financial incentive of the pneumonia quality initiative (Irvin et al). 2005;46:S6 (Research Forum abstracts)

Renal failure, chronic. *See* Kidney failure, chronic

Rescue work
Comparative study of airway management during confined-space urban rescue (Deibel et al). 2005;46:S4–S5 (Research Forum abstracts)

Research
Emergency department triage: why we need a research agenda (Fernandes et al). 2005;46:204–5 (Correspondence)
Triage questions (O'Shaughnessy). 2005;46:203 (Correspondence)

Research design. *See also* Models, statistical; Patient selection; Population surveillance
Common statistical errors found in biomedical research proposals submitted for institutional review (Jones et al). 2005;46:S106–S107 (Research Forum abstracts)
Examining practice patterns of emergency physicians through the use of simulated patient vignettes (Gerard et al). 2005;46:S100 (Research Forum abstracts)
Out-of-hospital pediatric cardiac arrest: where are we now and where do we need to go? (Zaritsky). 2005;46:523–4 (Editorial)
Paper case scenarios in the assessment of triage tools (Worster and Fernandes). 2005;46:203–4 (Correspondence)
Subgroups, reanalyses, and other dangerous things (Wears et al). 2005;46:253–5 (Editorial)

Residency. *See* Internship and residency

Residents' perspective
Residents' perspective. 2005;46:148–51

Respiration
[Synypnea] (Goyal et al). 2005;46:469 (Images in emergency medicine)

Respiration, artificial. *See also* Intubation, intratracheal; Positive pressure respiration
Alpha testing of a system for creating on-demand positive and negative-pressure isolation environments in typical emergency department rooms (Giasi et al). 2005;46:S70 (Research Forum abstracts)
Comparison of 1- versus 2-person bag-valve-mask techniques for manikin ventilation of infants and children (Davidovic et al). 2005;46:37–42 (Brief research report)
Potential use of a single ventilator for multiple victim ventilation (Irvin and Neyman). 2005;46:S69 (Research Forum abstracts)

Respiratory insufficiency
The presence of an emergent airway response team and its effects on in-hospital Code Blue (Henderson et al). 2005;46:S17 (Research Forum abstracts)

Respiratory syncytial virus infections
Urinary tract infection one must exclude in febrile infants less than 3 months of age with respiratory syncytial virus (RSV) (Muñiz). 2005;46:S83 (Research Forum abstracts)

Restraint, physical
Comparison of emergency physicians' and attorneys' opinions on restraints usage in emergency department patients (Macias et al). 2005;46:S97 (Research Forum abstracts)
Evaluation of restraint use in emergency medical services (EMS) and the correlation with assaults on EMS personnel (Cheney et al). 2005;46:S32 (Research Forum abstracts)
The role of Tasers in police restraint-related deaths (Strote et al). 2005;46:S85 (Research Forum abstracts)
Withdrawal of Taser electroshock devices: too much, too soon (Bozeman). 2005;46:300–1 (Correspondence)

Resuscitation
Attitudes and practices of emergency medicine residents regarding family presence during pediatric procedural and resuscitation scenarios (Barata et al). 2005;46:S54 (Research Forum abstracts)
Family presence during critical resuscitation in the emergency department: the patient's perspective (Chakel et al). 2005;46:S76 (Research Forum abstracts)

Rhode Island
Adult sexual assault evaluations at Rhode Island emergency departments, 1995-2001 (Merchant et al). 2005;46:S97 (Research Forum abstracts)
Health care worker blood or body fluid exposures and HIV prophylaxis provision at Rhode Island emergency departments (Merchant et al). 2005;46:S93 (Research Forum abstracts)
Predictors of STD and pregnancy testing and prophylaxis usage for adult female sexual assault survivors in Rhode Island EDs (Merchant et al). 2005;46:S47 (Research Forum abstracts)

Ribs, injuries
Do all patients with left costal margin injuries require radiographic evaluation for intraabdominal injury? (Holmes et al). 2005;46:232–6

Rickettsia infections
Travel-associated dengue infections—United States, 2001-2004 (Centers for Disease Control and Prevention); Commentary (van Zyl). 2005;46:420–3 (CDC update)

Right to die
Defining the outcome (Compton). 2005;46:201 (Change of shift)

Rimantadine
Are amantadine and rimantadine effective in healthy adults with acute influenza? (Hall and Brown). 2005;46:292–3 (Systematic review abstract)

Risk
When to use relative risk or odds ratios in describing study results (Mayer and Young); Reply (Frazee and Charlebois). 2005;46:385–6 (Correspondence)

Risk taking
Risk taking behavior discovered in a one date alcohol screening event (Do et al). 2005;46:S94 (Research Forum abstracts)

ROC curve
Applying cost-benefit theory to public health syndrome surveillance programs (Roberts et al). 2005;46:S25 (Research Forum abstracts)

RSD1235
RSD1235 in the treatment of recent onset atrial fibrillation in ACT I (Atrial Arrhythmia Conversion Trial I)—effect of age, sex, and prior rate control medications (Stiell et al). 2005;46:S115 (Research Forum abstracts)

Running
Association between heart rate variability and injury at an Ironman triathlon (Berkoff et al). 2005;46:S85 (Research Forum abstracts)
Bilateral calcaneal fractures and "free running": a dangerously cool emerging "sport" (Frumkin). 2005;46:300 (Correspondence)
Going the distance: epidemiology of participant injuries and description of on-site medical services during the Baltimore Marathon, 2002-2004 (Brill et al). 2005;46:S31 (Research Forum abstracts)

Rural health services
Bias and variability in interhospital trauma transfer practices in a statewide rural trauma system (Newgard et al). 2005;46:S111 (Research Forum abstracts)
Comparison of rural and urban ambulance crashes in Pennsylvania (Ray and Kupas). 2005;46:S113 (Research Forum abstracts)
How Oregon Health Plan cutbacks have affected rural Oregon: the experience of a rural emergency department (Karwowski et al). 2005;46:S119–S120 (Research Forum abstracts)

S

Salaries and fringe benefits
Compensation arrangements for emergency physicians (American College of Emergency Physicians). 2005;46:104 (Policy statement)

Scalp, injuries
Cost-effectiveness of hair apposition technique compared with standard suturing in scalp lacerations (Ong et al). 2005;46:237–42

Schools
The cardiopulmonary resuscitation training in Korean elementary school students (Park). 2005;46:S89 (Research Forum abstracts)
School preparedness for medical and traumatic emergencies (Barata et al). 2005;46:S57–S58 (Research Forum abstracts)

Scopolamine
Treatment of peripheral vertigo without active emesis with an elixir of atropine, hyoscyamine, phenobarbital, and scopolamine: a pilot study (Vega et al). 2005;46:S71 (Research Forum abstracts)

Seat belts
The lack of an adult seatbelt law in New Hampshire: live free and die? (Grau et al). 2005;46:S84 (Research Forum abstracts)
Prime time television seat belt usage: still a poor example (Milzman et al). 2005;46:S14 (Research Forum abstracts)

Secobarbital
Addition of post-discharge oral secobarbital to standard emergency department treatment of migraine headache improves pain relief and patient perception of headache resolution (Gerhardt et al). 2005;46:S71–S72 (Research Forum abstracts)

Sedation, conscious. *See* Conscious sedation

Seizures
Bilateral acetabular fractures associated with a seizure: a case report (Friedburg and Buras). 2005;46:260–2 (Case report)

Self-injurious behavior
National study of US emergency department visits for attempted suicide and self-inflicted

injury, 1997-2001 (Doshi et al). 2005;46: 369–75

Sepsis. *See also* Shock, septic
Characteristics and admission patterns of patients presenting with sepsis to United States emergency departments, 1992-2001 (Strehlow et al). 2005;46:S48 (Research Forum abstracts)
Emergency medicine and the Surviving Sepsis Campaign: an international approach to managing severe sepsis and septic shock (Osborn et al). 2005;46:228–31 (Editorial). Correction 2005;46:379
Improving the uniformity of care with a sepsis bundle in the emergency department (Nguyen et al). 2005;46:S83 (Research Forum abstracts)
Mortality of hypotensive patients with sepsis in the emergency department compared with hypotensive patients of other etiologies (Filbin et al). 2005;46:S75 (Research Forum abstracts)
Platelets induce T-helper cell apoptosis in a murine model of early sepsis (Freishtat et al). 2005;46:S67 (Research Forum abstracts)

Sepsis, diagnosis
Elevation of plasma B-type natriuretic peptide and left ventricular systolic function in sepsis patients (Oh et al). 2005;46:S47 (Research Forum abstracts)
Lactate: a prognostic indicator in sepsis syndrome (Ebarb et al). 2005;46:S10 (Research Forum abstracts)
Procalcitonin level evaluation in the diagnostic work-up of severe infections with systemic involvement (Battista et al). 2005;46:S3–S4 (Research Forum abstracts)
Serum lactate as a predictor of mortality in emergency department patients with infection: does the lactate level tell the whole story? (Gaieski and Goyal); Reply (Shapiro et al). 2005;46:560–562 (Correspondence)

Sepsis, therapy
Mortality benefit after implementation of early goal directed therapy protocol for the treatment of severe sepsis and septic shock (Gaieski et al). 2005;46:S4 (Research Forum abstracts)
Projected impact of early goal directed therapy on hospital resource utilization for severe sepsis and septic shock patients (Barlotta et al). 2005; 46:S24 (Research Forum abstracts)

Serotonin agonists
Piclozotan (SUN N4057), a novel 5HT1A receptor agonist, is well tolerated in patients with acute stroke (Iannuzzi et al). 2005;46: S106 (Research Forum abstracts)

Severity of illness index. *See also* Triage
The assessment of lactate, Apache II scores and the revised lactate score to predict severity of illness in critically ill patients (Bilkovski et al). 2005;46:S18 (Research Forum abstracts)
Correlation of the serum antithrombin III to injury severity in patients with severe trauma (Lee et al). 2005;46:S66 (Research Forum abstracts)
Inter-rater reliability of a bronchiolitis severity assessment tool (Walsh et al). 2005;46:S91 (Research Forum abstracts)

Sex factors
Chest radiograph findings of aortic dissection as a function of patients' age, sex and dissection type (Wimpfheimer and Bentancur). 2005;46: S41 (Research Forum abstracts)
Does kidney stone location, sex, or time of presentation affect rates of hospital admission in emergency department patients who present with renal colic? (Lee et al). 2005;46:S43–S44 (Research Forum abstracts)
The effects of race, age and sex on time to first ECG in patients with acute coronary syndrome (Yates and Hiestand). 2005;46:S10 (Research Forum abstracts)
Influence of sex on functional outcome following emergency department presentations for acute stroke (Ganti et al). 2005;46:S63 (Research Forum abstracts)
Influence of sex on the management of appendicitis (Crystal et al). 2005;46:S38 (Research Forum abstracts)
Physician sex and analgesic administration patterns (Todd). 2005;46:S48–S49 (Research Forum abstracts)
Resident sex and the pelvic exam: the effect of physician sex on selection and management of patients who may require a pelvic exam (Mohart et al). 2005;46:S55–S56 (Research Forum abstracts)
RSD1235 in the treatment of recent onset atrial fibrillation in ACT I (Atrial Arrhythmia Conversion Trial I)—effect of age, sex, and prior rate control medications (Stiell et al). 2005;46:S115 (Research Forum abstracts)

Sexually transmitted diseases
Diagnostic utility of the genital gram stain in emergency department patients (Riley et al). 2005;46:S104 (Research Forum abstracts)
Does the presence of pregnancy or vaginal bleeding influence gonorrhea and chlamydia testing patterns? (Pigott et al). 2005;46:S47 (Research Forum abstracts)
Predictors of STD and pregnancy testing and prophylaxis usage for adult female sexual assault survivors in Rhode Island EDs (Merchant et al). 2005;46:S47 (Research Forum abstracts)
Prevalence of sexually transmitted diseases in women with urinary complaints (Perry et al). 2005;46:S48 (Research Forum abstracts)

Shock, hemorrhagic
Influence of positive end-expiratory pressure ventilation on survival during severe hemorrhagic shock (Krismer et al). 2005;46: 337–42

Shock, septic. *See also* Sepsis
Emergency medicine and the Surviving Sepsis Campaign: an international approach to managing severe sepsis and septic shock (Osborn et al). 2005;46:228–31 (Editorial). Correction 2005;46:379
Improving the uniformity of care with a sepsis bundle in the emergency department (Nguyen et al). 2005;46:S83 (Research Forum abstracts)
Mortality benefit after implementation of early goal directed therapy protocol for the treatment of severe sepsis and septic shock (Gaieski et al). 2005;46:S4 (Research Forum abstracts)
Procalcitonin level evaluation in the diagnostic work-up of severe infections with systemic involvement (Battista et al). 2005;46:S3–S4 (Research Forum abstracts)
Projected impact of early goal directed therapy on hospital resource utilization for severe sepsis and septic shock patients (Barlotta et al). 2005; 46:S24 (Research Forum abstracts)

Silver
Randomized controlled study of silver dressing effects on partial-thickness burn outcomes (Caruso et al). 2005;46:S48 (Research Forum abstracts)

Situs inversus
[Malrotation with midgut volvulus] (Hess and Mannenbach). 2005;46:498, 506 (Images in emergency medicine)

Skiing
The epidemiology of moderate to severe head injuries at ski resorts (Greve et al). 2005;46:S86 (Research Forum abstracts)
Injury trends among helmeted and non-helmeted skiers and snowboarders (Butler-Hall and O'Kane). 2005;46:S85 (Research Forum abstracts)

Skin
Histomorphologic effects of a hand held laser device for assisting topical anesthesia in a porcine model (Singer et al). 2005;46:S68 (Research Forum abstracts)

Smoke inhalation injury
Hydroxocobalamin for empiric treatment of smoke inhalation-associated cyanide poisoning: results of a prospective study in the prehospital setting (Borron et al). 2005;46:S77 (Research Forum abstracts)
Prehospital use of hydroxocobalamin in children exposed to fire smoke (Haouach et al). 2005; 46:S30 (Research Forum abstracts)

Smoking
An emergency department prospective, randomized, blinded trial of suggestive audio-therapy under deep sedation for smoking cessation (Rodriguez et al). 2005;46:S95 (Research Forum abstracts)
Multicenter study of smoking, depression, and suicidal ideation among emergency department patients (Boudreaux et al). 2005;46:S99 (Research Forum abstracts)

Snake bites
Treating the bite: pediatric review of antivenom treatment in copperhead envenomations (Feng and Stephan). 2005;46:S53 (Research Forum abstracts)
What a bite: review of snakebites in children (Feng and Stephan). 2005;46:S54 (Research Forum abstracts)

Snowboarding. *See* Skiing

Soft tissue injuries, diagnosis
Can emergency ultrasonographers utilize a water bath to more accurately identify superficial soft tissue foreign bodies? (Raio et al). 2005;46:S28 (Research Forum abstracts)
Learning ultrasound for detection of soft tissue foreign bodies: how difficult? (Jansen and Mencl). 2005;46:S21 (Research Forum abstracts)
The utility of bedside ultrasound for the detection of soft tissue foreign bodies in the emergency department (Kaylor et al). 2005;46: S79 (Research Forum abstracts)

Space medicine. *See* Aerospace medicine

Spain
A primary care physician seeing patients in a fast track area: effect on effectiveness, efficiency, and perceived care quality (Jimenez et al). 2005;46: S55 (Research Forum abstracts)

Specialties, medical
Critical care medicine training and certification for emergency physicians (Huang et al). 2005; 46:217–23 (Concepts)
Emergency medicine and critical care medicine: have the stars (finally) aligned? (Overton). 2005;46:225–7 (Editorial)

Spiders
Loxoscelism and necrotic arachnidism: more myths and minor corrections (Isbister and Vetter); Reply (Hogan et al). 2005;46:205–7 (Correspondence)
Spinal epidural hematoma. *See* Hematoma, epidural, spinal
Spinal injuries. *See also* Cervical vertebrae, injuries
Does it predict femur fracture by biochemical marker and bone mineral density? (Lee et al). 2005;46:S118 (Research Forum abstracts)
Should we order the lateral cervical spine and pelvic radiographs in children with major trauma (Muñiz). 2005;46:S36 (Research Forum abstracts)
Spinal injuries, prevention & control
Prospective performance assessment of an out-of-hospital protocol for selective spine immobilization using clinical spine clearance criteria (Domeier et al). 2005;46:123–31
Unnecessary prehospital spinal immobilization (Winslow et al). 2005;46:S61 (Research Forum abstracts)
Spinal puncture
Use of ultrasound to identify pertinent landmarks for lumbar puncture (Stiffler et al). 2005;46:S28 (Research Forum abstracts)
Spleen, injuries
Do all patients with left costal margin injuries require radiographic evaluation for intraabdominal injury? (Holmes et al). 2005; 46:232–6
Sports. *See also* Athletic injuries; Running; Skiing
Changes in parasympathetic tone in elite athletes: power versus endurance, is there a difference? (Berkoff et al). 2005;46:S8–S9 (Research Forum abstracts)
Retrospective review of relationship between spectator illness and temperature at Division I football games (Winslow). 2005;46:S30 (Research Forum abstracts)
Running outside the baseline: impact of the 2004 Major League Baseball postseason on emergency department use (Reis et al). 2005; 46:386–7 (Correspondence)
Spectator risk at professional sporting events: an analysis of the Cleveland clinic event medicine program (Tallman et al). 2005;46:S114 (Research Forum abstracts)
Staphylococcal food poisoning
In vitro charcoal binding of staphylococcal enterotoxin B (Hoffman et al). 2005;46:S77 (Research Forum abstracts)
Staphylococcal infections
Blood cultures for community-acquired pneumonia: can we hit the target without a shotgun? (Moran and Abrahamian). 2005;46: 407–8 (Editorial)
Community-associated methicillin resistant *Staphylococcus aureus* in an emergency medicine resident: lessons learned (Storch et al); Reply (Frazee and Perdreau-Remington). 2005;46: 384–5 (Correspondence)
Fatal community-associated methicillin-resistant *Staphylococcus aureus* pneumonia in an immunocompetent young adult (Frazee et al). 2005;46:401–4 (Case report)
Incidence, susceptibility, and antibiotic use in emergency department community-acquired methicillin-resistant *Staphylococcus aureus* (CA-MRSA) abscesses (Veser et al). 2005;46: S16 (Research Forum abstracts)
Prevalence of methicillin-resistant *Staphylococcus aureus* among emergency department health care workers (Mason-Plunkett et al). 2005;46: S15–S16 (Research Forum abstracts)
The prevalence of pathogenic bacteria on emergency department division curtains (Winter). 2005;46:S47–S48 (Research Forum abstracts)
Staphylococcal skin infections
Incidence, susceptibility, and antibiotic use in emergency department community-acquired methicillin-resistant *Staphylococcus aureus* (CA-MRSA) abscesses (Veser et al). 2005;46: S16 (Research Forum abstracts)
When to use relative risk or odds ratios in describing study results (Mayer and Young); Reply (Frazee and Charlebois). 2005;46:385–6 (Correspondence)
State health plans
How Oregon Health Plan cutbacks have affected rural Oregon: the experience of a rural emergency department (Karwowski et al). 2005;46:S119–S120 (Research Forum abstracts)
Impact of cutbacks in the Oregon Health Plan on emergency department use: a statewide study (Lowe et al). 2005;46:S120 (Research Forum abstracts)
Impact of Oregon Health Plan cutbacks on emergency department patients varies by ethnicity (Ogden et al). 2005;46:S33–S34 (Research Forum abstracts)
Statistics. *See also* Models, statistical
Common statistical errors found in biomedical research proposals submitted for institutional review (Jones et al). 2005;46:S106–S107 (Research Forum abstracts)
Streptococcal infections
The clinical diagnosis of streptococcal pharyngitis (Hafner). 2005;46:87–9 (Rational clinical examination abstract)
Is ED testing for group A *Streptococcus* associated with antibiotic prescription rates for adults with pharyngitis? (Radeos et al). 2005;46:S16
[Submandibular cellulitis: dermatologic presentation of late-onset group B streptococcus (GBS) infection in the neonate] (Coon and Linklater). 2005;46:202, 211 (Images in emergency medicine)
Stroke. *See* Cerebrovascular accident
Stroke volume
Elevation of plasma B-type natriuretic peptide and left ventricular systolic function in sepsis patients (Oh et al). 2005;46:S47 (Research Forum abstracts)
Students, medical
Assessment of head CT interpretation abilities of fourth-year medical students (Broder et al). 2005;46:S29–S30 (Research Forum abstracts)
Effect of a medical student rotation in emergency ultrasound on the number of scans performed by faculty and residents (Waters et al). 2005;46: S80 (Research Forum abstracts)
How often do senior medical students receive formative feedback during an emergency medicine clerkship (Wald and Barrett). 2005; 46:S88 (Research Forum abstracts)
The true cost of medical student education: an examination of the loss of clinical revenue in the emergency department (Harris et al). 2005; 46:S109 (Research Forum abstracts)
12-lead electrocardiogram interpretation skills of senior medical students (Wald et al). 2005;46: S13–S14 (Research Forum abstracts)
Ultrasound educational competency hierarchical outcomes: a report on the novice ultrasound user, the first year medical student (Bahner et al). 2005;46:S22 (Research Forum abstracts)
Substance-related disorders. *See also* Alcoholism; Overdose
N-Acetylcysteine is often needed in cases of prescription narcotic abuse in young adults (Tudor et al). 2005;46:S35 (Research Forum abstracts)
A brief observation period for patients presenting to the emergency department with methamphetamine-associated chest pain (Daniel et al). 2005;46:S115 (Research Forum abstracts)
Drug and alcohol use in emergency medicine residency: an impaired resident's perspective (Milling). 2005;46:148–51 (Residents' perspective)
Hospitalization for methylphenidate abuse is associated with concomitant abuse of other pharmaceutical products (Anderson et al). 2005;46:S78 (Research Forum abstracts)
The impact of cocaine use in patients with new onset congestive heart failure (Yursik et al). 2005;46:S56 (Research Forum abstracts)
Presenting emergency department complaints in patients with acute methamphetamine and cocaine use (Diercks et al). 2005;46:S51 (Research Forum abstracts)
Prevalence of cocaine use in emergency department patients with severe hypertension (Givens et al). 2005;46:S50–S51 (Research Forum abstracts)
Prevalence of heroin use and heroin-related asthma symptoms among inner-city asthmatics (Minor et al). 2005;46:S102 (Research Forum abstracts)
Suicide
Multicenter study of smoking, depression, and suicidal ideation among emergency department patients (Boudreaux et al). 2005;46:S99 (Research Forum abstracts)
Suicide, attempted. *See also* Overdose
National study of US emergency department visits for attempted suicide and self-inflicted injury, 1997-2001 (Doshi et al). 2005;46: 369–75
Surgical procedures, operative. *See also* Tracheotomy
Cost-effectiveness of hair apposition technique compared with standard suturing in scalp lacerations (Ong et al). 2005;46:237–42
Evaluation of a novel animal model for emergency surgical airway skills training (Schepker et al). 2005;46:S13 (Research Forum abstracts)
The incidence of STAT operative intervention in ACS trauma alerts (Coba et al). 2005;46:S111 (Research Forum abstracts)
Knowledge of invasive procedures and procedural competency after participation in training labs (Shah et al). 2005;46:S30 (Research Forum abstracts)
Predictive value of point-of-care, limited ultrasonography for trauma using the focused assessment with sonography in trauma scanning technique with a hemoperitoneum score in assessing the need for operative care in torso

trauma patients (Melniker and Briggs). 2005; 46:S112 (Research Forum abstracts)
Temporal arrival patterns and subspecialty needs of trauma patients requiring emergency operating room operative intervention (Henry et al). 2005;46:S67 (Research Forum abstracts)
Suture techniques
Cost-effectiveness of hair apposition technique compared with standard suturing in scalp lacerations (Ong et al). 2005;46:237–42
Syncope
Epidemiology of ECG findings in patients presenting with syncope to the emergency department (Voskanian et al). 2005;46:S9 (Research Forum abstracts)
Is 24 hour monitoring necessary for patients presenting with syncope unexplained in the emergency department? (Henderson and Syan). 2005;46:S60 (Research Forum abstracts)
Syndrome surveillance. *See* Population surveillance
Systemic review abstracts
Systemic review abstracts. 2005;46:292–5, 462–4

T

Tape recording
An emergency department prospective, randomized, blinded trial of suggestive audio-therapy under deep sedation for smoking cessation (Rodriguez et al). 2005;46:S95 (Research Forum abstracts)
Teaching, methods
Acceptance of an Internet-based resident training tool (Beeson and Jwayyed). 2005;46:S30 (Research Forum abstracts)
Basic disaster life support training improves student confidence to respond to disasters (Coule et al). 2005;46:S70 (Research Forum abstracts)
A cadaver-based airway management lab is a valuable training tool for emergency medicine residents (Crystal et al). 2005;46:S86–S87 (Research Forum abstracts)
A comparison of digital video and still imaging for ultrasonography: an evaluation of diagnostic accuracy, user confidence and image quality (Pigott et al). 2005;46:S52 (Research Forum abstracts)
Comparison of two transducer types for teaching ultrasound-guided vascular access to novice users on a standard vascular access model in linear axis (Goldstein et al). 2005;46:S21 (Research Forum abstracts)
Competency evaluation in a cohort of emergency medicine residents using strategic management simulation (McCabe et al). 2005;46:S29 (Research Forum abstracts)
Does preparing patients for their emergency department experience through a waiting room video about process of care improve their satisfaction? (Papa et al). 2005;46:S23–S24 (Research Forum abstracts)
Evaluation of a novel animal model for emergency surgical airway skills training (Schepker et al). 2005;46:S13 (Research Forum abstracts)
Experiential learning in emergency medicine (Finnell and Seupaul). 2005;46:S29 (Research Forum abstracts)
How often do senior medical students receive formative feedback during an emergency medicine clerkship (Wald and Barrett). 2005; 46:S88 (Research Forum abstracts)
Institution of a combined rotation in anesthesia and emergency ultrasound in emergency medicine residency programs: a pathway for early dedicated ultrasound experience without compromising intubation experience for PGY-1 emergency medicine residents (Sierzenski et 2005;46:S52 (Research Forum abstracts)
Knowledge of invasive procedures and procedural competency after participation in training labs (Shah et al). 2005;46:S30 (Research Forum abstracts)
Participant evaluation of a quality improvement collaborative (Walter et al). 2005;46:S92 (Research Forum abstracts)
Proctored ultrasound examinations (PUE) significantly improve success in emergency medicine ultrasound education (Sutingco and Noble). 2005;46:S79–S80 (Research Forum abstracts)
Randomized controlled trial of physical examination teaching to first-year medical students in the emergency department (Masser et al). 2005;46:S14–S15 (Research Forum abstracts)
Testing a model for an emergency department waiting room educational intervention (Schabowski et al). 2005;46:S25 (Research Forum abstracts)
Ultrasound confirmation of intraosseous line placement using a cadaveric teaching model (Nicks and McGinnis). 2005;46:S52–S53 (Research Forum abstracts)
A video based training program improves defibrillator inspection compliance (Adams et al). 2005;46:S18 (Research Forum abstracts)
Telemedicine
Emergency telemedicine statewide system as basis for cost-analysis study (Kenjarski et al). 2005;46:S103 (Research Forum abstracts)
Telephone
Cellular phone interference as a cause of acute epinephrine poisoning (Hahn et al). 2005;46: 298–9 (Correspondence)
Ultrasound image transmission via commercially available camera phones for emergency ultrasound interpretation (Blaivas et al). 2005; 46:S52 (Research Forum abstracts)
Television
The next generation of emergency medicine reality television (Freeman). 2005;46:380–1 (Change of shift)
Prime time television seat belt usage: still a poor example (Milzman et al). 2005;46:S14 (Research Forum abstracts)
Running outside the baseline: impact of the 2004 Major League Baseball postseason on emergency department use (Reis et al). 2005; 46:386–7 (Correspondence)
Temperature. *See also* Body temperature
Hospital admissions for congestive heart failure decrease with increasing temperature in a tropical climate (Balaji and Allegra). 2005;46: S60 (Research Forum abstracts)
Retrospective review of relationship between spectator illness and temperature at Division I football games (Winslow). 2005;46:S30 (Research Forum abstracts)
Tetracaine
Topical anesthetics for dermal instrumentation: a systematic review of randomized, controlled trials (Eidelman et al). 2005;46:343–51
Thigh, injuries
Knee-thigh-hip injuries in frontal crashes (National Highway Traffic Safety Administration). 2005;46:168–9 (NHTSA notes)
Thoracic aortic dissection. *See* Aortic aneurysm, thoracic
Thoracic injuries
A clinical decision rule to exclude thoracic aortic imaging in patients with blunt chest trauma following motor vehicle collisions (Ungar et al). 2005;46:S110 (Research Forum abstracts)
Road traffic injuries in the elderly (Lee and Carmaron). 2005;46:S36 (Research Forum abstracts)
Thorax, radiography. *See* Radiography, thoracic
Thorax, ultrasonography
A prospective comparison of thoracic ultrasound to chest x-ray for detection of pulmonary edema (Blaivas et al). 2005;46:S20–S21 (Research Forum abstracts)
Thromboembolism, diagnosis
Utility of chest CT angiography and indirect lower extremity CT venography to exclude venous thromboembolism: a prospective study of emergency department patients (Richman et al). 2005;46:S98 (Research Forum abstracts)
Thrombolytic therapy
Duty cycle dependence of ultrasound enhanced thrombolysis in an in-vitro human clot model (Shaw et al). 2005;46:S27 (Research Forum abstracts)
Thrombolysis in the elderly with S-T segment elevation myocardial infarction in a district general hospital (Ritchie et al). 2005;46:S42 (Research Forum abstracts)
Thrombophlebitis
[Case of Lemierre syndrome in a 19 year old girl] (Chaudhry). 2005;46:114, 131 (Images in emergency medicine)
Thrombosis, therapy
Age is associated with hospital length-of-stay but not with admission rates, anemia, or mortality in emergency department patients with elevated international normalization ratios (Lee et al). 2005;46:S117 (Research Forum abstracts)
Tibial fractures
[Toddler's fracture] (Seupaul and Lemme). 2005;46:490, 497 (Images in emergency medicine)
Tick-borne diseases
[Erythema migrans rash in Tennessee] (Snyder and Thurman). 2005;46:224, 227 (Images in emergency medicine)
[Morula within a monocyte] (Ochoa et al). 2005;46:470, 478 (Images in emergency medicine)
Travel-associated dengue infections—United States, 2001-2004 (Centers for Disease Control and Prevention); Commentary (van Zyl). 2005; 46:420–3 (CDC update)
Time factors. *See also* Length of stay; Periodicity
Accelerated care at triage: physician-directed ancillary testing at triage for patients waiting in an emergency department (Chan et al). 2005; 46:S107–S108 (Research Forum abstracts)
Admission by appointment decreases the wait time of patients being held in the emergency department (Bastani et al). 2005;46:S39 (Research Forum abstracts)
Colonic contrast versus oral contrast abdominal computed tomography for diagnosing acute appendicitis: assessing the impact on emergency

department throughput time and patient satisfaction (Berg et al). 2005;46:S89 (Research Forum abstracts)
A comprehensive point-of-care laboratory system can save time and money in the emergency department when combined with standardized care process models (Allen et al). 2005;46:S105 (Research Forum abstracts)
Cost-effectiveness of a 2 hour versus an 8 hour assessment protocol for chest pain patients with low risk of acute coronary syndrome (Upadhye and Fan). 2005;46:S39 (Research Forum abstracts)
Cost-effectiveness of an emergency department fast-track system for low-acuity patients (Fan). 2005;46:S109 (Research Forum abstracts)
Effect of rapid patient evaluation on the rate and type of error citation of emergency physicians (Levy et al). 2005;46:S108–S109 (Research Forum abstracts)
The effects of race, age and sex on time to first ECG in patients with acute coronary syndrome (Yates and Hiestand). 2005;46:S10 (Research Forum abstracts)
An evaluation of emergency physician efficiency as determined by average time to disposition, number of laboratories ordered, and rate of admission in a level 1 urban emergency department (Villarin et al). 2005;46: S103–S104 (Research Forum abstracts)
Impact of emergency department volume on registered nurse time at the bedside (Hobgood et al). 2005;46:481–9
Impact of rapid entry and accelerated care at triage on reducing emergency department patient wait times, lengths of stay, and rate of left without being seen (Chan et al). 2005;46: 491–7
The impact of triage classification and level of training on emergency department patient flow as measured by use of a Web-based infrared passive-tracking system (Villarin et al). 2005; 46:S103 (Research Forum abstracts)
In room registration significantly decreases the rate of departmental LWT's (Carr et al). 2005; 46:S39–S40 (Research Forum abstracts)
The 29 minute guarantee—improving patient triage and flow (Rosenthal et al). 2005;46:S107 (Research Forum abstracts)
New education delivery system plays vital role in getting patients to emergency department within 'Golden Hour' (Crews and Holbrook). 2005;46:S88 (Research Forum abstracts)
Physician delay is key factor in delayed administration of antibiotics in community acquired pneumonia (Resnick et al). 2005;46: S108 (Research Forum abstracts)
Predicting patient volume per hour (Siler Fisher et al). 2005;46:S6–S7 (Research Forum abstracts)
Predictors of early and late reperfusion for emergency department myocardial infarction patients—impact of process, temporal and resource demands (Swor et al). 2005;46:S42 (Research Forum abstracts)
Survival following penetrating trauma and response time delays (Megargel et al). 2005;46: S36 (Research Forum abstracts)
Team assignment system: expediting emergency department care (Patel and Vinson). 2005;46: 499–506
Time value stream mapping as a tool to measure patient flow through emergency department triage (Kaale et al). 2005;46:S108 (Research Forum abstracts)
24/7: the next big thing? (Frumkin). 2005;46: 95–6 (Correspondence)
Using non-interventional cardiologists as first call does not affect the door-to-balloon time or decision to use angioplasty for AMI patients presenting to the emergency department (Hoxhaj et al). 2005;46:S42–S43 (Research Forum abstracts)
Waiting for triage (Husk et al). 2005;46:S44 (Research Forum abstracts)

Tissue and organ procurement
A pilot study for an emergency department based organ donor card center (Cheng et al). 2005; 46:S26 (Research Forum abstracts)

Tissue plasminogen activator
The combined approach to lysis utilizing eptifibatide and rt-PA in acute ischemic stroke (the Clear Stroke Trial): blinded results from the first dose tier (Pancioli). 2005;46:S121 (Research Forum abstracts)
Duty cycle dependence of ultrasound enhanced thrombolysis in an in-vitro human clot model (Shaw et al). 2005;46:S27 (Research Forum abstracts)
Recombinant tissue plasminogen activator for minor strokes: the National Institute of Neurological Disorders and Stroke rt-Pa Stroke Study experience (The National Institute of Neurological Disorders and Stroke rt-Pa Stroke Study Group). 2005;46:243–52
Survey of emergency physicians about recombinant tissue plasminogen activator for acute ischemic stroke (Brown et al). 2005;46: 56–60
Thinking globally, acting locally (Wears and Magid). 2005;46:61–3 (Editorial)

T-lymphocytes, helper-inducer
Platelets induce T-helper cell apoptosis in a murine model of early sepsis (Freishtat et al). 2005;46:S67 (Research Forum abstracts)

Tomography, optical coherence
Optical coherence tomography: a non-invasive method to assess wound healing (Singer et al). 2005;46:S68 (Research Forum abstracts)

Tomography, x-ray computed
Alternate diagnoses are frequently established by pulmonary embolism protocol contrast-enhanced chest computed tomography (Pesek-McCoy and O'Connor). 2005;46:S44 (Research Forum abstracts)
Assessment of head CT interpretation abilities of fourth-year medical students (Broder et al). 2005;46:S29–S30 (Research Forum abstracts)
A clinical decision rule to exclude thoracic aortic imaging in patients with blunt chest trauma following motor vehicle collisions (Ungar et al). 2005;46:S110 (Research Forum abstracts)
Colonic contrast versus oral contrast abdominal computed tomography for diagnosing acute appendicitis: assessing the impact on emergency department throughput time and patient satisfaction (Berg et al). 2005;46:S89 (Research Forum abstracts)
Comparison of accidental and nonaccidental traumatic head injury in children on noncontrast computed tomography (Kumar et al). 2005;46:S96–S97 (Research Forum abstracts)
Do all patients with left costal margin injuries require radiographic evaluation for intraabdominal injury? (Holmes et al). 2005; 46:232–6
The evaluation of intracranial injury in patients who admitted with isolated closed head injury in emergency department compared with external wound characteristics (Kim). 2005;46: S37 (Research Forum abstracts)
Headache evaluation in United States emergency departments: frequency of neuroimaging and diagnostic yield (Goldstein et al). 2005;46:S72 (Research Forum abstracts)
Influence of sex on the management of appendicitis (Crystal et al). 2005;46:S38 (Research Forum abstracts)
Mild head injury—computed tomography or inhospital observation? A randomized controlled trial concerning effects and costs (af Geijerstam et al). 2005;46:S109–S110 (Research Forum abstracts)
Optimal depth of central venous catheter by measuring reconstructed central veins using 3 dimensional computed tomography (Shin et al). 2005;46:S90 (Research Forum abstracts)
Routine versus selective computed tomography in the evaluation of right lower quadrant pain in the emergency department (Lee et al). 2005; 46:S81 (Research Forum abstracts)
Should we order the lateral cervical spine and pelvic radiographs in children with major trauma (Muñiz). 2005;46:S36 (Research Forum abstracts)
Traumautopsy (Sochor et al). 2005;46:S90 (Research Forum abstracts)
Utility of chest CT angiography and indirect lower extremity CT venography to exclude venous thromboembolism: a prospective study of emergency department patients (Richman et al). 2005;46:S98 (Research Forum abstracts)

Tracheotomy
A cadaver-based airway management lab is a valuable training tool for emergency medicine residents (Crystal et al). 2005;46:S86–S87 (Research Forum abstracts)
An improvised cricothyrotomy device provides reliable airway access in un-embalmed, partially re-warmed, human cadavers (Lewin et al). 2005;46:S86 (Research Forum abstracts)
Short and long term skill retention after resident training in cricothyroidotomy (Stromski et al). 2005;46:S13 (Research Forum abstracts)

Transducers
Comparison of two transducer types for teaching ultrasound-guided vascular access to novice users on a standard vascular access model in linear axis (Goldstein et al). 2005;46:S21 (Research Forum abstracts)

Transient ischemic attack. *See* Ischemic attack, transient

Transportation of patients
Can paramedics appropriately downgrade ALS to BLS transport based on a given set of protocols? (Morello et al). 2005;46:S31 (Research Forum abstracts)
A city wide approach to reduce ambulance diversion: the Hamilton model (Al Darrab et al). 2005;46:S40–S41 (Research Forum abstracts)
Comparison of rural and urban ambulance crashes in Pennsylvania (Ray and Kupas). 2005; 46:S113 (Research Forum abstracts)
Does the patient's age play a role in deciding whether to transport trauma patients to a level one trauma center by air or by ground?

(Bollinger et al). 2005;46:S46 (Research Forum abstracts)
Effects of emergency department closures on hospital ambulance diversion hours, Los Angeles County 1998-2004 (Sun and Asch). 2005;46:S119 (Research Forum abstracts)
The impact of aeromedical response to patients with moderate to severe traumatic brain injury (Davis et al). 2005;46:115–22
New education delivery system plays vital role in getting patients to emergency department within 'Golden Hour' (Crews and Holbrook). 2005;46:S88 (Research Forum abstracts)
An optimal solution for enhancing ambulance transport safety: a real-time driver performance monitoring and feedback device (Levick and Swanson). 2005;46:S112–S113 (Research Forum abstracts)

Trauma. *See* Wounds and injuries

Travel
Travel-associated dengue infections—United States, 2001-2004 (Centers for Disease Control and Prevention); Commentary (van Zyl). 2005; 46:420–3 (CDC update)

Triage
Accelerated care at triage: physician-directed ancillary testing at triage for patients waiting in an emergency department (Chan et al). 2005; 46:S107–S108 (Research Forum abstracts)
Can paramedics appropriately downgrade ALS to BLS transport based on a given set of protocols? (Morello et al). 2005;46:S31 (Research Forum abstracts)
Can wrist blood pressure oscillometer be used for triage in an adult emergency department? (Rutschmann et al). 2005;46:172–6 (Brief research report)
Chief complaint based quality indicators: the challenge for automation posed by chief complaint variability (Talotta et al). 2005;46: S40 (Research Forum abstracts)
Death in the department: can we predict who will die after arriving alive (Davis et al). 2005; 46:S11 (Research Forum abstracts)
Direct discharge from triage in emergency departments: assessment, risks and patient satisfaction (Sanchez et al). 2005;46:S24 (Research Forum abstracts)
Effect of rapid patient evaluation on the rate and type of error citation of emergency physicians (Levy et al). 2005;46:S108–S109 (Research Forum abstracts)
Emergency department triage: why we need a research agenda (Fernandes et al). 2005;46: 204–5 (Correspondence)
Emergency physician judgment more specific than criteria for trauma (Ronan-Bentle et al). 2005;46:S111 (Research Forum abstracts)
Impact of rapid entry and accelerated care at triage on reducing emergency department patient wait times, lengths of stay, and rate of left without being seen (Chan et al). 2005;46: 491–7
The impact of triage classification and level of training on emergency department patient flow as measured by use of a Web-based infrared passive-tracking system (Villarin et al). 2005; 46:S103 (Research Forum abstracts)
The incidence of STAT operative intervention in ACS trauma alerts (Coba et al). 2005;46:S111 (Research Forum abstracts)
The 29 minute guarantee—improving patient triage and flow (Rosenthal et al). 2005;46:S107 (Research Forum abstracts)
New education delivery system plays vital role in getting patients to emergency department within 'Golden Hour' (Crews and Holbrook). 2005;46:S88 (Research Forum abstracts)
Out-of-hospital management of human exposures to toxic substances (Kwon et al). 2005;46:S36 (Research Forum abstracts)
Paper case scenarios in the assessment of triage tools (Worster and Fernandes). 2005;46:203–4 (Correspondence)
Potential under-triage of acute non-traumatic conditions using the Simple Triage And Rapid Treatment system (Madsen et al). 2005;46:S69 (Research Forum abstracts)
Time value stream mapping as a tool to measure patient flow through emergency department triage (Kaale et al). 2005;46:S108 (Research Forum abstracts)
Triage questions (O'Shaughnessy). 2005;46:203 (Correspondence)
Triage scales in the emergency department: a systematic review (Fan et al). 2005;46:S41 (Research Forum abstracts)
Validity of the Emergency Severity Index© (v.3) triage algorithm in a geriatric population (Baumann and Strout). 2005;46:S118 (Research Forum abstracts)
Waiting for triage (Husk et al). 2005;46:S44 (Research Forum abstracts)

Troponin, diagnostic use
After the first negative troponin: distinguishing patients with evolving myocardial infarctions from those without infarction in emergency department patients with chest pain (Miller et al). 2005;46:S114–S115 (Research Forum abstracts)
Any troponin elevation is associated with increased mortality in patients with non-ST-elevation acute coronary syndromes despite variations in hospital laboratory assays and presence of renal insufficiency (Cairns et al). 2005;46:S116 (Research Forum abstracts)
Non-ST–segment elevation acute coronary syndrome mortality: an analysis of B-type natriuretic peptide and cardiac troponin (Peacock et al). 2005;46:S3 (Research Forum abstracts)
Patients with evolving myocardial infarction have a significant missed opportunity for earlier treatment: experience from the SYNERGY Trial (Miller et al). 2005;46:S3 (Research Forum abstracts)
Reliability of three sets of cardiac enzymes in the setting of acute chest pain in patients at low risk for acute coronary syndrome in the emergency department (Papa et al). 2005;46:S59 (Research Forum abstracts)
Troponin T and monocyte chemoattractant protein-1 in reducing chest pain unit testing for acute coronary syndromes in low-risk emergency department patients (Mitchell et al). 2005;46:S42 (Research Forum abstracts)
The use of cardiac markers in emergency department 6 hour acute chest pain treatment and evaluation (ACTION) protocol—what we can learn from a randomised trial (Lim et al). 2005;46:S116 (Research Forum abstracts)

Typhoid fever
Travel-associated dengue infections—United States, 2001-2004 (Centers for Disease Control and Prevention); Commentary (van Zyl). 2005; 46:420–3 (CDC update)

U

Ultrasonography. *See also* Abdomen, ultrasonography; Foreign bodies, ultrasonography
Can emergency physicians utilize the S. I. N. phenomenon (stone impacted in gallbladder neck) to accurately diagnose cholecystitis? (Nelson et al). 2005;46:S80 (Research Forum abstracts)
Comet tail artifacts on lung sonography predict the presence of congestive heart failure and elevated B-type natriuretic peptide levels (Sidransky et al). 2005;46:S51 (Research Forum abstracts)
A comparison of digital video and still imaging for ultrasonography: an evaluation of diagnostic accuracy, user confidence and image quality (Pigott et al). 2005;46:S52 (Research Forum abstracts)
Comparison of two transducer types for teaching ultrasound-guided vascular access to novice users on a standard vascular access model in linear axis (Goldstein et al). 2005;46:S21 (Research Forum abstracts)
Correlation of inferior vena cava diameter to central venous pressure: a novel application of bedside ultrasonography (Bilkovski et al). 2005; 46:S27 (Research Forum abstracts)
Do emergency medicine residency programs meet American College of Emergency Physicians requirement of ultrasound curricula? (Bakhtari et al). 2005;46:S79 (Research Forum abstracts)
Duty cycle dependence of ultrasound enhanced thrombolysis in an in-vitro human clot model (Shaw et al). 2005;46:S27 (Research Forum abstracts)
Effect of a medical student rotation in emergency ultrasound on the number of scans performed by faculty and residents (Waters et al). 2005;46: S80 (Research Forum abstracts)
Institution of a combined rotation in anesthesia and emergency ultrasound in emergency medicine residency programs: a pathway for early dedicated ultrasound experience without compromising intubation experience for PGY-1 emergency medicine residents (Sierzenski et al). 2005;46:S52 (Research Forum abstracts)
Inter-rater agreement of a non-invasive ultrasound cardiac output monitoring (USCOM) device in emergency department patients (Losey et al). 2005;46:S18 (Research Forum abstracts)
The minimum training standard for emergency physicians performing obstetric ultrasonography (Jang et al). 2005;46:S79 (Research Forum abstracts)
Patient follow-up after negative lower extremity ultrasound for deep venous thrombosis (McIlrath et al). 2005;46:S53 (Research Forum abstracts)
Performance characteristics of independent novice sonographers in gallbladder, FAST, and DVT studies (Theodoro et al). 2005;46:S78 (Research Forum abstracts)
Pilot study to evaluate the accuracy of ultrasound in confirming endotracheal tube placement (Werner et al). 2005;46:S4 (Research Forum abstracts)

Proctored ultrasound examinations (PUE) significantly improve success in emergency medicine ultrasound education (Sutingco and Noble). 2005;46:S79–S80 (Research Forum abstracts)
A prospective comparison of thoracic ultrasound to chest x-ray for detection of pulmonary edema (Blaivas et al). 2005;46:S20–S21 (Research Forum abstracts)
Prospective evaluation of ultrasound for detection of hand fractures by emergency physicians (Tayal et al). 2005;46:S80 (Research Forum abstracts)
Replacing a cart-based ultrasound system with a compact system increases emergency bedside ultrasound use and user confidence (Leech et al). 2005;46:S21 (Research Forum abstracts)
Ultrasonography-guided peripheral intravenous access versus traditional approaches in patients with difficult intravenous access (Costantino et al). 2005;46:456–61
Ultrasound confirmation of intraosseous line placement using a cadaveric teaching model (Nicks and McGinnis). 2005;46:S52–S53 (Research Forum abstracts)
Ultrasound educational competency hierarchical outcomes: a report on the novice ultrasound user, the first year medical student (Bahner et al). 2005;46:S22 (Research Forum abstracts)
Ultrasound evaluation of the positional vascular anatomy of the neck: position optimization for central venous access (Levin and Bair). 2005; 46:S26–S27 (Research Forum abstracts)
Ultrasound image transmission via commercially available camera phones for emergency ultrasound interpretation (Blaivas et al). 2005; 46:S52 (Research Forum abstracts)
Use of bedside ultrasound for endotracheal tube placement in pediatric patients—a pilot study (Galicinao et al). 2005;46:S92 (Research Forum abstracts)
Use of real-time, single-operator dynamic ultrasound guidance for internal jugular central venous cannulation: a randomized, controlled clinical trial (Milling et al). 2005;46:S26 (Research Forum abstracts)
Use of ultrasound to identify pertinent landmarks for lumbar puncture (Stiffler et al). 2005;46:S28 (Research Forum abstracts)

Ultrasonography, Doppler, color
Intraosseous line placement: ultrasound/Color Flow Doppler confirmation of tip location and leakage (Hsu et al). 2005;46:S22 (Research Forum abstracts)

Ultrasonography, economics
Effect of performing but not billing for emergency ultrasound on emergency department reimbursement (Gaspari and Dickman). 2005;46:S21 (Research Forum abstracts)

Ultrasonography, prenatal
Emergency nurses' utilization and accuracy of handheld ultrasound devices for detection of fetal heart tones in pregnant patients (Aguilera and De Guzman). 2005;46:S14 (Research Forum abstracts)
The minimum training standard for emergency physicians performing obstetric ultrasonography (Jang et al). 2005;46:S79 (Research Forum abstracts)

United States
Antiretroviral postexposure prophylaxis after sexual, injection-drug use, or other nonoccupational exposure to HIV in the United States (Centers for Disease Control and Prevention); Commentary (Merchant). 2005; 46:82–6 (CDC update)
Characteristics and admission patterns of patients presenting with sepsis to United States emergency departments, 1992-2001 (Strehlow et al). 2005;46:S48 (Research Forum abstracts)
Epidemiology of epistaxis in US emergency departments, 1992 to 2001 (Pallin et al). 2005; 46:77–81 (Brief research report)
Headache evaluation in United States emergency departments: frequency of neuroimaging and diagnostic yield (Goldstein et al). 2005;46:S72 (Research Forum abstracts)
National study of US emergency department visits for attempted suicide and self-inflicted injury, 1997-2001 (Doshi et al). 2005;46: 369–75
Travel-associated dengue infections—United States, 2001-2004 (Centers for Disease Control and Prevention); Commentary (van Zyl). 2005; 46:420–3 (CDC update)

Unstable angina. *See* Angina, unstable

Urinary tract
Prevalence of sexually transmitted diseases in women with urinary complaints (Perry et al). 2005;46:S48 (Research Forum abstracts)

Urinary tract infections
Urinary tract infection one must exclude in febrile infants less than 3 months of age with respiratory syncytial virus (RSV) (Muñiz). 2005;46:S83 (Research Forum abstracts)

Uterine hemorrhage
Does the presence of pregnancy or vaginal bleeding influence gonorrhea and chlamydia testing patterns? (Pigott et al). 2005;46:S47 (Research Forum abstracts)
Utility of the ED pelvic exam: results of a prospective pilot study (Brown et al). 2005;46: S38 (Research Forum abstracts)

V

Vaccinia
[Vaccinia-associated myopericarditis] (Shawcross et al). 2005;46:315, 327 (Images in emergency medicine)

Vaginal bleeding. *See* Uterine hemorrhage

Vena cava, inferior
Correlation of inferior vena cava diameter to central venous pressure: a novel application of bedside ultrasonography (Bilkovski et al). 2005; 46:S27 (Research Forum abstracts)

Venipuncture
Ultrasonography-guided peripheral intravenous access versus traditional approaches in patients with difficult intravenous access (Costantino et al). 2005;46:456–61

Venous thrombosis
D-dimer performance in low and high risk populations: is it reliable? (Salen et al). 2005; 46:S105 (Research Forum abstracts)
Patient follow-up after negative lower extremity ultrasound for deep venous thrombosis (McIlrath et al). 2005;46:S53 (Research Forum abstracts)
Utility of chest CT angiography and indirect lower extremity CT venography to exclude venous thromboembolism: a prospective study of emergency department patients (Richman et al). 2005;46:S98 (Research Forum abstracts)

Ventilators, mechanical
Potential use of a single ventilator for multiple victim ventilation (Irvin and Neyman). 2005; 46:S69 (Research Forum abstracts)

Verapamil
High dose insulin reverses verapamil inhibition of glucose uptake in mouse striated muscle (Ten Harmsel et al). 2005;46:S77 (Research Forum abstracts)

Vertigo, drug therapy
Treatment of peripheral vertigo without active emesis with an elixir of atropine, hyoscyamine, phenobarbital, and scopolamine: a pilot study (Vega et al). 2005;46:S71 (Research Forum abstracts)

Vicodin
N-Acetylcysteine is often needed in cases of prescription narcotic abuse in young adults (Tudor et al). 2005;46:S35 (Research Forum abstracts)

Videotape recording
A comparison of digital video and still imaging for ultrasonography: an evaluation of diagnostic accuracy, user confidence and image quality (Pigott et al). 2005;46:S52 (Research Forum abstracts)
Does preparing patients for their emergency department experience through a waiting room video about process of care improve their satisfaction? (Papa et al). 2005;46:S23–S24 (Research Forum abstracts)
A video based training program improves defibrillator inspection compliance (Adams et al). 2005;46:S18 (Research Forum abstracts)

Violence. *See also* Domestic violence
Evaluation of restraint use in emergency medical services (EMS) and the correlation with assaults on EMS personnel (Cheney et al). 2005;46:S32 (Research Forum abstracts)
Factors associated with compliance to community-based programs in victims of violence (Corbin et al). 2005;46:S97–S98 (Research Forum abstracts)
Violence-related injuries and domestic violence against women in an urban emergency department (Masip et al). 2005;46:S97 (Research Forum abstracts)
Workplace violence: a survey of emergency physicians in the state of Michigan (Kowalenko et al). 2005;46:142–7

W

Weight-loss drugs. *See* Anti-obesity agents

Whooping cough, diagnosis
Role of immunization registry data in pediatric patients diagnosed with Bordetella pertussis (Reed et al). 2005;46:S16–S17 (Research Forum abstracts)

Women's health. *See also* Contraception; Domestic violence; Rape; Sex factors
Health risks and behaviors among young Latinas who present to the emergency department (Natarajan et al). 2005;46:S94 (Research Forum abstracts)
Prevalence of sexually transmitted diseases in women with urinary complaints (Perry et al). 2005;46:S48 (Research Forum abstracts)
Resident sex and the pelvic exam: the effect of physician sex on selection and management of patients who may require a pelvic exam (Mohart et al). 2005;46:S55–S56 (Research Forum abstracts)

Utility of the ED pelvic exam: results of a prospective pilot study (Brown et al). 2005;46: S38 (Research Forum abstracts)

Wound healing

Optical coherence tomography: a non-invasive method to assess wound healing (Singer et al). 2005;46:S68 (Research Forum abstracts)

Wounds, gunshot

Critical time: "patterning" for pediatric firearm injuries (Kim et al). 2005;46:S84 (Research Forum abstracts)

Initial assessment and management of facial gunshot injuries (Chan et al). 2005;46: S36–S37 (Research Forum abstracts)

Seasonal variation in firearm related emergency department visits (Irvin and Holley). 2005;46: S57 (Research Forum abstracts)

Survival following penetrating trauma and response time delays (Megargel et al). 2005;46: S36 (Research Forum abstracts)

Wounds, penetrating

The value of radiographs in high-pressure injection injuries of the hand (Hart et al). 2005; 46:S89–S90 (Research Forum abstracts)

Wounds and injuries. *See also* Accidents, traffic; *specific sites of injury*

Agreement of existing and imputed prehospital data in a state trauma registry when compared to ambulance data (Newgard). 2005;46:S62 (Research Forum abstracts)

Bias and variability in interhospital trauma transfer practices in a statewide rural trauma system (Newgard et al). 2005;46:S111 (Research Forum abstracts)

Does the patient's age play a role in deciding whether to transport trauma patients to a level one trauma center by air or by ground? (Bollinger et al). 2005;46:S46 (Research Forum abstracts)

Do injured pediatric emergency department patients really want analgesics? (Axelband et al). 2005;46:S91 (Research Forum abstracts)

Emergency department observation unit management of trauma patients (Norton et al). 2005;46:S110 (Research Forum abstracts)

Evaluation of combat casualty care outcomes after the introduction of emergency medicine providers and an emergency medicine systems approach to the setting of tactical ground combat (Gerhardt et al). 2005;46:S45–S46 (Research Forum abstracts)

The incidence of STAT operative intervention in ACS trauma alerts (Coba et al). 2005;46:S111 (Research Forum abstracts)

An observational study comparing the Combitube and the King Laryngeal Tracheal Device in combat trauma airway training for U.S. Army combat medic students (McManus et al). 2005;46:S46 (Research Forum abstracts)

Traumautopsy (Sochor et al). 2005;46:S90 (Research Forum abstracts)

Validation of probabilistic linkage for matching de-identified ambulance records to a state trauma registry (Newgard). 2005;46:S45 (Research Forum abstracts)

Wounds and injuries, diagnosis

Correlation of the serum antithrombin III to injury severity in patients with severe trauma (Lee et al). 2005;46:S66 (Research Forum abstracts)

Emergency physician judgment more specific than criteria for trauma (Ronan-Bentle et al). 2005;46:S111 (Research Forum abstracts)

Serum lactate in children is not predictive of major trauma (Muñiz). 2005;46:S65 (Research Forum abstracts)

Wounds and injuries, epidemiology

Epidemiologic patterns of injuries treated in ambulatory care settings (Betz and Li). 2005; 46:544–51

Road traffic injuries in the elderly (Lee and Carmaron). 2005;46:S36 (Research Forum abstracts)

Routinely collected data from an electronic trauma registry: trends over time in injury mechanism and patient outcome (Mehta et al). 2005;46:S85 (Research Forum abstracts)

Temporal arrival patterns and subspecialty needs of trauma patients requiring emergency operating room operative intervention (Henry et al). 2005;46:S67 (Research Forum abstracts)

Violence-related injuries and domestic violence against women in an urban emergency department (Masip et al). 2005;46:S97 (Research Forum abstracts)

Wounds and injuries, prevention & control

Reduction of home injury hazards by home visiting program: a randomized controlled trial (Rehmani). 2005;46:S86 (Research Forum abstracts)

Wrist

Can wrist blood pressure oscillometer be used for triage in an adult emergency department? (Rutschmann et al). 2005;46:172–6 (Brief research report)

Z

Zeolites

[Superficial partial thickness (2nd degree) burn from zeolite mineral hemostatic agent (QuickClot)] (Hurtado and Wisenbaugh). 2005;46:297, 303 (Images in emergency medicine)

Ziprasidone

A comparison of haloperidol and zyprasidone for acute undifferentiated agitation in the emergency department (Levine et al). 2005;46: S99–S100 (Research Forum abstracts)

Author Index
July–December 2005

July, pp. 1–104; August, pp. 105–216; September, pp. 217–304; October, pp. 305–392; November, pp. 393–480; December, pp. 481–630.

A

Abbott J. Emergency contraception: what should our patients expect? 2005;46:111–13 (Editorial)
Abrahamian FM (*see* Moran and Abrahamian). 2005;46:407–8 (Editorial)
Abrahams M (*see* Ritchie et al). 2005;46:S42 (Research Forum abstracts)
Adams AL (*see* Lowe et al). 2005;46:S120 (Research Forum abstracts)
Adams AL (*see* Norton et al). 2005;46:S50 (Research Forum abstracts), 2005;46:S78 (Research Forum abstracts)
Adams BA (*see* Anderson et al). 2005;46:S75–S76 (Research Forum abstracts)
Adams BD (*see* McHugh et al). 2005;46:S32–S33 (Research Forum abstracts)
Adams BD, Shih H, Stuffel E, Robinson A. A video based training program improves defibrillator inspection compliance. 2005;46:S18 (Research Forum abstracts)
Adams S (*see* Hardeman et al). 2005;46:560–561 (Correspondence)
af Geijerstam J, Oredsson S, Britton M. Mild head injury—computed tomography or inhospital observation? A randomized controlled trial concerning effects and costs. 2005;46:S109–S110 (Research Forum abstracts)
Afshary P (*see* Tahani et al). 2005;46:S76 (Research Forum abstracts)
Agarwal SK (*see* Mehta et al). 2005;46:S85 (Research Forum abstracts)
Ager J (*see* Joshi et al). 2005;46:S53 (Research Forum abstracts)
Agoritsas K, Bonsu BK, Goodman D, Marcon MJ. Comparative evaluation of a rapid influenza diagnostic test in the pediatric emergency department setting using three specimen collection methods. 2005;46:S82 (Research Forum abstracts)
Aguilera P, De Guzman V. Emergency nurses' utilization and accuracy of handheld ultrasound devices for detection of fetal heart tones in pregnant patients. 2005;46:S14 (Research Forum abstracts)
Ahl J (*see* Houston et al). 2005;46:S100–S101 (Research Forum abstracts)
Ahmad F (*see* Kurz et al). 2005;46:S103 (Research Forum abstracts)
Ahmad I (*see* Roberts et al). 2005;46:S24 (Research Forum abstracts), 2005;46:S25 (Research Forum abstracts)
Ahmad I (*see* Schabowski et al). 2005;46:S25–S26 (Research Forum abstracts)
Ahmadian CL (*see* Wolf et al). 2005;46:S98–S99 (Research Forum abstracts)
Ahmed O (*see* Schabowski et al). 2005;46:S58 (Research Forum abstracts)
Akritidis N, Galiatsou E, Nikolopoulos P, Paparounas K. [Emphysematous cholecystitis]. 2005;46:94, 98 (Images in emergency medicine)
Al Darrab A, Fernandes CM, Worster A, Woolfrey K, Moneta S. A city wide approach to reduce ambulance diversion: the Hamilton model. 2005;46:S40–S41 (Research Forum abstracts)
Al Darrab A (*see* Fan et al). 2005;46:S41 (Research Forum abstracts)
Alagappan K (*see* Naderi et al). 2005;46:S113 (Research Forum abstracts)
Alaspää AO, Hoppu K, Neuvonen PJ. Out-of-hospital activated charcoal: not so fast. 2005;46:299–300 (Correspondence reply)
Albà J (*see* Coma et al). 2005;46:S92–S93 (Research Forum abstracts)
Aldrich A (*see* Mallon et al). 2005;46:S23 (Research Forum abstracts)
Alexander C (*see* Jones et al). 2005;46:S106–S107 (Research Forum abstracts)
Alexander GC (*see* Larkin et al). 2005;46:S58 (Research Forum abstracts)
Alexander JD (*see* Norton et al). 2005;46:S50 (Research Forum abstracts), 2005;46:S78 (Research Forum abstracts)
Allegra JR (*see* Balaji and Allegra). 2005;46:S60 (Research Forum abstracts)
Allegra JR (*see* Dohrenwood et al). 2005;46:S65 (Research Forum abstracts)
Allegra JR (*see* Maroun et al). 2005;46:S16 (Research Forum abstracts)
Allegra JR (*see* Talotta et al). 2005;46:S40 (Research Forum abstracts)
Allen E (*see* Larkin et al). 2005;46:S17–S18 (Research Forum abstracts)
Allen JY, Macias CG. The efficacy of ketamine in pediatric emergency department patients who present with acute severe asthma. 2005;46:43–50
Allen TL, Bluemmers S, Farber SC. A comprehensive point-of-care laboratory system can save time and money in the emergency department when combined with standardized care process models. 2005;46:S105 (Research Forum abstracts)
Alshinkity IS, Taylor D, Maimani O, El Khalifa E, Felemban H, Cameron PA. Standardized approach for assessment and investigation of undifferentiated abdominal pain (UDAP). 2005;46:S121 (Research Forum abstracts)
American College of Emergency Physicians. Alcohol screening in the emergency department. 2005;46:214–15 (Policy statement)
American College of Emergency Physicians. Assault weapon ban. 2005;46:104 (Policy statement)
American College of Emergency Physicians. Caring for emergency department "boarders." 2005;46:104 (Policy statement)
American College of Emergency Physicians. Compensation arrangements for emergency physicians. 2005;46:104 (Policy statement)
American College of Emergency Physicians. Delivery of agents for procedural sedation and analgesia by emergency nurses. 2005;46:368 (Policy statement)
American College of Emergency Physicians. Drug-assisted intubation in the prehospital setting. 2005;46:214 (Policy statement)
American College of Emergency Physicians. Emergency contraception for women at risk of unintended and preventable pregnancy. 2005;46:103 (Policy statement)
American College of Emergency Physicians. Procedural sedation in the emergency department. 2005;46:103–4 (Policy statement)
American College of Emergency Physicians. Role of state EMS medical director. 2005;46:103 (Policy statement)
Amessoudji AW (*see* Moises et al). 2005;46:S110 (Research Forum abstracts)
Amin P (*see* Goldman et al). 2005;46:S109 (Research Forum abstracts)
Amsterdam JT (*see* Kaale et al). 2005;46:S108 (Research Forum abstracts)
Ander DS (*see* Harris et al). 2005;46:S109 (Research Forum abstracts)
Ander DS (*see* Wald et al). 2005;46:S13–S14 (Research Forum abstracts)
Anderson BB, Mycyk MB, DesLauriers C. Hospitalization for methylphenidate abuse is associated with concomitant abuse of other pharmaceutical products. 2005;46:S78 (Research Forum abstracts)
Anderson M (*see* Schabowski et al). 2005;46:S25 (Research Forum abstracts)
Anderson PI, Adams BA, Stuffel E. Bystander automated external defibrillator is faster than standard cardiac arrest team response for a public visitor area of a hospital. 2005;46:S75–S76 (Research Forum abstracts)
Anderson W (*see* Bastani et al). 2005;46:S39 (Research Forum abstracts)
Angus DC (*see* Huang et al). 2005;46:217–23 (Concepts)
Ansari A (*see* Husk et al). 2005;46:S44 (Research Forum abstracts)
Ansary K (*see* Tahani et al). 2005;46:S76 (Research Forum abstracts)
Antimarino J (*see* Caruso et al). 2005;46:S48 (Research Forum abstracts)
Antoniazzi JM (*see* Tayal et al). 2005;46:S80 (Research Forum abstracts)
Antro C (*see* Battista et al). 2005;46:S3–S4 (Research Forum abstracts)
Archer A (*see* Thalacker et al). 2005;46:S87–S88 (Research Forum abstracts)
Ardolic B (*see* Maniago and Ardolic). 2005;46:S8 (Research Forum abstracts)
Ardolic B (*see* Maniago et al). 2005;46:S8 (Research Forum abstracts)
Argota E (*see* Vega et al). 2005;46:S54–S55 (Research Forum abstracts)
Arima K (*see* Iannuzzi et al). 2005;46:S106 (Research Forum abstracts)
Aristizabal J (*see* Brown et al). 2005;46:S38 (Research Forum abstracts)
Arnott R (*see* Ritchie et al). 2005;46:S42 (Research Forum abstracts)

Artman B (*see* Walsh et al). 2005;46:S91 (Research Forum abstracts)
Asch S (*see* Sun and Asch). 2005;46:S119 (Research Forum abstracts)
Asplin BR (*see* Flottemesch et al). 2005;46:S33 (Research Forum abstracts)
Aubin C (*see* Jang et al). 2005;46:S79 (Research Forum abstracts)
Aufderheide TP (*see* Katz et al). 2005;46:525–33
Augustine J (*see* Michalke et al). 2005;46:S39 (Research Forum abstracts)
Augustine J (*see* Siler Fisher et al). 2005;46:S6–S7 (Research Forum abstracts)
Axelband J, Jacoby J, Prestosh JC, Heller M. Do injured pediatric emergency department patients really want analgesics? 2005;46:S91 (Research Forum abstracts)

B

Bachmann LH (*see* Pigott et al). 2005;46:S47 (Research Forum abstracts)
Baek K (*see* Lee et al). 2005;46:S118 (Research Forum abstracts)
Baevsky RH, Haber M, Blank F. Supine *vs.* semi-recumbent and upright twelve-lead ECG: does change in body position alter ECG interpretation for ischemia? 2005;46:S9 (Research Forum abstracts)
Baez AA (*see* Giraldez et al). 2005;46:S59 (Research Forum abstracts)
Baez AA (*see* Madsen et al). 2005;46:S69 (Research Forum abstracts)
Bahner DP, Limperos RJ, Rund DA. Ultrasound educational competency hierarchical outcomes: a report on the novice ultrasound user, the first year medical student. 2005;46:S22 (Research Forum abstracts)
Bahner DP (*see* White et al). 2005;46:S120–S121 (Research Forum abstracts)
Bair A (*see* Levin and Bair). 2005;46:S26–S27 (Research Forum abstracts)
Baker A (*see* Raio et al). 2005;46:S28 (Research Forum abstracts)
Baker LC (*see* Hsia et al). 2005;46:S119 (Research Forum abstracts)
Bakhtiari P, Gough JE, Brewer KL. Do emergency medicine residency programs meet American College of Emergency Physicians requirement of ultrasound curricula? 2005;46:S79 (Research Forum abstracts)
Balaji R, Allegra JR. Hospital admissions for congestive heart failure decrease with increasing temperature in a tropical climate. 2005;46:S60 (Research Forum abstracts)
Bamezai A. The costs of visits to emergency department—revisited. 2005;46:472–3 (Correspondence reply)
Banerjee A (*see* Miller et al). 2005;46:S3 (Research Forum abstracts)
Banet GA (*see* Mohart et al). 2005;46:S55–S56 (Research Forum abstracts)
Bania TC (*see* Lee et al). 2005;46:S118 (Research Forum abstracts)
Bansal SK, Park E, Edwardsen EA. Medical inquiry for intimate partner violence as reported by women in a shelter. 2005;46:S96 (Research Forum abstracts)
Barata IA, LaMantia J, Riccardi D, Mayerhoff RM, Litroff A, D'Abbracci P, Livote E, Ward MF, Sama A. Attitudes and practices of emergency medicine residents regarding family presence during pediatric procedural and resuscitation scenarios. 2005;46:S54 (Research Forum abstracts)
Barata IA, Llovera I, Ward MF, Riccardi D, Mayerhoff RM, Litroff A, Childress J, Livote E, Sama A. School preparedness for medical and traumatic emergencies. 2005;46:S57–S58 (Research Forum abstracts)
Barata IA, Llovera I, Ward MF, Riccardi D, Mayerhoff RM, Litroff A, Sama A. Are individual households prepared for a disaster such as fire, flood, earthquake, blackout or a terrorist attack in their community? 2005;46:S93–S94 (Research Forum abstracts)
Barbaccia J (*see* Milzman et al). 2005;46:S38–S39 (Research Forum abstracts)
Barbaro KC (*see* Hogan et al). 2005;46:206–7 (Correspondence reply)
Barlotta K, Scully K, Sawer RS, Ebarb J, Osborn TM. Projected impact of early goal directed therapy on hospital resource utilization for severe sepsis and septic shock patients. 2005;46:S24 (Research Forum abstracts)
Barlotta K (*see* Ebarb et al). 2005;46:S10 (Research Forum abstracts)
Barnett B (*see* Naderi et al). 2005;46:S113 (Research Forum abstracts)
Barrett J (*see* Wald and Barrett). 2005;46:S88 (Research Forum abstracts)
Barriot P (*see* Borron et al). 2005;46:S77 (Research Forum abstracts)
Barros S (*see* Mills and Barros). 2005;46:285–7 (Best available evidence)
Barrueto F (*see* Murr et al). 2005;46:S76–S77 (Research Forum abstracts)
Barsan WG (*see* Brown et al). 2005;46:56–60
Barton ED (*see* Sagarin et al). 2005;46:328–36
Bascom E (*see* King et al). 2005;46:S84 (Research Forum abstracts)
Bassa J (*see* Coma et al). 2005;46:S92–S93 (Research Forum abstracts)
Bastani A, Anderson W, Howard R, Sheppard H, Dendy J. Admission by appointment decreases the wait time of patients being held in the emergency department. 2005;46:S39 (Research Forum abstracts)
Bastani A, Dendy J, Medado P. Emergency department patients are willing to complete self-report forms while waiting to be seen. 2005;46:S92 (Research Forum abstracts)
Bates DW (*see* Kennedy et al). 2005;46:393–400, 2005;46:S105 (Research Forum abstracts)
Battista S, Antro C, Tizzani M, Mengozzi G, Gai V. Procalcitonin level evaluation in the diagnostic work-up of severe infections with systemic involvement. 2005;46:S3–S4 (Research Forum abstracts)
Baud F, Guerrier G, Borron SW. Does the type of cyanide modify the cyanide toxidrome? 2005;46:S45 (Research Forum abstracts)
Baud F (*see* Borron et al). 2005;46:S77 (Research Forum abstracts)
Bauer G (*see* Caruso et al). 2005;46:S48 (Research Forum abstracts)
Bauman B (*see* Ogden et al). 2005;46:S33–S34 (Research Forum abstracts)
Baumann MR (*see* Drummond et al). 2005;46:S61 (Research Forum abstracts)
Baumann MR (*see* Strout et al). 2005;46:S100 (Research Forum abstracts)
Baumann MR, Strout TD. Validity of the Emergency Severity Index© (v.3) triage algorithm in a geriatric population. 2005;46:S118 (Research Forum abstracts)
Bauza G (*see* Mehta et al). 2005;46:S85 (Research Forum abstracts)
Bazan NG (*see* Moises et al). 2005;46:S110 (Research Forum abstracts)
Bazargan M (*see* Bazargan-Hejazi et al). 2005;46:67–76
Bazargan-Hejazi S, Bing E, Bazargan M, Der-Martirosian C, Hardin E, Bernstein J, Bernstein E. Evaluation of a brief intervention in an inner-city emergency department. 2005;46:67–76
Bazemore A (*see* Meieran et al). 2005;46:S34 (Research Forum abstracts)
Becker BM (*see* Merchant et al). 2005;46:S47 (Research Forum abstracts), 2005;46:S93 (Research Forum abstracts), 2005;46:S94–S95 (Research Forum abstracts), 2005;46:S97 (Research Forum abstracts)
Beeson MS, Jwayyed S. Acceptance of an Internet-based resident training tool. 2005;46:S30 (Research Forum abstracts)
Begtrup K (*see* Jauch et al). 2005;46:S2 (Research Forum abstracts)
Bell K (*see* Quest and Bell). 2005;46:S99 (Research Forum abstracts)
Bell M (*see* Mallon et al). 2005;46:S23 (Research Forum abstracts)
Belson M (*see* Miller et al). 2005;46:S70 (Research Forum abstracts)
Bentancur A (*see* Wimpfheimer and Bentancur). 2005;46:S41 (Research Forum abstracts)
Berg RA, Mitchell P, Mehta SD, Oyama L, Easow J, Soto J, Ulrich A. Colonic contrast versus oral contrast abdominal computed tomography for diagnosing acute appendicitis: assessing the impact on emergency department throughput time and patient satisfaction. 2005;46:S89 (Research Forum abstracts)
Berg RA (*see* Donoghue et al). 2005;46:512–22 (Evidence-based emergency medicine)
Berg RA (*see* Heidenreich et al). 2005;46:S76 (Research Forum abstracts)
Berg RA (*see* Larkin et al). 2005;46:S17–S18 (Research Forum abstracts)
Berk W (*see* Levy et al). 2005;46:S108–S109 (Research Forum abstracts)
Berkoff DJ, Davis D, Ghim M, Rouse S, Lebosquet T, Cairns CB. Association between heart rate variability and injury at an Ironman triathlon. 2005;46:S85 (Research Forum abstracts)
Berkoff DJ, Davis D, Moorman CT, Cairns CB. Changes in parasympathetic tone in elite athletes: power versus endurance, is there a difference? 2005;46:S8–S9 (Research Forum abstracts)
Bernadotte M (*see* Deibel et al). 2005;46:S4–S5 (Research Forum abstracts)
Bernard S (*see* Cameron et al). 2005;46:S112 (Research Forum abstracts)
Bernstein E (*see* Bazargan-Hejazi et al). 2005;46:67–76
Bernstein J (*see* Bazargan-Hejazi et al). 2005;46: 67–76
Berton L (*see* Haouach et al). 2005;46:S30 (Research Forum abstracts)
Betz ME, Li G. Epidemiologic patterns of injuries treated in ambulatory care settings. 2005;46:544–51
Beuhler MC (*see* Lavonas et al). 2005;46:207–8 (Correspondence)
Bhagra A, Gilmore RM, Stead LG. Echocardiographic findings in patients with

acute ischemic stroke. 2005;46:S62–S63 (Research Forum abstracts)
Bhakta H (*see* Walsh et al). 2005;46:S40 (Research Forum abstracts)
Bhatt DL (*see* Peacock et al). 2005;46:S3 (Research Forum abstracts)
Bickler P (*see* Lewin et al). 2005;46:S86 (Research Forum abstracts)
Bigelow S, Strote J, Hauff S, Fay K, Frank L. Case-control comparison of propofol and fentanyl/midazolam for procedural sedation. 2005;46:S106 (Research Forum abstracts)
Bijur P (*see* Corbo et al). 2005;46:323–7 (Brief research report)
Bijur PE, Kenny MK, Gallagher EJ. Intravenous morphine at 0.1 mg/kg is not effective for controlling severe acute pain in the majority of patients. 2005;46:362–7 (Brief research report)
Bilkovski R, Coghlan P, Smith M, Boyar E, Garcia AJ, DeMott M. The assessment of lactate, Apache II scores and the revised lactate score to predict severity of illness in critically ill patients. 2005;46:S18 (Research Forum abstracts)
Bilkovski R (*see* Sherwin and Bilkovski). 2005;46:S7–S8 (Research Forum abstracts)
Bilkovski R, Smith M, DeMott M, Coghlan P, Boyar E, Garcia AJ, Mossallam U. Correlation of inferior vena cava diameter to central venous pressure: a novel application of bedside ultrasonography. 2005;46:S27 (Research Forum abstracts)
Binder W (*see* Nagurney et al). 2005;46:S88 (Research Forum abstracts)
Bing E (*see* Bazargan-Hejazi et al). 2005;46:67–76
Birnbaum A (*see* Reed et al). 2005;46:S75 (Research Forum abstracts)
Biros MH (*see* Danahy et al). 2005;46:S72–S73 (Research Forum abstracts)
Bisanzo M (*see* Filbin et al). 2005;46:S75 (Research Forum abstracts)
Bittner L (*see* Hoxhaj et al). 2005;46:S42–S43 (Research Forum abstracts)
Blackstien-Hirsch P (*see* Brown et al). 2005;46:3–10
Blair R (*see* Hardeman et al). 2005;46:560–561 (Correspondence)
Blaivas M, Lyon M, Shiver S. A prospective comparison of thoracic ultrasound to chest x-ray for detection of pulmonary edema. 2005;46:S20–S21 (Research Forum abstracts)
Blaivas M, Lyon M, Shiver S. Ultrasound image transmission via commercially available camera phones for emergency ultrasound interpretation. 2005;46:S52 (Research Forum abstracts)
Blaivas M (*see* McIlrath et al). 2005;46:S53 (Research Forum abstracts)
Blaivas M (*see* Schwartz et al). 2005;46:S87 (Research Forum abstracts)
Blakeman J (*see* Mallon et al). 2005;46:S23 (Research Forum abstracts)
Blank F (*see* Baevsky et al). 2005;46:S9 (Research Forum abstracts)
Bliss AA (*see* Chesney et al). 2005;46:S120 (Research Forum abstracts)
Blome-Eberwein S (*see* Caruso et al). 2005;46:S48 (Research Forum abstracts)
Blomkalns AL (*see* Gibler et al). 2005;46:185–97 (AHA statement)
Blomkalns AL (*see* Ronan-Bentle et al). 2005;46:S111 (Research Forum abstracts)
Bluemmers S (*see* Allen et al). 2005;46:S105 (Research Forum abstracts)
Bock BC (*see* Merchant et al). 2005;46:S94–S95 (Research Forum abstracts)
Bock BF (*see* Levy et al). 2005;46:S108–S109 (Research Forum abstracts)
Bock BF (*see* Rosenthal et al). 2005;46:S107 (Research Forum abstracts)
Boghos E (*see* Diercks et al). 2005;46:S51 (Research Forum abstracts)
Bogner M (*see* Katz et al). 2005;46:525–33
Bohan JS (*see* Resnick et al). 2005;46:S108 (Research Forum abstracts)
Boie ET. Feasibility of an electronic medical record and its impact on emergency department length of stay. 2005;46:S7 (Research Forum abstracts)
Boie ET (*see* Stead et al). 2005;46:S55 (Research Forum abstracts)
Bolden J (*see* Milzman et al). 2005;46:S11 (Research Forum abstracts)
Bollinger G, Bollinger ME, O'Connor RE. Does the patient's age play a role in deciding whether to transport trauma patients to a level one trauma center by air or by ground? 2005;46:S46 (Research Forum abstracts)
Bollinger ME (*see* Bollinger et al). 2005;46:S46 (Research Forum abstracts)
Bollinger ME (*see* Levine et al). 2005;46:S99–S100 (Research Forum abstracts)
Bonalumi N (*see* Fernandes et al). 2005;46:204–5 (Correspondence)
Bond GR. A new acetaminophen nomogram with a different purpose. 2005;46:272–4 (Editorial)
Bonsu BK (*see* Agoritsas et al). 2005;46:S82 (Research Forum abstracts)
Book R (*see* Koenig et al). 2005;46:S33 (Research Forum abstracts)
Borczuk P, Kandiah PA, Resnick JB, Nagumey JT, Koroshetz WJ, Furie KL, Gonzalez RG, Lev M, Singhal AB. Emergency department utilization of magnetic resonance imaging in patients with acute neurologic conditions. 2005;46:S63–S64 (Research Forum abstracts)
Borczuk P (*see* Nagurney et al). 2005;46:S88 (Research Forum abstracts)
Bordley W (*see* Promes et al). 2005;46:S57 (Research Forum abstracts)
Borgia P (*see* Rossi et al). 2005;46:152–7 (Brief research report)
Bork SC, O'Neil BJ, Ryder A, Medado P. Emergency physician use of the B-type natriuretic peptide value and the effect of variance between commercial assays in the diagnosis and treatment of congestive heart failure. 2005;46:S44 (Research Forum abstracts)
Borron SW, Barriot P, Imbert M, Baud F. Hydroxocobalamin for empiric treatment of smoke inhalation-associated cyanide poisoning: results of a prospective study in the prehospital setting. 2005;46:S77 (Research Forum abstracts)
Borron SW (*see* Baud et al). 2005;46:S45 (Research Forum abstracts)
Bose S (*see* Coon et al). 2005;46:S28 (Research Forum abstracts)
Boudreaux ED, Clark S, Hugli OW, Camargo CA Jr. Multicenter study of smoking, depression, and suicidal ideation among emergency department patients. 2005;46:S99 (Research Forum abstracts)
Boudreaux ED (*see* Doshi et al). 2005;46:369–75
Boulanger L (*see* Russell et al). 2005;46:S57 (Research Forum abstracts)
Boville B (*see* Krismer et al). 2005;46:337–42
Bowers W (*see* DeSandre et al). 2005;46:S64–S65 (Research Forum abstracts)
Boxley C (*see* Prendergast et al). 2005;46:S115–S116 (Research Forum abstracts)
Boyar E (*see* Bilkovski et al). 2005;46:S18 (Research Forum abstracts), 2005;46:S27 (Research Forum abstracts)
Boyer-Quick J (*see* Ogden et al). 2005;46:S33–S34 (Research Forum abstracts)
Bozeman WP. Withdrawal of Taser electroshock devices: too much, too soon. 2005;46:300–1 (Correspondence)
Bozorgchami H (*see* Holmes et al). 2005;46:232–6
Brady WJ (*see* Martin-Gill et al). 2005;46:S46 (Research Forum abstracts)
Brady WL (*see* Rowden et al). 2005;46:S35 (Research Forum abstracts)
Bragulat E (*see* Jimenez et al). 2005;46:S55 (Research Forum abstracts)
Brainard C (*see* Davis et al). 2005;46:S62 (Research Forum abstracts)
Brand D (*see* Norton et al). 2005;46:S110 (Research Forum abstracts)
Brand DW (*see* Magid et al). 2005;46:14–21
Brand M, Lynch RM. Do plain abdominal radiographs have any place in the modern accident and emergency department? 2005;46:S90 (Research Forum abstracts)
Brautigan MW (*see* Rosenthal et al). 2005;46:S107 (Research Forum abstracts)
Brenner BE (*see* Cheng et al). 2005;46:S26 (Research Forum abstracts)
Brenner BE (*see* Clark et al). 2005;46:S102 (Research Forum abstracts)
Brett M (*see* Rimple et al). 2005;46:S58 (Research Forum abstracts)
Brewer KL (*see* Bakhtiari et al). 2005;46:S79 (Research Forum abstracts)
Brewer KL (*see* Murr et al). 2005;46:S76–S77 (Research Forum abstracts)
Brice M (*see* Love et al). 2005;46:S12 (Research Forum abstracts)
Briggs WM (*see* Melinker and Briggs). 2005;46:S112 (Research Forum abstracts)
Briggs WM (*see* Milling et al). 2005;46:S26 (Research Forum abstracts)
Brill JD, Kraus C, Tang N. Going the distance: epidemiology of participant injuries and description of on-site medical services during the Baltimore Marathon, 2002-2004. 2005;46:S31 (Research Forum abstracts)
Britton M (*see* af Geijerstam et al). 2005;46:S109–S110 (Research Forum abstracts)
Broder J, Hobgood C, Harrigan M, Felix A. Assessment of head CT interpretation abilities of fourth-year medical students. 2005;46:S29–S30 (Research Forum abstracts)
Broderick J (*see* Jauch et al). 2005;46:S2 (Research Forum abstracts)
Brody H (*see* Hoffman and Brody). 2005;46:93 (Change of shift)
Brown AD, Sandoval GA, Levinton C, Blackstien-Hirsch P. Developing an efficient model to select emergency department patient satisfaction improvement strategies. 2005;46:3–10
Brown CA III (*see* Collins et al). 2005;46:S5 (Research Forum abstracts)
Brown DF (*see* Nagurney et al). 2005;46:S88 (Research Forum abstracts)
Brown DL, Barsan WG, Lisabeth LD, Gallery ME, Morgenstern LB. Survey of emergency physicians about recombinant tissue

plasminogen activator for acute ischemic stroke. 2005;46:56–60
Brown J, Aristizabal J, Nicoll K. Utility of the ED pelvic exam: results of a prospective pilot study. 2005;46:S38 (Research Forum abstracts)
Brown J (*see* Bushnell and Brown). 2005;46:90–2 (Rational clinical examination abstract)
Brown LH (*see* Giasi et al). 2005;46:S70 (Research Forum abstracts)
Brown LH (*see* Reed et al). 2005;46:S75 (Research Forum abstracts)
Brown MD (*see* Hall and Brown). 2005;46:292–3 (Systematic review abstract)
Brown MD (*see* Judge and Brown). 2005;46:462–4 (Systematic review abstract)
Brown RL (*see* Katz et al). 2005;46:525–33
Brown TB (*see* Schriger and Brown). 2005;46: 534–5 (Editorial)
Brown WD (*see* Kumar et al). 2005;46:S96–S97 (Research Forum abstracts)
Brownstein JS (*see* Reis et al). 2005;46:386–7 (Correspondence)
Bruggman AR (*see* Wolf et al). 2005;46:S98–S99 (Research Forum abstracts)
Brun NC (*see* Jauch et al). 2005;46:S2 (Research Forum abstracts)
Bryant SM, Lozada C, Wahl M. A Chinese herbal weight loss product adulterated with fenfluramine. 2005;46:208 (Correspondence)
Bryson SA (*see* McHugh et al). 2005;46:S32–S33 (Research Forum abstracts)
Buckingham RB (*see* Pigott and Buckingham). 2005;46:S52 (Research Forum abstracts)
Buckley NA (*see* Roberts et al). 2005;46:275–84
Buckley RG (*see* Stehman et al). 2005;46:S106 (Research Forum abstracts)
Bukowski K (*see* Jackson et al). 2005;46:S107 (Research Forum abstracts)
Bultman LL, Mahoney B, Fringer R. Effectiveness of prehospital continuous positive airway pressure in treating adult respiratory distress. 2005;46:S113 (Research Forum abstracts)
Buono C (*see* Davis et al). 2005;46:115–22, 2005;46:S17 (Research Forum abstracts), 2005;46:S62 (Research Forum abstracts)
Buras J (*see* Friedberg and Buras). 2005;46:260–2 (Case report)
Burke BL (*see* Qureshi et al). 2005;46:29–36
Burke P (*see* Mehta et al). 2005;46:S85 (Research Forum abstracts)
Bush AJ (*see* Galicinao et al). 2005;46:S92 (Research Forum abstracts)
Bush J (*see* Veser et al). 2005;46:S16 (Research Forum abstracts)
Bush S (*see* Lim et al). 2005;46:S98 (Research Forum abstracts)
Bushnell J, Brown J. Clinical assessment for acute thoracic aortic dissection. 2005;46:90–2 (Rational clinical examination abstract)
Butler K (*see* Levitan et al). 2005;46:S5 (Research Forum abstracts)
Butler-Hall IN, O'Kane JW. Injury trends among helmeted and non-helmeted skiers and snowboarders. 2005;46:S85 (Research Forum abstracts)

C

Cain J (*see* McManus et al). 2005;46:S46 (Research Forum abstracts)
Cairns CB, Milford-Beland S, Peterson ED, Newby LK, Peacock WF IV, Pollack CV Jr, Christenson RH, Fesmire FM, Ohman EM, Gibler WB, Roe MT. Any troponin elevation is associated with increased mortality in patients with non-ST-elevation acute coronary syndromes despite variations in hospital laboratory assays and presence of renal insufficiency. 2005;46:S116 (Research Forum abstracts)
Cairns CB (*see* Berkoff et al). 2005;46:S8–S9 (Research Forum abstracts), 2005;46:S85 (Research Forum abstracts)
Cairns CB (*see* Chandra et al). 2005;46:S61 (Research Forum abstracts), 2005;46:S81 (Research Forum abstracts), 2005;46:S82–S83 (Research Forum abstracts)
Calhoun T (*see* Hardeman et al). 2005;46: 560–561 (Correspondence)
Califf RM (*see* Miller et al). 2005;46:S3 (Research Forum abstracts)
Callaham ML. Journal performance report for 2004. 2005;46:1–2 (Journal performance report)
Callaway C (*see* Vogrin et al). 2005;46:S18–S19 (Research Forum abstracts)
Camargo CA Jr, Clark S. Chronic asthma severity among children presenting to the emergency department with asthma exacerbations. 2005;46:S101–S102 (Research Forum abstracts)
Camargo CA Jr (*see* Boudreaux et al). 2005;46:S99 (Research Forum abstracts)
Camargo CA Jr (*see* Clark et al). 2005;46:S102 (Research Forum abstracts)
Camargo CA Jr (*see* Doshi et al). 2005;46:369–75
Camargo CA Jr (*see* Goldstein et al). 2005;46:S72 (Research Forum abstracts)
Camargo CA Jr (*see* Pallin et al). 2005;46:77–81 (Brief research report)
Camargo CA Jr (*see* Radeos et al). 2005;46:S16 (Research Forum abstracts)
Camargo CA Jr (*see* Strehlow et al). 2005;46:S48 (Research Forum abstracts)
Cameron PA, Gabbe B, Bernard S, Mulholland S. Does intubation prehospital improve outcomes for head injured patients. 2005;46:S112 (Research Forum abstracts)
Cameron PA (*see* Alshinkity et al). 2005;46:S121 (Research Forum abstracts)
Camilloni I (*see* Rossi et al). 2005;46:152–7 (Brief research report)
Campbell R (*see* Strote et al). 2005;46:S85 (Research Forum abstracts)
Cannon CP (*see* Gibler et al). 2005;46:185–97 (AHA statement)
Cantu R (*see* Lee et al). 2005;46:S81 (Research Forum abstracts)
Carey SM (*see* Larkin et al). 2005;46:S17–S18 (Research Forum abstracts)
Carmaron PA (*see* Lee and Carmaron). 2005;46:S36 (Research Forum abstracts)
Carr C (*see* Veser et al). 2005;46:S16 (Research Forum abstracts)
Carr C, Veser F III, Larson E, Gilman C. In room registration significantly decreases the rate of departmental LWT's. 2005;46:S39–S40 (Research Forum abstracts)
Carr DB (*see* Eidelman et al). 2005;46:343–51
Carroll J (*see* Hoxhaj et al). 2005;46:S42–S43 (Research Forum abstracts)
Carrubba C (*see* Morello et al). 2005;46:S31 (Research Forum abstracts)
Caruso D, Antimarino J, Bauer G, Blome-Eberwein S, Foster K, Herndon D, Luterman A, Silverstein P, Twomey JA. Randomized controlled study of silver dressing effects on partial-thickness burn outcomes. 2005;46:S48 (Research Forum abstracts)
Cass D. Once upon a time in the emergency department: a cautionary tale. 2005;46:541–3 (Editorial)
Catenacci MH, King KK. [Psoas abscess as the presenting manifestation of Crohn's disease]. 2005;46:559, 564 (Images in emergency medicine)
Catineau J (*see* Haouach et al). 2005;46:S30 (Research Forum abstracts)
Catrambone C (*see* Walter et al). 2005;46:S92 (Research Forum abstracts), 2005;46:S102 (Research Forum abstracts)
Centers for Disease Control and Prevention. Antiretroviral postexposure prophylaxis after sexual, injection-drug use, or other nonoccupational exposure to HIV in the United States. 2005;46:82–4 (CDC update)
Centers for Disease Control and Prevention. Legionnaires disease associated with potable water in a hotel—Ocean City, MD, October 2003 to February 2004. 2005;46:288–90 (CDC update)
Centers for Disease Control and Prevention. Travel-associated dengue infections—United States, 2001-2004. 2005;46:420–1 (CDC update)
Cepik ML (*see* Tallman et al). 2005;46:S114 (Research Forum abstracts)
Chakel SS, Ubel PA, Engel KG. Family presence during critical resuscitation in the emergency department: the patient's perspective. 2005;46:S76 (Research Forum abstracts)
Chan GM (*see* Rogan and Chan). 2005;46:299 (Correspondence)
Chan J (*see* Hsia et al). 2005;46:S119 (Research Forum abstracts)
Chan K (*see* Macias et al). 2005;46:S62 (Research Forum abstracts)
Chan TC, Killeen JP, Kelly D, Guss DA. Impact of rapid entry and accelerated care at triage on reducing emergency department patient wait times, lengths of stay, and rate of left without being seen. 2005;46:491–7
Chan TC, Killeen JP, Kelly DL, Vilke GM, Guss DA. Accelerated care at triage: physician-directed ancillary testing at triage for patients waiting in an emergency department. 2005;46:S107–S108 (Research Forum abstracts)
Chan TC (*see* Davis et al). 2005;46:S17 (Research Forum abstracts)
Chan Y, Lavery R, Kalira D, Nasir AA, Kwon R, Livingston D. Initial assessment and management of facial gunshot injuries. 2005;46:S36–S37 (Research Forum abstracts)
Chandra A, Gregory C, Whitaker B, Freeman DH, Sprague P, Jollis J, Cairns CB. Prospective evaluation of the response to nitroglycerin as a predictor of ACS in patients presenting to the ED with undifferentiated chest pain. 2005;46:S61 (Research Forum abstracts)
Chandra A, Otero R, Freeman DH, Sprague P, Cairns CB. The utility of nesiritide for hemodialysis-dependent patients with acutely decompensated heart failure as a bridge to outpatient dialysis. 2005;46:S81 (Research Forum abstracts)
Chandra A, Thoureen T, Kravitz J, Osalva N, Cairns CB. Pneumonia: intravenous versus oral treatment—assessment of length of stay

(PIVOTAL). 2005;46:S82–S83 (Research Forum abstracts)
Chang Y (*see* Nagurney et al). 2005;46:S88 (Research Forum abstracts)
Chapman WW, Dowling JN, Wagner MM. Classification of emergency department chief complaints into 7 syndromes: a retrospective analysis of 527,228 patients. 2005;46:445–55
Char DM (*see* Gibler et al). 2005;46:185–97 (AHA statement)
Charlebois ED (*see* Frazee and Charlebois). 2005;46:386 (Correspondence reply)
Charles M, McGinnis HD, Wehner P. Propofol for procedural sedation in a community emergency department. 2005;46:S64 (Research Forum abstracts)
Charles M, McGinnis HD, Wehner P. Propofol for procedural sedation in the pediatric patient. 2005;46:S73 (Research Forum abstracts)
Charles M, McGinnis HD, Wehner P. Propofol for procedural sedation: one versus two physicians. 2005;46:S73–S74 (Research Forum abstracts)
Chase M (*see* Gaieski et al). 2005;46:S4 (Research Forum abstracts)
Chaudhry A. [Case of Lemierre syndrome in a 19 year old girl]. 2005;46:114, 131 (Images in emergency medicine)
Chawla N, Moyer P. How accurate is paramedic identification of ST segment elevation myocardial infarction in the prehospital setting? 2005;46:S45 (Research Forum abstracts)
Chaybany B (*see* Haouach et al). 2005;46:S30 (Research Forum abstracts)
Cheatham J (*see* Romisher and Cheatham). 2005;46:S51–S52 (Research Forum abstracts)
Chee KM (*see* Merchant et al). 2005;46:S93 (Research Forum abstracts)
Chen EH, Mills AM. Is it necessary to admit low-risk patients with suspected acute coronary syndrome to inpatient telemetry beds? 2005;46:440–4 (Best available evidence)
Chen G (*see* Strote et al). 2005;46:S56 (Research Forum abstracts)
Cheney PR, Fullerton-Gleason L, Gossett L, Weiss SJ, Ernst AA, Sklar DP. Evaluation of restraint use in emergency medical services (EMS) and the correlation with assaults on EMS personnel. 2005;46:S32 (Research Forum abstracts)
Cheng DC, Ku PT, Brenner BE. A pilot study for an emergency department based organ donor card center. 2005;46:S26 (Research Forum abstracts)
Cheng JY (*see* Shaw et al). 2005;46:S27 (Research Forum abstracts)
Chern C (*see* Graff et al). 2005;46:S60 (Research Forum abstracts), 2005;46:S60–S61 (Research Forum abstracts)
Chesney G, Maddow CL, Shah MN, Bliss AA. What is the status of the prudent layperson standard in state legislation? 2005;46:S120 (Research Forum abstracts)
Cheung M (*see* Promes et al). 2005;46:S57 (Research Forum abstracts)
Chiang WK (*see* Kwon et al). 2005;46:S77–S78 (Research Forum abstracts)
Childress J (*see* Barata et al). 2005;46:S57–S58 (Research Forum abstracts)
Chini F (*see* Rossi et al). 2005;46:152–7 (Brief research report)
Chiricolo GC (*see* Nelson et al). 2005;46:S27–S28 (Research Forum abstracts)
Chiricolo GC (*see* Raio et al). 2005;46:S28 (Research Forum abstracts)
Chiricolo GC (*see* Theodoro et al). 2005;46:S78 (Research Forum abstracts)
Chng Y-M (*see* Pallin et al). 2005;46:77–81 (Brief research report)
Chng Y-M (*see* Sagarin et al). 2005;46:328–36
Cho H (*see* Lovett et al). 2005;46:S65 (Research Forum abstracts)
Cho JP (*see* Lee et al). 2005;46:S63 (Research Forum abstracts)
Cho T (*see* Nguyen et al). 2005;46:S83 (Research Forum abstracts)
Choi H. Dynamic analysis of the movement of each cervical vertebra during the passive motion of the head in the most common four directions of cervical vertebral injury. 2005;46:S110–S111 (Research Forum abstracts)
Choo EK, Mitchell P, Mehta SD, Easow J, Smith J, Medzon R. The utility of initial dose intravenous antibiotics for cellulitis prior to discharge on oral antibiotics from the emergency department. 2005;46:S84 (Research Forum abstracts)
Christensen J (*see* Coon et al). 2005;46:S28 (Research Forum abstracts)
Christensen J (*see* Kaylor et al). 2005;46:S79 (Research Forum abstracts)
Christensen J (*see* Miller et al). 2005;46:S70 (Research Forum abstracts)
Christensen J (*see* Shawcross et al). 2005;46:315, 327 (Images in emergency medicine)
Christenson RH (*see* Cairns et al). 2005;46:S116 (Research Forum abstracts)
Christenson RH (*see* Peacock et al). 2005;46:S3 (Research Forum abstracts)
Chu J (*see* Lee et al). 2005;46:S118 (Research Forum abstracts)
Chudnofsky C (*see* Deitch et al). 2005;46:S73 (Research Forum abstracts)
Chudnofsky C (*see* Villarin et al). 2005;46:S103 (Research Forum abstracts)
Chun P (*see* Nelson et al). 2005;46:S80 (Research Forum abstracts)
Chung S (*see* Kim et al). 2005;46:S68–S69 (Research Forum abstracts)
Clark MA (*see* Merchant et al). 2005;46:S94–S95 (Research Forum abstracts)
Clark RT (*see* Nguyen et al). 2005;46:S83 (Research Forum abstracts)
Clark S, Pelletier AJ, Brenner BE, Lang DM, Strunk RC, Camargo CA Jr. Feasibility of a national fatal asthma registry: more evidence of institutional review board variation in evaluation of a standard protocol. 2005;46:S102 (Research Forum abstracts)
Clark S (*see* Boudreaux et al). 2005;46:S99 (Research Forum abstracts)
Clark S (*see* Camargo et al). 2005;46:S101–S102 (Research Forum abstracts)
Clinton R, Karam A, Rashi S, Duldner JE. Emergency department referral bias in cerebral hemorrhage. 2005;46:S64 (Research Forum abstracts)
Coba V, Irvin CB, Edhayan E, Steele R. The incidence of STAT operative intervention in ACS trauma alerts. 2005;46:S111 (Research Forum abstracts)
Cobb LA (*see* Rea et al). 2005;46:132–41
Cochrane DG (*see* Dohrenwood et al). 2005;46:S65 (Research Forum abstracts)
Cochrane DG (*see* Maroun et al). 2005;46:S16 (Research Forum abstracts)
Cochrane DG (*see* Talotta et al). 2005;46:S40 (Research Forum abstracts)
Coello M (*see* Irvin et al). 2005;46:S6 (Research Forum abstracts)
Coghlan P (*see* Bilkovski et al). 2005;46:S18 (Research Forum abstracts), 2005;46:S27 (Research Forum abstracts)
Cohen N (*see* Roberts et al). 2005;46:S24 (Research Forum abstracts), 2005;46:S25 (Research Forum abstracts)
Cole CD, Wang HE, Yealy DM. Drug-facilitated effects on protective airway reflexes during out-of-hospital endotracheal intubation. 2005;46:S5 (Research Forum abstracts)
Coleman P (*see* Husk et al). 2005;46:S44 (Research Forum abstracts)
Colletti JE (*see* Hess and Colletti). 2005;46:405, 419 (Images in emergency medicine)
Collins JJ III, Brown CA III, Walls RM. Airway management of status asthmaticus: analysis of 256 cases from the National Emergency Airway Registry (II). 2005;46:S5 (Research Forum abstracts)
Coll-Vinent B (*see* Jimenez et al). 2005;46:S55 (Research Forum abstracts)
Coma E, Ferre C, Lopez-Altimiras F, Albà J, Bassa J, Graell S, Vidal G, Gurguí M. Community-acquired pneumonia in patients with chronic obstructive pulmonary disease at the emergency department. 2005;46:S92–S93 (Research Forum abstracts)
Compton S. Defining the outcome. 2005;46:201 (Change of shift)
Compton S (*see* Kowalenko et al). 2005;46:142–7
Compton S (*see* Levy et al). 2005;46:S108–S109 (Research Forum abstracts)
Convertino VA (*see* McManus et al). 2005;46: S66–S67 (Research Forum abstracts)
Cooke WH (*see* McManus et al). 2005;46:S66–S67 (Research Forum abstracts)
Coon TP, Linklater D. [Submandibular cellulitis: dermatologic presentation of late-onset group B streptococcus (GBS) infection in the neonate]. 2005;46:202, 211 (Images in emergency medicine)
Coon TP, Miller M, Kaylor D, Jones-Spangle K. Rectal insertion of fentanyl patches: a new route of toxicity. 2005;46:473 (Correspondence)
Coon TP, Miller MA, Young S, Crystal CS, Christensen J, Bose S, Linklater D, Kaylor DW, Skinner CG. The unusual effect of patient positioning on the focused abdominal sonography for trauma exam. 2005;46:S28 (Research Forum abstracts)
Coon TP (*see* Crystal et al). 2005;46:S38 (Research Forum abstracts), 2005;46:S86–S87 (Research Forum abstracts)
Coon TP (*see* Kaylor et al). 2005;46:S79 (Research Forum abstracts)
Coon TP (*see* Miller et al). 2005;46:S70 (Research Forum abstracts)
Coon TP (*see* Young et al). 2005;46:S6 (Research Forum abstracts)
Cooper RJ (*see* Wears et al). 2005;46:253–5 (Editorial)
Copass MK (*see* Rea et al). 2005;46:132–41
Corbella X (*see* Masip et al). 2005;46:S97 (Research Forum abstracts)
Corbett SW (*see* Losey et al). 2005;46:S18 (Research Forum abstracts)
Corbett SW (*see* Nguyen et al). 2005;46:S83 (Research Forum abstracts)
Corbin T, Davis-Moon LJ, Rich JA. Factors associated with compliance to community-based programs in victims of violence. 2005;46:S97–S98 (Research Forum abstracts)

Corbo J, Bijur P, Lahn M, Gallagher EJ. Concordance between capnography and arterial blood gas measurements of carbon dioxide in acute asthma. 2005;46:323–7 (Brief research report)
Cortez V (*see* Walsh et al). 2005;46:S40 (Research Forum abstracts)
Costantino TG, Parikh AK, Satz WA, Fojtik JP. Ultrasonography-guided peripheral intravenous access versus traditional approaches in patients with difficult intravenous access. 2005;46: 456–61
Coté T (*see* Hardeman et al). 2005;46:560–561 (Correspondence)
Coule PL, Schwartz RB, Swienton RE, Olson LM, Hargreaves J, Schieve AD. Basic disaster life support training improves student confidence to respond to disasters. 2005;46:S70 (Research Forum abstracts)
Coule PL (*see* Schwartz et al). 2005;46:S87 (Research Forum abstracts)
Cox RD (*see* Kolb et al). 2005;46:S71 (Research Forum abstracts)
Coyle D (*see* Ong et al). 2005;46:237–42
Crawford DM (*see* Gerhardt et al). 2005;46: S71–S72 (Research Forum abstracts)
Crawford J (*see* Garcia et al). 2005;46:S17 (Research Forum abstracts)
Crews MG, Holbrook SE. New education delivery system plays vital role in getting patients to emergency department within 'Golden Hour.' 2005;46:S88 (Research Forum abstracts)
Crouch BI, Rusho WJ. Intravenous administration of *N*-acetylcysteine. 2005;46:207 (Correspondence)
Crounse L (*see* Magid et al). 2005;46:14–21
Crupi R (*see* Tajian et al). 2005;46:S31 (Research Forum abstracts)
Crystal CS, Howland TR, Skinner CG, Miller MA, Coon TP. Influence of sex on the management of appendicitis. 2005;46:S38 (Research Forum abstracts)
Crystal CS, Kagel A, Skinner CG, Miller MA, Coon TP. A cadaver-based airway management lab is a valuable training tool for emergency medicine residents. 2005;46:S86–S87 (Research Forum abstracts)
Crystal CS (*see* Coon et al). 2005;46:S28 (Research Forum abstracts)
Crystal CS (*see* Kaylor et al). 2005;46:S79 (Research Forum abstracts)
Cummings AJ (*see* Schepker et al). 2005;46:S13 (Research Forum abstracts)
Curtis KM (*see* Grau et al). 2005;46:S84 (Research Forum abstracts)
Cusick S (*see* Hammerstedt et al). 2005;46:256–9 (Case report)
Cutter G (*see* Lefkowits et al). 2005;46:S112 (Research Forum abstracts)
Cydulka RK (*see* Goldstein et al). 2005;46:S21 (Research Forum abstracts)
Cydulka RK (*see* Werner et al). 2005;46:S4 (Research Forum abstracts)
Cydulka RK, Tamayo-Sarver JH, Wolf C, Herrick E, Gress S. Inadequate follow-up controller medications among patients with asthma who visit the emergency department. 2005;46: 316–22

D

D'Abbracci P (*see* Barata et al). 2005;46:S54 (Research Forum abstracts)
Dabulewicz J (*see* McHugh et al). 2005;46: S32–S33 (Research Forum abstracts)
Dakin RJ (*see* Hahn et al). 2005;46:298–9 (Correspondence)
Dalipi R (*see* Naderi et al). 2005;46:S113 (Research Forum abstracts)
Damergis JA (*see* Merchant et al). 2005;46: S94–S95 (Research Forum abstracts)
Damewood S (*see* White et al). 2005;46: S120–S121 (Research Forum abstracts)
D'Amore JA, Mayerhoff RM, Ward M, Sama A. A simple clinical decision rule to differentiate bacterial from viral meningitis. 2005;46: S83–S84 (Research Forum abstracts)
Danahy MS, Miner JR, Moch A, Biros MH. Randomized clinical trial of etomidate *vs.* propofol for procedural sedation during fracture and dislocation reduction in the emergency department. 2005;46:S72–S73 (Research Forum abstracts)
Daneshvari F (*see* Tahani et al). 2005;46:S76 (Research Forum abstracts)
D'Angelo JD (*see* Lovett et al). 2005;46:S65 (Research Forum abstracts)
Daniel JT, Diercks DB, Merkley M. A brief observation period for patients presenting to the emergency department with methamphetamine-associated chest pain. 2005;46:S115 (Research Forum abstracts)
Davidovic L, LaCovey D, Pitetti RD. Comparison of 1- versus 2-person bag-valve-mask techniques for manikin ventilation of infants and children. 2005;46:37–42 (Brief research report)
Davidson SJ (*see* Michalke et al). 2005;46:S39 (Research Forum abstracts)
Davidson SJ (*see* Siler Fisher et al). 2005;46:S6–S7 (Research Forum abstracts)
Davis AT (*see* Jones et al). 2005;46:S106–S107 (Research Forum abstracts)
Davis D, Buono C, Fisher R, Brainard C, Smith S, Ochs G, Dunford J. The relationship between paramedic intubation success and systolic blood pressure, Glasgow Coma Scale, and end-tidal carbon dioxide. 2005;46:S62 (Research Forum abstracts)
Davis D, Buono C, Ramanujam P, Fisher R, Vilke GM, Chan TC, Metz M, Dunford J. The potential safety of designated cardiac arrest receiving facilities. 2005;46:S17 (Research Forum abstracts)
Davis D, Jandrisevits M, Iles S, Webber T, Gallo L. Demographic, socioeconomic, and psychological factors related to medication nonadherence among emergency department patients. 2005;46:S100 (Research Forum abstracts)
Davis D (*see* Berkoff et al). 2005;46:S8–S9 (Research Forum abstracts), 2005;46:S85 (Research Forum abstracts)
Davis DP, Peay J, Serrano JA, Buono C, Vilke GM, Sise MJ, Kennedy F, Eastman AB, Velky T, Hoyt DB. The impact of aeromedical response to patients with moderate to severe traumatic brain injury. 2005;46: 115–22
Davis G, Milton L, Sarohia M, Milzman DP. Death in the department: can we predict who will die after arriving alive. 2005;46:S11 (Research Forum abstracts)
Davis G (*see* Milzman et al). 2005;46:S11 (Research Forum abstracts), 2005;46:S38–S39 (Research Forum abstracts)
Davis G (*see* O'Leary et al). 2005;46:S80–S81 (Research Forum abstracts)
Davis S (*see* Jauch et al). 2005;46:S2 (Research Forum abstracts)
Davis-Moon LJ (*see* Corbin et al). 2005;46: S97–S98 (Research Forum abstracts)
Dawson AH (*see* Roberts et al). 2005;46:275–84
Dawson D (*see* Hogg et al). 2005;46:305–10
De Guzman V (*see* Aguilera and De Guzman). 2005;46:S14 (Research Forum abstracts)
De la Red G (*see* Jimenez et al). 2005;46:S55 (Research Forum abstracts)
Decker WW (*see* Gilmore et al). 2005;46:S1 (Research Forum abstracts)
Decker WW (*see* Raghavan et al). 2005;46:S43 (Research Forum abstracts)
Decker WW (*see* Stead et al). 2005;46:S1–S2 (Research Forum abstracts), 2005;46:S55 (Research Forum abstracts)
Decker WW (*see* Thacker et al). 2005;46:S104 (Research Forum abstracts)
Decker WW (*see* Warrington et al). 2005;46:S2–S3 (Research Forum abstracts)
Degutis LC (*see* Greve et al). 2005;46:S86 (Research Forum abstracts)
Deibel M, Lock D, Jones JS, Hoyle J, Bernadotte M. Comparative study of airway management during confined-space urban rescue. 2005;46:S4–S5 (Research Forum abstracts)
Deitch K, Chudnofsky C, O'Malley G, Domenci P, Giraldo P. Supplemental oxygen does not prevent hypoxia during ED procedural sedation and analgesia with fentanyl and midazolam. 2005;46:S73 (Research Forum abstracts)
Deitrick D (*see* Gambarota et al). 2005;46:S56 (Research Forum abstracts)
del Arco C, Martín A, Laguna P, Gargantilla P. Analysis of current management of atrial fibrillation in the acute setting: GEFAUR-1 study. 2005;46:424–30
Delaney K (*see* Givens et al). 2005;46:S50–S51 (Research Forum abstracts)
Dellinger RP (*see* Huang et al). 2005;46:217–23 (Concepts)
DeLuca C, Martino ML. Does early nesiritide use in acute decompensated heart failure improve outcomes? 2005;46:S41 (Research Forum abstracts)
Demelis M (*see* Spitalnic et al). 2005;46:51–5
DeMott M (*see* Bilkovski et al). 2005;46:S18 (Research Forum abstracts), 2005;46:S27 (Research Forum abstracts)
Dendy J (*see* Bastani et al). 2005;46:S39 (Research Forum abstracts), 2005;46:S92 (Research Forum abstracts)
Dente M (*see* Fabbri et al). 2005;46:161–7
Der-Martirosian C (*see* Bazargan-Hejazi et al). 2005;46:67–76
DeSandre PL, Todd KH, Bowers W, Lera L, Nachat A, Dreisinger N, Weisburd S. Documenting pain intensity: distortions in the electronic medical record. 2005;46:S64–S65 (Research Forum abstracts)
DesLauriers C (*see* Anderson et al). 2005;46:S78 (Research Forum abstracts)
Devitt H (*see* Lim et al). 2005;46:S98 (Research Forum abstracts)
Di John D (*see* Tajian et al). 2005;46:S31 (Research Forum abstracts)
Diaz P (*see* Roberts et al). 2005;46:S24 (Research Forum abstracts)
Dickman E (*see* Gaspari and Dickman). 2005;46:S21 (Research Forum abstracts)

Dickman E (*see* Sierzenski et al). 2005;46:S52 (Research Forum abstracts)
Diercks DB, Boghos E, Offerman S, Lee A, Weber JE. Presenting emergency department complaints in patients with acute methamphetamine and cocaine use. 2005;46:S51 (Research Forum abstracts)
Diercks DB (*see* Daniel et al). 2005;46:S115 (Research Forum abstracts)
Dimaano JQ (*see* Tudor et al). 2005;46:S35 (Research Forum abstracts)
Diringer MN (*see* Jauch et al). 2005;46:S2 (Research Forum abstracts)
DiSabatino A (*see* Hoxhaj et al). 2005;46:S42–S43 (Research Forum abstracts)
Dixon DW (*see* Giasi et al). 2005;46:S70 (Research Forum abstracts)
Dmochowska K (*see* Walter et al). 2005;46:S92 (Research Forum abstracts)
Do J, Sacks P, Mills LD, Mills TJ. Risk taking behavior discovered in a one date alcohol screening event. 2005;46:S94 (Research Forum abstracts)
Do J (*see* Sacks et al). 2005;46:S25 (Research Forum abstracts)
Dobson A (*see* Koenig et al). 2005;46:S33 (Research Forum abstracts)
Dockery C (*see* Rosenthal et al). 2005;46:S107 (Research Forum abstracts)
Dohrenwood PB Jr, Allegra JR, Fiessler F, Cochrane DG. Patients at extremes of age are less likely to receive narcotic prescriptions for clavicle fractures. 2005;46:S65 (Research Forum abstracts)
Dohrenwood PB Jr, Hung OL, Silverman M, Shih RD. Assessing risk of falls among geriatric patients presenting to the emergency department. 2005;46:S118 (Research Forum abstracts)
Domeier RM, Frederiksen SM, Welch K. Prospective performance assessment of an out-of-hospital protocol for selective spine immobilization using clinical spine clearance criteria. 2005;46:123–31
Domenci P (*see* Deitch et al). 2005;46:S73 (Research Forum abstracts)
Dominguez S (*see* Richman et al). 2005;46:S98 (Research Forum abstracts)
Dominici P (*see* Villarin et al). 2005;46:S103–S104 (Research Forum abstracts)
Donnino M (*see* Garcia et al). 2005;46:S17 (Research Forum abstracts)
Donoghue AJ, Nadkarni V, Berg RA, Osmond MH, Wells G, Nesbitt L, Stiell IG. Out-of-hospital pediatric cardiac arrest: an epidemiologic review and assessment of current knowledge. 2005;46:512–22 (Evidence-based emergency medicine)
Dorfman M (*see* Thalacker et al). 2005;46:S87–S88 (Research Forum abstracts)
Dos Santos F (*see* Stehman et al). 2005;46:S106 (Research Forum abstracts)
Doshi A, Boudreaux ED, Wang N, Pelletier AJ, Camargo CA Jr. National study of US emergency department visits for attempted suicide and self-inflicted injury, 1997-2001. 2005;46:369–75
Dowling JN (*see* Chapman et al). 2005;46:445–55
Dreisinger N (*see* DeSandre et al). 2005;46: S64–S65 (Research Forum abstracts)
Drew BJ (*see* Gibler et al). 2005;46:185–97 (AHA statement)
Drew WL (*see* Stein et al). 2005;46:412–19
Drummond KW, Baumann MR, Strout TD. Identifying predictors for accurate diagnosis of acute shortness of breath in prehospital patients treated with albuterol and furosemide. 2005;46:S61 (Research Forum abstracts)
Duldner JE (*see* Clinton et al). 2005;46:S64 (Research Forum abstracts)
Dunayevich E (*see* Houston et al). 2005;46: S100–S101 (Research Forum abstracts)
Dunford J (*see* Davis et al). 2005;46:S17 (Research Forum abstracts), 2005;46:S62 (Research Forum abstracts)
Dunnuck C (*see* Rossman et al). 2005;46:S96 (Research Forum abstracts)
Durfey N (*see* Spitalnic et al). 2005;46:51–5
Dyer DS (*see* Ungar et al). 2005;46:S110 (Research Forum abstracts)
Dyne P (*see* Jang et al). 2005;46:S79 (Research Forum abstracts)

E

Easow J (*see* Berg et al). 2005;46:S89 (Research Forum abstracts)
Easow J (*see* Choo et al). 2005;46:S84 (Research Forum abstracts)
Easow J (*see* Oyama et al). 2005;46:S24–S25 (Research Forum abstracts)
Eastman AB (*see* Davis et al). 2005;46:115–22
Ebarb J, Scully K, Nguyen HB, Sawer RS, Barlotta K, Osborn TM. Lactate: a prognostic indicator in sepsis syndrome. 2005;46:S10 (Research Forum abstracts)
Ebarb J (*see* Barlotta et al). 2005;46:S24 (Research Forum abstracts)
Eberhardt M (*see* Gambarota et al). 2005;46:S56 (Research Forum abstracts)
Eberhardt M (*see* Tenison et al). 2005;46:S54 (Research Forum abstracts)
Eddleston M (*see* Roberts et al). 2005;46:275–84
Edhayan E (*see* Coba et al). 2005;46:S111 (Research Forum abstracts)
Edlow JA (*see* Goldstein et al). 2005;46:S72 (Research Forum abstracts)
Edlow JA (*see* Hammerstedt et al). 2005;46:256–9 (Case report)
Edwards I (*see* Mallon et al). 2005;46:S23 (Research Forum abstracts)
Edwardsen EA (*see* Bansal et al). 2005;46:S96 (Research Forum abstracts)
Eidelman A, Weiss JM, Lau J, Carr DB. Topical anesthetics for dermal instrumentation: a systematic review of randomized, controlled trials. 2005;46:343–51
Einstein A (*see* Roberts et al). 2005;46:S24 (Research Forum abstracts), 2005;46:S25 (Research Forum abstracts)
Eitel DR (*see* Kaale et al). 2005;46:S108 (Research Forum abstracts)
Eitel DR (*see* Vega et al). 2005;46:S71 (Research Forum abstracts)
El Khalifa E (*see* Alshinkity et al). 2005;46:S121 (Research Forum abstracts)
Eldridge DL (*see* Rowden et al). 2005;46:S35 (Research Forum abstracts)
El-Gamil A (*see* Koenig et al). 2005;46:S33 (Research Forum abstracts)
Eliopoulos VT, LaPerriere KA, Mendoza MX, Thrun MW, Mendoza CD, Haukoos JS. Identification of patients infected with the human immunodeficiency virus in the emergency department using rapid testing and social workers as dedicated counselors. 2005;46:S15 (Research Forum abstracts)
Ellerholz E (*see* Jackson et al). 2005;46:S107 (Research Forum abstracts)
Elliott DT (*see* Lee et al). 2005;46:S118 (Research Forum abstracts)
Ellis DG (*see* Kenjarski et al). 2005;46:S103 (Research Forum abstracts)
Elshove-Bolk J, Mencl F, van Rijswijck B, Weiss EM, Simons M, van Vugt A. Dutch emergency department patient characteristics: implications for an emergency medicine residency program. 2005;46:S88–S89 (Research Forum abstracts)
Emerman CL (*see* Goldstein et al). 2005;46:S21 (Research Forum abstracts)
Emerman CL (*see* Peacock and Emerman). 2005;46:S105–S106 (Research Forum abstracts)
Emerman CL (*see* Tallman et al). 2005;46:S114 (Research Forum abstracts)
Emond JA (*see* Pallin et al). 2005;46:77–81 (Brief research report)
Emond SD (*see* Strehlow et al). 2005;46:S48 (Research Forum abstracts)
Engel KG, Heisler M, Forman JH, Robinson CH, Smith DM, Ubel PA. Emergency department physician estimates of patient literacy: how accurate are we? 2005;46:S26 (Research Forum abstracts)
Engel KG (*see* Chakel et al). 2005;46:S76 (Research Forum abstracts)
Engel KG (*see* Simmons et al). 2005;46:S22–S23 (Research Forum abstracts)
Ennis J (*see* Milzman et al). 2005;46:S38–S39 (Research Forum abstracts)
Enright-Smith S (*see* Ernst et al). 2005;46:S96 (Research Forum abstracts)
Eric P (*see* Lee et al). 2005;46:S118 (Research Forum abstracts)
Ernst AA, Enright-Smith S, Weiss SJ. Child witness of IPV. 2005;46:S96 (Research Forum abstracts)
Ernst AA (*see* Cheney et al). 2005;46:S32 (Research Forum abstracts)
Ernst AA (*see* Macias et al). 2005;46:S97 (Research Forum abstracts)
Escarrabill J (*see* Masip et al). 2005;46:S97 (Research Forum abstracts)
Eskin B (*see* Junker et al). 2005;46:S34 (Research Forum abstracts)
Espinosa G (*see* Sanchez et al). 2005;46:S24 (Research Forum abstracts)
Essouri S (*see* Haouach et al). 2005;46:S30 (Research Forum abstracts)
Estrada C (*see* Sanchez et al). 2005;46:S24 (Research Forum abstracts)
Eva K (*see* Fan et al). 2005;46:S41 (Research Forum abstracts)
Evans JA, Schneider JI, Mitchell P, Safi-Berty C, Mehta SD. Predictors of a clinically significant diagnostic nasogastric aspirate. 2005;46:S10 (Research Forum abstracts)
Ewy GA (*see* Heidenreich et al). 2005;46:S76 (Research Forum abstracts)

F

Fabbri A, Marchesini G, Dente M, Iervese T, Spada M, Vandelli A. A positive blood alcohol concentration is the main predictor of recurrent motor vehicle crash. 2005;46:161–7
Faggett W (*see* Hardeman et al). 2005;46:560–561 (Correspondence)
Falk J (*see* Silvestri et al). 2005;46:S6 (Research Forum abstracts)

Faller A (*see* Levine et al). 2005;46:S99–S100 (Research Forum abstracts)
Faller A (*see* Price et al). 2005;46:S40 (Research Forum abstracts)
Falvo TP (*see* Kaale et al). 2005;46:S108 (Research Forum abstracts)
Fan J, Al Darrab A, Eva K, Fernandes CM. Triage scales in the emergency department: a systematic review. 2005;46:S41 (Research Forum abstracts)
Fan J. Cost-effectiveness of an emergency department fast-track system for low-acuity patients. 2005;46:S109 (Research Forum abstracts)
Fan J (*see* Upadhye and Fan). 2005;46:S39 (Research Forum abstracts)
Farber SC (*see* Allen et al). 2005;46:S105 (Research Forum abstracts)
Farchi S (*see* Rossi et al). 2005;46:152–7 (Brief research report)
Fasano CJ (*see* Meza et al). 2005;46:S15 (Research Forum abstracts)
Fay K (*see* Bigelow et al). 2005;46:S106 (Research Forum abstracts)
Feaver SL (*see* Flottemesch et al). 2005;46:S33 (Research Forum abstracts)
Feldman D (*see* O'Leary et al). 2005;46:S80–S81 (Research Forum abstracts)
Feldman J (*see* Oyama et al). 2005;46:S24–S25 (Research Forum abstracts)
Felemban H (*see* Alshinkity et al). 2005;46:S121 (Research Forum abstracts)
Felix A (*see* Broder et al). 2005;46:S29–S30 (Research Forum abstracts)
Feng S, Stephan M. Inhalational intravenous *N*-acetylcysteine use in children for acetaminophen toxicity. 2005;46:S91 (Research Forum abstracts)
Feng S, Stephan M. Treating the bite: pediatric review of antivenom treatment in copperhead envenomations. 2005;46:S53 (Research Forum abstracts)
Feng S, Stephan M. What a bite: review of snakebites in children. 2005;46:S54 (Research Forum abstracts)
Ferguson J (*see* Martin-Gill et al). 2005;46:S46 (Research Forum abstracts)
Ferguson JJ (*see* Miller et al). 2005;46:S3 (Research Forum abstracts)
Ferguson K (*see* Papa et al). 2005;46:S23–S24 (Research Forum abstracts)
Fermann GJ (*see* Miller et al). 2005;46:S3 (Research Forum abstracts), 2005;46: S114–S115 (Research Forum abstracts)
Fernandes CM (*see* Al Darrab et al). 2005;46: S40–S41 (Research Forum abstracts)
Fernandes CM (*see* Fan et al). 2005;46:S41 (Research Forum abstracts)
Fernandes CMB (*see* Worster and Fernandes). 2005;46:203–4 (Correspondence)
Fernandes CMB, Tanabe P, Bonalumi N, Gilboy N, Johnson L, McNair RS, Rosenau AM, Sawchuk P, Suter RE, Thompson DA, Travers DA. Emergency department triage: why we need a research agenda. 2005;46:204–5 (Correspondence)
Fernandez WG (*see* Mehta et al). 2005;46:S85 (Research Forum abstracts)
Fernandez WG (*see* Oyama et al). 2005;46: S24–S25 (Research Forum abstracts)
Ferre C (*see* Coma et al). 2005;46:S92–S93 (Research Forum abstracts)
Fesmire FM, Jagoda A. Are we putting the cart ahead of the horse: who determines the standard of care for the management of patients in the emergency department? 2005;46: 198–200 (Editorial)
Fesmire FM (*see* Cairns et al). 2005;46:S116 (Research Forum abstracts)
Fesmire FM (*see* Peacock et al). 2005;46:S3 (Research Forum abstracts)
Fesmire FM, Wadie DM, Lee J, Kaki A. Utilization of ST-segment deviation sum and change score to identify high risk emergency department chest pain patient with acute coronary syndromes. 2005;46:S8 (Research Forum abstracts)
Fiessler F (*see* Dohrenwood et al). 2005;46:S65 (Research Forum abstracts)
Figueroa-Pal EM (*see* Marquez et al). 2005;46:S19 (Research Forum abstracts)
Filbin M, Bisanzo M, Mezrich J, Thomas SH. Mortality of hypotensive patients with sepsis in the emergency department compared with hypotensive patients of other etiologies. 2005;46:S75 (Research Forum abstracts)
Filbin M (*see* Nagurney et al). 2005;46:S88 (Research Forum abstracts)
Fink MP (*see* Huang et al). 2005;46:217–23 (Concepts)
Finnell JT, Seupaul RA. Experiential learning in emergency medicine. 2005;46:S29 (Research Forum abstracts)
Firary SA (*see* Ochoa et al). 2005;46:470, 478 (Images in emergency medicine)
Fisher AS (*see* Hoxhaj et al). 2005;46:S42–S43 (Research Forum abstracts)
Fisher J (*see* Villarin et al). 2005;46:S103 (Research Forum abstracts)
Fisher R (*see* Davis et al). 2005;46:S17 (Research Forum abstracts), 2005;46:S62 (Research Forum abstracts)
Fishman A (*see* White et al). 2005;46:S120–S121 (Research Forum abstracts)
Flanders S (*see* Stein et al). 2005;46:412–19
Fleg JL (*see* Reed et al). 2005;46:S75 (Research Forum abstracts)
Flottemesch TJ, Gordon BD, Feaver SL, Asplin BR. In the eye of the beholder: how emergency department doctors and nurses differ in their perception and approach to emergency department crowding. 2005;46:S33 (Research Forum abstracts)
Fojtik JP (*see* Costantino et al). 2005;46:456–61
Fonarow GC (*see* Peacock et al). 2005;46:S3 (Research Forum abstracts)
Fonorow GC (*see* Peacock et al). 2005;46:S114 (Research Forum abstracts)
Foody J (*see* Graff et al). 2005;46:S60 (Research Forum abstracts), 2005;46:S60–S61 (Research Forum abstracts)
Ford J (*see* Hultin et al). 2005;46:S43 (Research Forum abstracts)
Ford MD (*see* Lavonas et al). 2005;46:207–8 (Correspondence)
Forman JH (*see* Engel et al). 2005;46:S26 (Research Forum abstracts)
Forman JH (*see* Simmons et al). 2005;46:S22–S23 (Research Forum abstracts)
Fortin JL (*see* Haouach et al). 2005;46:S30 (Research Forum abstracts)
Fosnocht DE, Swanson ER, Stephen RL. Comparison of analgesia in an academic emergency department in 1999 and 2003. 2005;46:S50 (Research Forum abstracts)
Fosnocht DE, Swanson ER, Stephen RL. History of severe pain in patients presenting to the emergency department. 2005;46:S49 (Research Forum abstracts)
Fosnocht DE, Swanson ER, Stephen RL. Patient expectations for pain relief in the emergency department. 2005;46:S49 (Research Forum abstracts)
Foster K (*see* Caruso et al). 2005;46:S48 (Research Forum abstracts)
Fox JC (*see* Waters et al). 2005;46:S80 (Research Forum abstracts)
Frame PT (*see* Lyons et al). 2005;46:22–8
Frank L (*see* Bigelow et al). 2005;46:S106 (Research Forum abstracts)
Frazee BW, Charlebois ED. When to use relative risk or odds ratios in describing study results. 2005;46:386 (Correspondence reply)
Frazee BW, Perdreau-Remington F. Community-associated methicillin resistant *Staphylococcus aureus* in an emergency medicine resident: lessons learned. 2005;46:385 (Correspondence reply)
Frazee BW, Salz TO, Lambert L, Perdreau-Remington F. Fatal community-associated methicillin-resistant *Staphylococcus aureus* pneumonia in an immunocompetent young adult. 2005;46:401–4 (Case report)
Frederiksen SM (*see* Domeier et al). 2005;46: 123–31
Freedman S. Coming to the end. 2005;46:296 (Change of shift)
Freeman DH (*see* Chandra et al). 2005;46:S61 (Research Forum abstracts), 2005;46:S81 (Research Forum abstracts)
Freeman J. The next generation of emergency medicine reality television. 2005;46: 380–1 (Change of shift)
Freiberger J (*see* Promes et al). 2005;46:S57 (Research Forum abstracts)
Freishtat RJ, Sachdeva R, Mitchell LW. Platelets induce T-helper cell apoptosis in a murine model of early sepsis. 2005;46:S67 (Research Forum abstracts)
Friedberg R, Buras J. Bilateral acetabular fractures associated with a seizure: a case report. 2005;46:260–2 (Case report)
Fringer R (*see* Bultman et al). 2005;46:S113 (Research Forum abstracts)
Frumkin K. Bilateral calcaneal fractures and "free running": a dangerously cool emerging "sport." 2005;46:300 (Correspondence)
Frumkin K. 24/7: the next big thing? 2005;46: 95–6 (Correspondence)
Fu R (*see* Lowe et al). 2005;46:S120 (Research Forum abstracts)
Fullerton-Gleason L (*see* Cheney et al). 2005;46:S32 (Research Forum abstracts)
Furie KL (*see* Borczuk et al). 2005;46:S63–S64 (Research Forum abstracts)

G

Gabbe B (*see* Cameron et al). 2005;46:S112 (Research Forum abstracts)
Gada K (*see* Joshi et al). 2005;46:S53 (Research Forum abstracts)
Gai V (*see* Battista et al). 2005;46:S3–S4 (Research Forum abstracts)
Gaieski D, McCoy J, Zeserson E, Chase M, Goyal M. Mortality benefit after implementation of early goal directed therapy protocol for the treatment of severe sepsis and septic shock. 2005;46:S4 (Research Forum abstracts)

Gaieski DF, Goyal M. Serum lactate as a predictor of mortality in emergency department patients with infection: does the lactate level tell the whole story? 2005;46:562 (Correspondence)
Gaieski DF (*see* Goyal et al). 2005;46:469 (Images in emergency medicine)
Galiatsou E (*see* Akritidis et al). 2005;46:94, 98 (Images in emergency medicine)
Galicinao J, Bush AJ, Godambe SA. Use of bedside ultrasound for endotracheal tube placement in pediatric patients—a pilot study. 2005;46:S92 (Research Forum abstracts)
Galinski M (*see* Haouach et al). 2005;46:S30 (Research Forum abstracts)
Gallagher EJ. Numeric instability of predictive values. 2005;46:311–13 (Editorial)
Gallagher EJ (*see* Bijur et al). 2005;46:362–7 (Brief research report)
Gallagher EJ (*see* Corbo et al). 2005;46:323–7 (Brief research report)
Gallery ME (*see* Brown et al). 2005;46:56–60
Gallia C (*see* Lowe et al). 2005;46:S120 (Research Forum abstracts)
Gallo L (*see* Davis et al). 2005;46:S100 (Research Forum abstracts)
Gambarota M, Eberhardt M, Melanson S, Deitrick D. Should emergency physicians sit or stand? Does not matter much. 2005;46:S56 (Research Forum abstracts)
Gang H (*see* Kwon et al). 2005;46:S36 (Research Forum abstracts)
Ganti A, Gilmore RM, Stead LG. Influence of sex on functional outcome following emergency department presentations for acute stroke. 2005;46:S63 (Research Forum abstracts)
Ganti A (*see* Thacker et al). 2005;46:S104 (Research Forum abstracts)
Garcia AJ, Donnino M, Rivers E, Shirazi E, Wira C, Goyal N, Makani S, Crawford J, Martinez-Capolino C, Martin G, Tomlanovich M. The chain of survival: is it time for a fifth link? 2005;46:S17 (Research Forum abstracts)
Garcia AJ (*see* Bilkovski et al). 2005;46:S18 (Research Forum abstracts), 2005;46:S27 (Research Forum abstracts)
Gargantilla P (*see* del Arco et al). 2005;46: 424–30
Garrison HG (*see* McKay and Garrison). 2005;46:553–5 (NHTSA notes commentary)
Garvey JL (*see* Mitchell et al). 2005;46:S42 (Research Forum abstracts)
Gaspari RJ, Dickman E. Effect of performing but not billing for emergency ultrasound on emergency department reimbursement. 2005;46:S21 (Research Forum abstracts)
Gaspari RJ (*see* Sierzenski et al). 2005;46:S52 (Research Forum abstracts)
Gatha N (*see* Nagurney et al). 2005;46:S88 (Research Forum abstracts)
Gatto J (*see* White et al). 2005;46:S120–S121 (Research Forum abstracts)
Gebreyes K (*see* Milzman et al). 2005;46:S38–S39 (Research Forum abstracts)
Gee EM (*see* Merchant et al). 2005;46:S94–S95 (Research Forum abstracts)
Geer BM (*see* Later et al). 2005;46:S66 (Research Forum abstracts)
Geerdes P (*see* Stead et al). 2005;46:S55 (Research Forum abstracts)
Gellar M (*see* Runyon et al). 2005;46:S68 (Research Forum abstracts)
Gengerke J (*see* Jones et al). 2005;46:S32 (Research Forum abstracts)
Gerard C, Michael KD, Gerard J. Examining practice patterns of emergency physicians through the use of simulated patient vignettes. 2005;46:S100 (Research Forum abstracts)
Gerard J (*see* Gerard et al). 2005;46:S100 (Research Forum abstracts)
Gerardo CC (*see* Nelson et al). 2005;46:S80 (Research Forum abstracts)
Gerhardt RT, Crawford DM, Rayfield JC, Pfaff JA, Hunter CJ. Addition of post-discharge oral secobarbital to standard emergency department treatment of migraine headache improves pain relief and patient perception of headache resolution. 2005;46:S71–S72 (Research Forum abstracts)
Gerhardt RT, Kernan L. Comparison of oral and rectal temperature in adult patients with non-specific abdominal pain. 2005;46:S37 (Research Forum abstracts)
Gerhardt RT, Kernan L. The role of stool assessment for gross and occult blood for the prediction of need for urgent intervention in non-specific abdominal pain. 2005;46:S37–S38 (Research Forum abstracts)
Gerhardt RT, Oliver J, Sullivan SG, Jackson DA, Laird TW. Evaluation of combat casualty care outcomes after the introduction of emergency medicine providers and an emergency medicine systems approach to the setting of tactical ground combat. 2005;46:S45–S46 (Research Forum abstracts)
Gertzen HC (*see* Giraldez et al). 2005;46:S59 (Research Forum abstracts)
Gertzen HC (*see* Smars et al). 2005;46:S43 (Research Forum abstracts)
Ghim M (*see* Berkoff et al). 2005;46:S85 (Research Forum abstracts)
Giasi PC, Wetzel ML, Wetzel LE, Klawitter PF, Dixon DW, Brown LH. Alpha testing of a system for creating on-demand positive and negative-pressure isolation environments in typical emergency department rooms. 2005;46:S70 (Research Forum abstracts)
Gibbons RJ (*see* Raghavan et al). 2005;46:S43 (Research Forum abstracts)
Gibler WB, Cannon CP, Blomkalns AL, Char DM, Drew BJ, Hollander JE, Jaffe AS, Jesse RL, Newby LK, Ohman EM, Peterson ED, Pollack CV. Practical implementation of the guidelines for unstable angina/non–ST-segment elevation myocardial infarction in the emergency department. 2005;46:185–97 (AHA scientific statement)
Gibler WB (*see* Cairns et al). 2005;46:S116 (Research Forum abstracts)
Gibler WB (*see* Han et al). 2005;46:S9 (Research Forum abstracts)
Gibler WB (*see* Miller et al). 2005;46:S114–S115 (Research Forum abstracts)
Giffin SL (*see* Norton et al). 2005;46:S50 (Research Forum abstracts), 2005;46:S78 (Research Forum abstracts)
Gilboy N (*see* Fernandes et al). 2005;46:204–5 (Correspondence)
Gilman C (*see* Carr et al). 2005;46:S39–S40 (Research Forum abstracts)
Gilmore RM, Irvin AJ, Decker WW, Kongoasa N, Stead LG. Ischemic stroke subtype predicts mortality independent of emergency department National Institute of Health Stroke Scale. 2005;46:S1 (Research Forum abstracts)
Gilmore RM (*see* Bhagra et al). 2005;46:S62–S63 (Research Forum abstracts)
Gilmore RM (*see* Ganti et al). 2005;46:S63 (Research Forum abstracts)
Gilmore RM (*see* Irvin et al). 2005;46:S71 (Research Forum abstracts)
Gilmore RM (*see* Stead et al). 2005;46:S1–S2 (Research Forum abstracts), 2005;46:S55 (Research Forum abstracts)
Gilmore RM (*see* Warrington et al). 2005;46: S2–S3 (Research Forum abstracts)
Gilmore RM, Stead LG. Uncovering the causes of acute ischemic stroke: implications for clinical decisionmaking in the emergency department. 2005;46:S72 (Research Forum abstracts)
Giraldez EM (*see* Smars et al). 2005;46:S43 (Research Forum abstracts)
Giraldez EM (*see* Warrington et al). 2005;46:S2–S3 (Research Forum abstracts)
Giraldez EM, Smars PA, Baez AA, Madsen BE, Gertzen HC. Diagnostic accuracy of resting magnetocardiography in a cohort of moderately to severely obese emergency department chest pain observation unit patients. 2005;46:S59 (Research Forum abstracts)
Giraldez LA (*see* Thacker et al). 2005;46:S104 (Research Forum abstracts)
Giraldo P (*see* Deitch et al). 2005;46:S73 (Research Forum abstracts)
Giraldo P (*see* Villarin et al). 2005;46:S103–S104 (Research Forum abstracts)
Givens ML, Wald R, Schafer J, Delaney K. Prevalence of cocaine use in emergency department patients with severe hypertension. 2005;46:S50–S51 (Research Forum abstracts)
Givertz MM (*see* Peacock et al). 2005;46:S114 (Research Forum abstracts)
Glinski J (*see* White et al). 2005;46:S120–S121 (Research Forum abstracts)
Go AS (*see* Magid et al). 2005;46:14–21
Godambe SA (*see* Galicinao et al). 2005;46:S92 (Research Forum abstracts)
Goertz JK (*see* Theodoro et al). 2005;46:S78 (Research Forum abstracts)
Gohsler S (*see* Sidransky et al). 2005;46:S51 (Research Forum abstracts)
Gold RJ (*see* Rosenthal et al). 2005;46:S107 (Research Forum abstracts)
Goldfeder B (*see* Papa et al). 2005;46:S23–S24 (Research Forum abstracts), 2005;46:S59 (Research Forum abstracts)
Goldfrank LR (*see* Kwon et al). 2005;46:S77–S78 (Research Forum abstracts)
Goldman RD, Amin P, Macpherson A. Language and length of stay in the pediatric emergency department. 2005;46:S109 (Research Forum abstracts)
Goldstein JN, Camargo CA Jr, Edlow JA. Headache evaluation in United States emergency departments: frequency of neuroimaging and diagnostic yield. 2005;46:S72 (Research Forum abstracts)
Goldstein JR, Jones RA, Emerman CL, Cydulka RK. Comparison of two transducer types for teaching ultrasound-guided vascular access to novice users on a standard vascular access model in linear axis. 2005;46:S21 (Research Forum abstracts)
Goldstein JR (*see* Werner et al). 2005;46:S4 (Research Forum abstracts)
Goldstein M (*see* Swor et al). 2005;46:S42 (Research Forum abstracts)
Golez S (*see* Marinsek et al). 2005;46:S49 (Research Forum abstracts)

Golub R (*see* Lee et al). 2005;46:S81 (Research Forum abstracts)
Gonzales A (*see* Walsh et al). 2005;46:S91 (Research Forum abstracts)
Gonzales R (*see* Radeos et al). 2005;46:S16 (Research Forum abstracts)
Gonzales R (*see* Stein et al). 2005;46:412–19
Gonzalez G (*see* Hardeman et al). 2005;46: 560–561 (Correspondence)
Gonzalez RG (*see* Borczuk et al). 2005;46:S63–S64 (Research Forum abstracts)
Good AM (*see* Sivilotti et al). 2005;46:263–71
Goodall E (*see* Irvin et al). 2005;46:S6 (Research Forum abstracts)
Goodman C (*see* Winslow et al). 2005;46:S61 (Research Forum abstracts)
Goodman D (*see* Agoritsas et al). 2005;46:S82 (Research Forum abstracts)
Gopichandran V (*see* Machen et al). 2005;46:S95 (Research Forum abstracts)
Gordon BD (*see* Flottemesch et al). 2005;46:S33 (Research Forum abstracts)
Gordon R (*see* Prendergast et al). 2005;46: S115–S116 (Research Forum abstracts)
Gore R (*see* Roberts et al). 2005;46:S24 (Research Forum abstracts), 2005;46:S25 (Research Forum abstracts)
Gossett L (*see* Cheney et al). 2005;46:S32 (Research Forum abstracts)
Gough JE (*see* Bakhtiari et al). 2005;46:S79 (Research Forum abstracts)
Goyal DG (*see* Michael et al). 2005;46:S74 (Research Forum abstracts)
Goyal M, Hollander JE, Gaieski DF. [Synypnea]. 2005;46:469 (Images in emergency medicine)
Goyal M (*see* Gaieski and Goyal). 2005;46:562 (Correspondence)
Goyal M (*see* Gaieski et al). 2005;46:S4 (Research Forum abstracts)
Goyal N (*see* Garcia et al). 2005;46:S17 (Research Forum abstracts)
Graell S (*see* Coma et al). 2005;46:S92–S93 (Research Forum abstracts)
Graff L, Chern C, Turnbull D, Wang Y, Foody J, Werdmann M, Radford M. Performance of an algorithm using computerized administrative data to identify physicians' missed acute coronary syndrome cases. 2005;46:S60 (Research Forum abstracts)
Graff L, Chern C, Turnbull D, Wang Y, Foody J, Werdmann M, Radford M. Physicians' acute coronary syndrome testing threshold and diagnostic performance. 2005;46:S60–S61 (Research Forum abstracts)
Grau MG, Rodi SW, Curtis KM. The lack of an adult seatbelt law in New Hampshire: live free and die? 2005;46:S84 (Research Forum abstracts)
Greenberg MR (*see* Love et al). 2005;46:S12 (Research Forum abstracts)
Gregory C (*see* Chandra et al). 2005;46:S61 (Research Forum abstracts)
Gress S (*see* Cydulka et al). 2005;46:316–22
Greve M, Young D, Degutis LC. The epidemiology of moderate to severe head injuries at ski resorts. 2005;46:S86 (Research Forum abstracts)
Griffey R (*see* Resnick et al). 2005;46:S108 (Research Forum abstracts)
Gross EA (*see* Oliver and Gross). 2005;46: 290–1 (CDC update commentary)
Grove L (*see* Kaale et al). 2005;46:S108 (Research Forum abstracts)
Guasticchi G (*see* Rossi et al). 2005;46:152–7 (Brief research report)
Guerrier G (*see* Baud et al). 2005;46:S45 (Research Forum abstracts)
Gukhool JA (*see* Leech et al). 2005;46:S21 (Research Forum abstracts)
Gukhool JA (*see* Sierzenski et al). 2005;46:S52 (Research Forum abstracts)
Gunn SR (*see* Huang et al). 2005;46:217–23 (Concepts)
Gunnerson KJ (*see* Huang et al). 2005;46:217–23 (Concepts)
Gupta R (*see* Kurz et al). 2005;46:S103 (Research Forum abstracts)
Gurgui M (*see* Coma et al). 2005;46:S92–S93 (Research Forum abstracts)
Gursahani K (*see* Lee et al). 2005;46:S118 (Research Forum abstracts)
Guss DA (*see* Chan et al). 2005;46:491–7, 2005;46:S107–S108 (Research Forum abstracts)

H

Haber M (*see* Baevsky et al). 2005;46:S9 (Research Forum abstracts)
Hachey M, van As AB. HIV postexposure prophylaxis in victims of child sexual abuse. 2005;46:97–8 (Correspondence)
Hacker JK (*see* Stein et al). 2005;46:412–19
Hafner JW. The clinical diagnosis of streptococcal pharyngitis. 2005;46:87–9 (Rational clinical examination abstract)
Hafner JW Jr, Hubler JR, Sullivan DJ. Quality in emergency department care: results of the Sullivan Group's Emergency Medicine Risk Initiative national audit. 2005;46:S22 (Research Forum abstracts)
Hafner JW Jr (*see* Riley et al). 2005;46:S104 (Research Forum abstracts)
Hafner JW Jr (*see* Szudera et al). 2005;46:S63 (Research Forum abstracts)
Hahn I (*see* Hoffman et al). 2005;46:S77 (Research Forum abstracts)
Hahn I-H, Schnadower D, Dakin RJ, Nelson LS. Cellular phone interference as a cause of acute epinephrine poisoning. 2005;46:298–9 (Correspondence)
Hahn K (*see* Vega et al). 2005;46:S71 (Research Forum abstracts)
Hall M, Brown MD. Are amantadine and rimantadine effective in healthy adults with acute influenza? 2005;46:292–3 (Systematic review abstract)
Hallstrom AP (*see* Reed et al). 2005;46:S75 (Research Forum abstracts)
Halluska-Handy M (*see* Villarin et al). 2005;46:S103–S104 (Research Forum abstracts)
Hamman MS (*see* Strote et al). 2005;46:S85 (Research Forum abstracts)
Hammerstedt HS, Edlow JA, Cusick S. Emergency department presentations of transverse myelitis: two case reports. 2005;46:256–9 (Case report)
Han JH, Lindsell CJ, Hollander JE, Peacock WF IV, Miller CD, Gibler WB. Determinants of acute coronary syndromes in the elderly population. 2005;46:S9 (Research Forum abstracts)
Han S (*see* Lee et al). 2005;46:S118 (Research Forum abstracts)
Hansen S (*see* Schabowski et al). 2005;46:S25 (Research Forum abstracts)
Hanson J (*see* Nordenholz et al). 2005;46:S10–S11 (Research Forum abstracts)
Haouach H, Fortin JL, Chaybany B, Essouri S, Berton L, Catineau J, Galinski M, Lapostolle F. Prehospital use of hydroxocobalamin in children exposed to fire smoke. 2005;46:S30 (Research Forum abstracts)
Haq A (*see* Hart et al). 2005;46:S89–S90 (Research Forum abstracts)
Hardeman B, Calhoun T, Faggett W, Gonzalez G, Sidbury G, Pane G, Adams S, Blair R, Coté. Anthrax scare 2005, Washington, DC: operational issues in chemoprophylaxis. 2005;46:560–561 (Correspondence)
Hardin E (*see* Bazargan-Hejazi et al). 2005;46: 67–76
Hargreaves J (*see* Coule et al). 2005;46:S70 (Research Forum abstracts)
Harrigan M (*see* Broder et al). 2005;46:S29–S30 (Research Forum abstracts)
Harrigan PA (*see* Wald et al). 2005;46:S13–S14 (Research Forum abstracts)
Harris VL, Vermeer T, Ander DS. The true cost of medical student education: an examination of the loss of clinical revenue in the emergency department. 2005;46:S109 (Research Forum abstracts)
Harrison P (*see* Mehta et al). 2005;46:S85 (Research Forum abstracts)
Harrison RF, Kennedy RL. Artificial neural network models for prediction of acute coronary syndromes using clinical data from the time of presentation. 2005;46:431–9
Harrison T. Availability of emergency contraception: a survey of hospital emergency department staff. 2005;46:105–10
Hart RG, Smith GD, Haq A. The value of radiographs in high-pressure injection injuries of the hand. 2005;46:S89–S90 (Research Forum abstracts)
Haslinger CW (*see* Krismer et al). 2005;46: 337–42
Hassan T (*see* Lim et al). 2005;46:S98 (Research Forum abstracts)
Hathaway W (*see* Mallon et al). 2005;46:S23 (Research Forum abstracts)
Hauff S (*see* Bigelow et al). 2005;46:S106 (Research Forum abstracts)
Haukoos JS (*see* Eliopoulos et al). 2005;46:S15 (Research Forum abstracts)
Haukoos JS (*see* Ungar et al). 2005;46:S110 (Research Forum abstracts)
Haukoos JS (*see* Wolf et al). 2005;46:S98–S99 (Research Forum abstracts)
Haydel MJ, Meyers R, Mills L. Use of the tongue-blade test to identify patients with mandible & maxillary sinus fractures. 2005;46:S66 (Research Forum abstracts)
Heard K (*see* Nordenholz et al). 2005;46:S10–S11 (Research Forum abstracts)
Hedges JR (*see* Newgard et al). 2005;46:S111 (Research Forum abstracts)
Heegaard WG (*see* Ho et al). 2005;46:S94 (Research Forum abstracts)
Hegerberg S (*see* Swor et al). 2005;46:S42 (Research Forum abstracts)
Heidenreich JW, Higdon TA, Sanders AB, Berg RA, Kern KB, Ewy GA. Standard versus continuous compressions CPR: does fatigue play a role? 2005;46:S76 (Research Forum abstracts)
Heinz S (*see* Lefkowits et al). 2005;46:S112 (Research Forum abstracts)

Heisler M (*see* Engel et al). 2005;46:S26 (Research Forum abstracts)
Heisler M (*see* Simmons et al). 2005;46:S22–S23 (Research Forum abstracts)
Heller M (*see* Axelband et al). 2005;46:S91 (Research Forum abstracts)
Heller M (*see* Jacoby et al). 2005;46:S74 (Research Forum abstracts)
Heller M (*see* Salen et al). 2005;46:S105 (Research Forum abstracts)
Heller M (*see* Storch et al). 2005;46:384–5 (Correspondence)
Heller M (*see* Tenison et al). 2005;46:S54 (Research Forum abstracts)
Heller M (*see* White et al). 2005;46:S116 (Research Forum abstracts)
Henderson SO, Moerke B, Sintuu C. The presence of an emergent airway response team and its effects on in-hospital Code Blue. 2005;46:S17 (Research Forum abstracts)
Henderson SO (*see* Korn et al). 2005;46:S56 (Research Forum abstracts), 2005;46:S67 (Research Forum abstracts)
Henderson SO (*see* Voskanian et al). 2005;46:S9 (Research Forum abstracts)
Henderson SO, Simma-Chiang V. The effect of beta-2-adrenoreceptor polymorphisms on the response to therapy in asthmatics in the emergency department. 2005;46:S101 (Research Forum abstracts)
Henderson SO, Syan S. Is 24 hour monitoring necessary for patients presenting with syncope unexplained in the emergency department? 2005;46:S60 (Research Forum abstracts)
Henry MC, McCormack JE, Huang EC, Thode HC Jr. Temporal arrival patterns and subspecialty needs of trauma patients requiring emergency operating room operative intervention. 2005;46:S67 (Research Forum abstracts)
Henry MC (*see* Lee et al). 2005;46:S63 (Research Forum abstracts)
Henson JK, Morgan DL, Jaffe JE, Wieters JG. The accuracy of the patient history: amount of the overdose. 2005;46:S37 (Research Forum abstracts)
Heo T (*see* Jeung et al). 2005;46:S35 (Research Forum abstracts)
Hernandez J (*see* Richman et al). 2005;46:S98 (Research Forum abstracts)
Herndon D (*see* Caruso et al). 2005;46:S48 (Research Forum abstracts)
Herrick E (*see* Cydulka et al). 2005;46:316–22
Hess EP, Colletti JE. [Laryngeal papillomatosis in a child]. 2005;46:405, 419 (Images in emergency medicine)
Hess EP, Mannenbach MS. [Malrotation with midgut volvulus]. 2005;46:498, 506 (Images in emergency medicine)
Hess EP, Sztajnkrycer MD. [Acute leukemia with blast crisis]. 2005;46:314, 322 (Images in emergency medicine)
Hess EP, Sztajnkrycer MD. [Spontaneous cervicothoracic epidural hematoma]. 2005;46:382, 392 (Images in emergency medicine)
Heubner M (*see* Silvestri et al). 2005;46:S6 (Research Forum abstracts)
Hiestand B (*see* Yates and Hiestand). 2005;46:S10 (Research Forum abstracts)
Higdon TA (*see* Heidenreich et al). 2005;46:S76 (Research Forum abstracts)
Hill A (*see* Houston et al). 2005;46:S100–S101 (Research Forum abstracts)
Hill G (*see* McManus et al). 2005;46:S46 (Research Forum abstracts)
Hill PM (*see* Smars et al). 2005;46:S43 (Research Forum abstracts)
Hirsch E (*see* Mehta et al). 2005;46:S85 (Research Forum abstracts)
Hittarage A (*see* Roberts et al). 2005;46:275–84
Ho JD, Reardon RF, Heegaard WG. Deaths in police custody: an 8 month surveillance study. 2005;46:S94 (Research Forum abstracts)
Ho PM (*see* Magid et al). 2005;46:14–21
Hobgood C (*see* Broder et al). 2005;46:S29–S30 (Research Forum abstracts)
Hobgood C, Villani J, Quattlebaum R. Impact of emergency department volume on registered nurse time at the bedside. 2005;46:481–9
Hoekstra JW (*see* Miller et al). 2005;46:S3 (Research Forum abstracts), 2005;46: S114–S115 (Research Forum abstracts)
Hoffman JR, Brody H. The boy who cried unicorn: a parable. 2005;46:93 (Change of shift)
Hoffman RJ, Hahn I, Hsu CK, Shen JM, Protic J, Sandoval M, Nelson LS. In vitro charcoal binding of staphylococcal enterotoxin B. 2005;46:S77 (Research Forum abstracts)
Hoffman RJ, Hoffman RS. Effect of mandated residential carbon monoxide detector use on the morbidity of reported cases. 2005;46:S34 (Research Forum abstracts)
Hoffman RJ, Hoffman RS. Mandatory reporting of carbon monoxide poisoning by health care providers: effect on poison center calls. 2005;46:S35 (Research Forum abstracts)
Hoffman RS (*see* Hoffman and Hoffman). 2005;46:S34 (Research Forum abstracts), 2005;46:S35 (Research Forum abstracts)
Hoffman RS (*see* Kwon et al). 2005;46:S77–S78 (Research Forum abstracts)
Hoffman RS (*see* Raven and Hoffman). 2005;46:558, 562 (Images in emergency medicine)
Hogan CJ, Barbaro KC, Winkel K. Loxoscelism and necrotic arachnidism: more myths and minor corrections. 2005;46:206–7 (Correspondence reply)
Hogg K, Dawson D, Mackway-Jones K. The emergency department utility of Simplify D-dimer™ to exclude pulmonary embolism in patients with pleuritic chest pain. 2005;46:305–10
Hogle GA (*see* Lefkowits et al). 2005;46:S112 (Research Forum abstracts)
Holbrook SE (*see* Crews and Holbrook). 2005;46:S88 (Research Forum abstracts)
Holcomb JB (*see* McManus et al). 2005;46: S66–S67 (Research Forum abstracts)
Holden C (*see* Milling et al). 2005;46:S26 (Research Forum abstracts)
Holland CK (*see* Shaw et al). 2005;46:S27 (Research Forum abstracts)
Holland RE Jr (*see* Karwowski et al). 2005;46:S119–S120 (Research Forum abstracts)
Hollander JE (*see* Gibler et al). 2005;46:185–97 (AHA statement)
Hollander JE (*see* Goyal et al). 2005;46:469 (Images in emergency medicine)
Hollander JE (*see* Han et al). 2005;46:S9 (Research Forum abstracts)
Hollander JE (*see* Miller et al). 2005;46:S114–S115 (Research Forum abstracts)
Holley A (*see* Irvin and Holley). 2005;46:S57 (Research Forum abstracts)
Hollinger M (*see* Korn et al). 2005;46:S56 (Research Forum abstracts), 2005;46:S67 (Research Forum abstracts)
Holmer W (*see* Strote et al). 2005;46:S56 (Research Forum abstracts)
Holmes JF, Nguyen H, Jacoby RC, McGahan JP, Bozorgchami H, Wisner DH. Do all patients with left costal margin injuries require radiographic evaluation for intraabdominal injury? 2005;46:232–6
Holstege CP (*see* Rowden et al). 2005;46:S35 (Research Forum abstracts)
Holstege CP (*see* Ten Harmsel et al). 2005;46:S77 (Research Forum abstracts)
Homel P (*see* Lovett et al). 2005;46:S65 (Research Forum abstracts)
Hong C (*see* Macias et al). 2005;46:S62 (Research Forum abstracts)
Hong S (*see* Lee et al). 2005;46:S118 (Research Forum abstracts)
Hook EW III (*see* Pigott et al). 2005;46:S47 (Research Forum abstracts)
Hoppu K (*see* Alaspää et al). 2005;46:299–300 (Correspondence reply)
Hörmann C (*see* Krismer et al). 2005;46: 337–42
Hostler D (*see* Vogrin et al). 2005;46:S18–S19 (Research Forum abstracts)
Houston JP, Zun L, Meyers A, Alh J, Hill A, Dunayevich E. Intramuscular olanzapine effects on specific behaviors in agitation. 2005;46:S100–S101 (Research Forum abstracts)
Howard R (*see* Bastani et al). 2005;46:S39 (Research Forum abstracts)
Howell MD (*see* Shapiro et al). 2005;46:562 (Correspondence reply)
Howland TR (*see* Crystal et al). 2005;46:S38 (Research Forum abstracts)
Hoxhaj S, DiSabatino A, Bittner L, Fisher AS, Carroll J, Reese CL IV, O'Connor RE. Using non-interventional cardiologists as first call does not affect the door-to-balloon time or decision to use angioplasty for AMI patients presenting to the emergency department. 2005;46:S42–S43 (Research Forum abstracts)
Hoxhaj S (*see* Michalke et al). 2005;46:S39 (Research Forum abstracts)
Hoxhaj S (*see* Siler Fisher et al). 2005;46:S6–S7 (Research Forum abstracts)
Hoyle J (*see* Deibel et al). 2005;46:S4–S5 (Research Forum abstracts)
Hoyt DB (*see* Davis et al). 2005;46:115–22
Hsia RY, Chan J, Baker LC. Has prudent layperson legislation achieved its goals of increasing access for emergency care? 2005;46:S119 (Research Forum abstracts)
Hsu CK, Leber M, Shiblee T. Intraosseous line placement: ultrasound/Color Flow Doppler confirmation of tip location and leakage. 2005;46:S22 (Research Forum abstracts)
Hsu CK (*see* Hoffman et al). 2005;46:S77 (Research Forum abstracts)
Hsu CK (*see* Shah et al). 2005;46:S30 (Research Forum abstracts)
Huang DT, Osborn TM, Gunnerson KJ, Gunn SR, Trzeciak S, Kimball E, Fink MP, Angus DC, Dellinger RP, Rivers EP. Critical care medicine training and certification for emergency physicians. 2005;46:217–23 (Concepts)

Huang EC (*see* Henry et al). 2005;46:S67 (Research Forum abstracts)
Hubbard D, Miner JR, Rockswold E. The association between perceived pain relief and future ED visits in patients presented to the emergency department with low back pain. 2005;46:S74 (Research Forum abstracts)
Hubler JR (*see* Hafner et al). 2005;46:S22 (Research Forum abstracts)
Hughes A (*see* Ritchie et al). 2005;46:S93 (Research Forum abstracts)
Hugli OW (*see* Boudreaux et al). 2005;46:S99 (Research Forum abstracts)
Hultin C, Zwank M, Oyama L, Wassermann J, Ford J, Rathlev N, Mehta SD. Emergency department factors associated with acute mesenteric ischemia in an urban academic hospital. 2005;46:S43 (Research Forum abstracts)
Humphrey ML (*see* Levine et al). 2005;46: S99–S100 (Research Forum abstracts)
Hung OL (*see* Dohrenwood et al). 2005;46:S118 (Research Forum abstracts)
Hunter CJ (*see* Gerhardt et al). 2005;46:S71–S72 (Research Forum abstracts)
Hurtado TR, Wisenbaugh T. [Superficial partial thickness (2nd degree) burn from zeolite mineral hemostatic agent (QuickClot)]. 2005;46:297, 303 (Images in emergency medicine)
Husk G, Ansari A, Coleman P, Waxman DA. Waiting for triage. 2005;46:S44 (Research Forum abstracts)
Hutson R (*see* Strote et al). 2005;46:S85 (Research Forum abstracts)
Hwang S, Jang Y, Oh SB, Kim S, Ji H, Lee K. Automatic simultaneous sterno-thoracic cardiopulmonary resuscitation device produces better hemodynamic effects than standard manual cardiopulmonary resuscitation. 2005;46:S75 (Research Forum abstracts)
Hwang S (*see* Lee et al). 2005;46:S66 (Research Forum abstracts)
Hwang S (*see* Oh et al). 2005;46:S47 (Research Forum abstracts)
Hyder A (*see* Razzak and Hyder). 2005;46:S95 (Research Forum abstracts)

I

Iannuzzi NP III, Liebeskind DS, Jacoby M, Arima K, Shimizu K, Zimmerman TR Jr. Piclozotan (SUN N4057), a novel 5HT1A receptor agonist, is well tolerated in patients with acute stroke. 2005;46:S106 (Research Forum abstracts)
Iervese T (*see* Fabbri et al). 2005;46:161–7
Iles S (*see* Davis et al). 2005;46:S100 (Research Forum abstracts)
Imbert M (*see* Borron et al). 2005;46:S77 (Research Forum abstracts)
Irvin AJ, Gilmore RM, Stead LG. Correlation of emergency department laboratory parameters with ischemic stroke subtype. 2005;46:S71 (Research Forum abstracts)
Irvin AJ (*see* Gilmore et al). 2005;46:S1 (Research Forum abstracts)
Irvin CB, Coello M, Goodall E. Financial incentive of the pneumonia quality initiative. 2005;46:S6 (Research Forum abstracts)
Irvin CB, Holley A. Seasonal variation in firearm related emergency department visits. 2005;46:S57 (Research Forum abstracts)
Irvin CB, Neyman G. Potential use of a single ventilator for multiple victim ventilation. 2005;46:S69 (Research Forum abstracts)
Irvin CB (*see* Coba et al). 2005;46:S111 (Research Forum abstracts)
Irvin CB (*see* King et al). 2005;46:S84 (Research Forum abstracts)
Irvin CB, Worthy D. Medication errors in admitted patients held in the emergency department after admission. 2005;46:S119 (Research Forum abstracts)
Isbister GK, Vetter RS. Loxoscelism and necrotic arachnidism: more myths and minor corrections. 2005;46:205–6 (Correspondence)
Iserson K (*see* Reznikova et al). 2005;46:S82 (Research Forum abstracts)

J

Jackson DA (*see* Gerhardt et al). 2005;46:S45–S46 (Research Forum abstracts)
Jackson RE, Bukowski K, Ellerholz E, Wilson AG. Validation of a simple model predicting displaced patients in the ED. 2005;46:S107 (Research Forum abstracts)
Jackson-Williams L (*see* Kolb et al). 2005;46:S71 (Research Forum abstracts)
Jacobs T (*see* Wolf et al). 2005;46:S98–S99 (Research Forum abstracts)
Jacoby J (*see* Axelband et al). 2005;46:S91 (Research Forum abstracts)
Jacoby J (*see* Stromski et al). 2005;46:S13 (Research Forum abstracts)
Jacoby J, Steencken G, Nelson MJ, Storch J, Heller M. Are Hispanic emergency department patients with the subjective diagnoses of headache and backache treated differently than Caucasians? 2005;46:S74 (Research Forum abstracts)
Jacoby JL (*see* Storch et al). 2005;46:384–5 (Correspondence)
Jacoby M (*see* Iannuzzi et al). 2005;46:S106 (Research Forum abstracts)
Jacoby RC (*see* Holmes et al). 2005;46:232–6
Jaffe AS (*see* Gibler et al). 2005;46:185–97 (AHA statement)
Jaffe JE (*see* Henson et al). 2005;46:S37 (Research Forum abstracts)
Jagoda A (*see* Fesmire and Jagoda). 2005;46: 198–200 (Editorial)
Jandrisevits M (*see* Davis et al). 2005;46:S100 (Research Forum abstracts)
Janello B (*see* Rimple et al). 2005;46:S58 (Research Forum abstracts)
Jang T, Aubin C, Dyne P. The minimum training standard for emergency physicians performing obstetric ultrasonography. 2005;46:S79 (Research Forum abstracts)
Jang Y (*see* Hwang et al). 2005;46:S75 (Research Forum abstracts)
Jansen N, Mencl F. Learning ultrasound for detection of soft tissue foreign bodies: how difficult? 2005;46:S21 (Research Forum abstracts)
Jasani NB (*see* Levine et al). 2005;46:S99–S100 (Research Forum abstracts)
Jauch EC, Mayer SA, Diringer MN, Brun NC, Begtrup K, Steiner T, Davis S, Skolnick BE, Broderick J. The potential role of rFVIIa in the acute treatment of spontaneous intracerebral hemorrhage in the emergency department. 2005;46:S2 (Research Forum abstracts)
Jay G (*see* Mason-Plunkett et al). 2005;46:S15–S16 (Research Forum abstracts)
Jay G (*see* Spitalnic et al). 2005;46:51–5
Jehle DV (*see* Kenjarski et al). 2005;46:S103 (Research Forum abstracts)
Jenny C (*see* Kumar et al). 2005;46:S96–S97 (Research Forum abstracts)
Jesse RL (*see* Gibler et al). 2005;46:185–97 (AHA statement)
Jesse RL (*see* Peacock et al). 2005;46:S3 (Research Forum abstracts)
Jeung K, Heo T, Min Y. Stat laboratory parameters predicting outcome in paraquat poisoned patients. 2005;46:S35 (Research Forum abstracts)
Ji H (*see* Hwang et al). 2005;46:S75 (Research Forum abstracts)
Ji H (*see* Lee et al). 2005;46:S66 (Research Forum abstracts)
Ji H (*see* Oh et al). 2005;46:S47 (Research Forum abstracts)
Jimenez S, Miro O, De la Red G, Bragulat E, Coll-Vinent B, Sanchez M. A primary care physician seeing patients in a fast track area: effect on effectiveness, efficiency, and perceived care quality. 2005;46:S55 (Research Forum abstracts)
Jimenez S (*see* Sanchez et al). 2005;46:S24 (Research Forum abstracts)
Johannigman JA (*see* Ronan-Bentle et al). 2005;46:S111 (Research Forum abstracts)
Johnson AB (*see* Lee et al). 2005;46:S117 (Research Forum abstracts)
Johnson AB (*see* Nelson et al). 2005;46:S27–S28 (Research Forum abstracts)
Johnson AB (*see* Raio et al). 2005;46:S28 (Research Forum abstracts)
Johnson DE (*see* Kaale et al). 2005;46:S108 (Research Forum abstracts)
Johnson DW (*see* Sivilotti et al). 2005;46: 263–71
Johnson L (*see* Fernandes et al). 2005;46:204–5 (Correspondence)
Johnston SL (*see* Summers et al). 2005;46:177–84 (Concepts)
Jollis J (*see* Chandra et al). 2005;46:S61 (Research Forum abstracts)
Jones JS, Alexander C, Davis AT, Reischman D. Common statistical errors found in biomedical research proposals submitted for institutional review. 2005;46:S106–S107 (Research Forum abstracts)
Jones JS, Gengerke J, Kenepp G, Krohmer J. Integration of emergency medical services and special weapons and tactics teams: a decade of experience. 2005;46:S32 (Research Forum abstracts)
Jones JS (*see* Deibel et al). 2005;46:S4–S5 (Research Forum abstracts)
Jones JS (*see* Rossman et al). 2005;46:S96 (Research Forum abstracts)
Jones MM (*see* Karwowski et al). 2005;46: S119–S120 (Research Forum abstracts)
Jones RA (*see* Goldstein et al). 2005;46:S21 (Research Forum abstracts)
Jones RA (*see* Werner et al). 2005;46:S4 (Research Forum abstracts)
Jones-Spangle K (*see* Coon et al). 2005;46:473 (Correspondence)
Josephsen GD, Rusnak RA. Poor glycemic control in diabetic patients in the emergency department. 2005;46:S32 (Research Forum abstracts)

Joshi AV (*see* Russell et al). 2005;46:S57 (Research Forum abstracts)
Joshi SV, Mahajan P, Gada K, Waters M, Lai Z, Ager J. Predictors for a positive chest x-ray in pediatric asthma. 2005;46:S53 (Research Forum abstracts)
Judge BS, Brown MD. To dive or not to dive? Use of hyperbaric oxygen therapy to prevent neurologic sequelae in patients acutely poisoned with carbon monoxide. 2005;46:462–4 (Systematic review abstract)
Jung S (*see* Kwon et al). 2005;46:S36 (Research Forum abstracts)
Junker E, Walsh BW, Eskin B, Rothman J. The correlation between Medicaid rate and emergency department patient volumes during a physician slowdown. 2005;46:S34 (Research Forum abstracts)
Juurlink DN (*see* Sivilotti et al). 2005;46:263–71
Jwayyed S (*see* Beeson and Jwayyed). 2005;46:S30 (Research Forum abstracts)
Jwayyed S (*see* Stiffler et al). 2005;46:S28 (Research Forum abstracts)

K

Kaale RL, Vega DD, Messner K, Eitel DR, Johnson DE, McKniff S, Amsterdam JT, Falvo TP, Stike RL, Grove L, Snyder KC. Time value stream mapping as a tool to measure patient flow through emergency department triage. 2005;46:S108 (Research Forum abstracts)
Kabrhel C, Matts C, McNamara M, Katz J. The introduction of a rapid ELISA D-dimer increases emergency department testing with no effect on the diagnosis of pulmonary embolism. 2005;46:S11 (Research Forum abstracts)
Kaehler C (*see* Milzman et al). 2005;46:S14 (Research Forum abstracts)
Kagel A (*see* Crystal et al). 2005;46:S86–S87 (Research Forum abstracts)
Kaki A (*see* Fesmire et al). 2005;46:S8 (Research Forum abstracts)
Kalafas C (*see* Sidransky et al). 2005;46:S51 (Research Forum abstracts)
Kalira D (*see* Chan et al). 2005;46:S36–S37 (Research Forum abstracts)
Kampe LM (*see* Roberts et al). 2005;46:S24 (Research Forum abstracts), 2005;46:S25 (Research Forum abstracts)
Kampe LM (*see* Schabowski et al). 2005;46: S25–S26 (Research Forum abstracts), 2005;46:S58 (Research Forum abstracts)
Kandiah PA (*see* Borczuk et al). 2005;46:S63–S64 (Research Forum abstracts)
Karam A (*see* Clinton et al). 2005;46:S64 (Research Forum abstracts)
Kardos K (*see* McKenna et al). 2005;46:S7 (Research Forum abstracts)
Karwowski MP, Holland RE Jr, Jones MM, Lowe RA. How Oregon Health Plan cutbacks have affected rural Oregon: the experience of a rural emergency department. 2005;46:S119–S120 (Research Forum abstracts)
Kasarda D (*see* Stromski et al). 2005;46:S13 (Research Forum abstracts)
Kassman LA. The advocate. 2005;46:556–7 (Change of shift)
Katz DA, Williams GC, Brown RL, Aufderheide TP, Bogner M, Rahko PS, Selker HP. Emergency physicians' fear of malpractice in evaluating patients with possible acute cardiac ischemia. 2005;46:525–33
Katz ED (*see* Mohart et al). 2005;46:S55–S56 (Research Forum abstracts)
Katz J (*see* Kabrhel et al). 2005;46:S11 (Research Forum abstracts)
Kaylor D (*see* Coon et al). 2005;46:473 (Correspondence)
Kaylor DW, Crystal CS, Coon TP, Miller MA, Skinner CG, Linklater D, Christensen J. The utility of bedside ultrasound for the detection of soft tissue foreign bodies in the emergency department. 2005;46:S79 (Research Forum abstracts)
Kaylor DW (*see* Coon et al). 2005;46:S28 (Research Forum abstracts)
Kelly D (*see* Chan et al). 2005;46:491–7
Kelly DL (*see* Chan et al). 2005;46:S107–S108 (Research Forum abstracts)
Kenepp G (*see* Jones et al). 2005;46:S32 (Research Forum abstracts)
Kenjarski BM, Ellis DG, Weber RE, Mayrose J, Jehle DV. Emergency telemedicine statewide system as basis for cost-analysis study. 2005;46:S103 (Research Forum abstracts)
Kennedy F (*see* Davis et al). 2005;46:115–22
Kennedy M, Bates DW, Wright SB, Ruiz R, Wolfe RE, Shapiro NI. Do emergency department blood cultures change practice in patients with pneumonia? 2005;46:393–400, 2005;46:S105 (Research Forum abstracts)
Kennedy RL (*see* Harrison and Kennedy). 2005;46:431–9
Kenny MK (*see* Bijur et al). 2005;46:362–7 (Brief research report)
Kerfoot P (*see* Masser et al). 2005;46:S14–S15 (Research Forum abstracts)
Kern KB (*see* Heidenreich et al). 2005;46:S76 (Research Forum abstracts)
Kernan L (*see* Gerhardt and Kernan). 2005;46:S37 (Research Forum abstracts), 2005;46:S37–S38 (Research Forum abstracts)
Kerns WP (*see* Lavonas et al). 2005;46:207–8 (Correspondence)
Khan GM (*see* O'Sullivan et al). 2005;46:S19–S20 (Research Forum abstracts)
Khandelwal S (*see* White et al). 2005;46:S120–S121 (Research Forum abstracts)
Khare RK (*see* Kowalenko et al). 2005;46:142–7
Killeen JP (*see* Chan et al). 2005;46:491–7, 2005;46:S107–S108 (Research Forum abstracts)
Killey B (*see* Schabowski et al). 2005;46:S25–S26 (Research Forum abstracts)
Kim B (*see* Perry et al). 2005;46:S48 (Research Forum abstracts)
Kim GW (*see* Lee et al). 2005;46:S63 (Research Forum abstracts)
Kim H. The clinical characteristics of organophosphate intoxication in geriatric patients. 2005;46:S19 (Research Forum abstracts)
Kim H. Clinical course and associated factor of reexpansion pulmonary edema in non-traumatic spontaneous pneumothorax. 2005;46:S99 (Research Forum abstracts)
Kim H (*see* Lee et al). 2005;46:S66 (Research Forum abstracts)
Kim H (*see* Oh et al). 2005;46:S47 (Research Forum abstracts)
Kim H. Serum B-type natriuretic peptide (BNP) level in geriatric heart failure. 2005;46:S19 (Research Forum abstracts)
Kim HJ. The evaluation of intracranial injury in patients who admitted with isolated closed head injury in emergency department compared with external wound characteristics. 2005;46:S37 (Research Forum abstracts)
Kim HJ (*see* Lee et al). 2005;46:S66 (Research Forum abstracts)
Kim HJ. The treatment of acute hyperventilation syndrome in in- or out-of-hospital patients: drug sedation, reservoir bag with O_2 and combination. 2005;46:S101 (Research Forum abstracts)
Kim J (*see* Lee et al). 2005;46:S118 (Research Forum abstracts)
Kim J (*see* Lee et al). 2005;46:S118 (Research Forum abstracts)
Kim S, Chung S, Yoo I. Molecular characterization of ischemia-responsive protein 94 (irp94) response to unfolded protein response in neuron. 2005;46:S68–S69 (Research Forum abstracts)
Kim S. Prognostic value of an initial strong ion gap in critically ill patients in the emergency department. 2005;46:S104–S105 (Research Forum abstracts)
Kim S (*see* Hwang et al). 2005;46:S75 (Research Forum abstracts)
Kim S (*see* Oh et al). 2005;46:S47 (Research Forum abstracts)
Kim SC (*see* Shin et al). 2005;46:S90 (Research Forum abstracts)
Kimball E (*see* Huang et al). 2005;46:217–23 (Concepts)
King J (*see* Levy et al). 2005;46:S108–S109 (Research Forum abstracts)
King KK (*see* Catenacci and King). 2005;46:559, 564 (Images in emergency medicine)
King RA, Irvin CB, Bascom E. Critical time: "patterning" for pediatric firearm injuries. 2005;46:S84 (Research Forum abstracts)
King T (*see* Levine et al). 2005;46:S99–S100 (Research Forum abstracts)
Kinkle WC (*see* Levitan et al). 2005;46:S5 (Research Forum abstracts)
Kirchoff J (*see* Schabowski et al). 2005;46:S25 (Research Forum abstracts)
Klawitter PF (*see* Giasi et al). 2005;46:S70 (Research Forum abstracts)
Kleinberg JA (*see* Sidransky et al). 2005;46:S51 (Research Forum abstracts)
Kline JA (*see* Mitchell et al). 2005;46:S42 (Research Forum abstracts), 2005;46:S68 (Research Forum abstracts)
Kline JA (*see* Runyon et al). 2005;46:S68 (Research Forum abstracts)
Knatterud ME. We WERE there. 2005;46:468 (Change of shift)
Koenig L, Dobson A, Book R, Smith A, El-Gamil A. Medicare imaging services: the impact of including hospital outpatient services in estimates of growth. 2005;46:S33 (Research Forum abstracts)
Kolb JC, Cox RD, Jackson-Williams L, Nicholson SA. Incidence of acute neurological abnormalities associated with hyperglycemia. 2005;46:S71 (Research Forum abstracts)
Kolecki P (*see* Wald et al). 2005;46:S13–S14 (Research Forum abstracts)
Kongoasa N (*see* Gilmore et al). 2005;46:S1 (Research Forum abstracts)
Königsrainer (*see* Krismer et al). 2005;46:337–42
Kontos M (*see* Miller et al). 2005;46:S3 (Research Forum abstracts)
Korn CS, Hollinger M, Henderson SO. Pediatric head injury in an urban level 1 ED. 2005;46:S67 (Research Forum abstracts)

Korn CS, Hollinger M, Henderson SO. Ruptured ectopic pregnancy diagnosed in the emergency department. 2005;46:S56 (Research Forum abstracts)
Koroshetz WJ (*see* Borczuk et al). 2005;46:S63–S64 (Research Forum abstracts)
Kosowsky JM. Is the initial diagnostic impression of "noncardiac chest pain" adequate to exclude cardiac disease? 2005;46:96 (Correspondence)
Kovacic D (*see* Marinsek et al). 2005;46:S49 (Research Forum abstracts)
Kowalenko T, Walters BL, Khare RK, Compton S. Workplace violence: a survey of emergency physicians in the state of Michigan. 2005;46:142–7
Kramer J (*see* Walter et al). 2005;46:S102 (Research Forum abstracts)
Krantz AJ (*see* Minor et al). 2005;46:S102 (Research Forum abstracts)
Kraus C (*see* Brill et al). 2005;46:S31 (Research Forum abstracts)
Krauss B (*see* Silvestri et al). 2005;46:S6 (Research Forum abstracts)
Kravitz J (*see* Chandra et al). 2005;46:S82–S83 (Research Forum abstracts)
Krismer AC, Wenzel V, Lindner KH, Haslinger CW, Oroszy S, Stadlbauer KH, Königsrainer A, Boville B, Hörmann C. Influence of positive end-expiratory pressure ventilation on survival during severe hemorrhagic shock. 2005;46:337–42
Krohmer J (*see* Jones et al). 2005;46:S32 (Research Forum abstracts)
Kruse L (*see* Mitchell et al). 2005;46:S68 (Research Forum abstracts)
Kruus L (*see* Wald et al). 2005;46:S13–S14 (Research Forum abstracts)
Ku PT (*see* Cheng et al). 2005;46:S26 (Research Forum abstracts)
Kudenchuk PJ (*see* Rea et al). 2005;46:132–41
Kuhn G (*see* Levy et al). 2005;46:S108–S109 (Research Forum abstracts)
Kumar MP, Tung G, Richardson R, Jenny C, Brown WD. Comparison of accidental and nonaccidental traumatic head injury in children on noncontrast computed tomography. 2005;46:S96–S97 (Research Forum abstracts)
Kupas DF (*see* Ray and Kupas). 2005;46:S113 (Research Forum abstracts)
Kurz MC, Gupta R, Ahmad F. Use of a Web-based electronic tracking system to enroll patients in clinical studies in the emergency department. 2005;46:S103 (Research Forum abstracts)
Kwak Y (*see* Kwon et al). 2005;46:S36 (Research Forum abstracts)
Kwon NS, Waxman M, Moore EC, Lewin J, Mary AH, Hoffman RS, Nelson LS, Chiang WK, Goldfrank LR. Herbal medicine use by patients presenting to the emergency department. 2005;46:S77–S78 (Research Forum abstracts)
Kwon R (*see* Chan et al). 2005;46:S36–S37 (Research Forum abstracts)
Kwon W, Gang H, Shin S, Jung S, Kwak Y, Suh GJ. Out-of-hospital management of human exposures to toxic substances. 2005;46:S36 (Research Forum abstracts)

L

LaCovey D (*see* Davidovic et al). 2005;46:37–42 (Brief research report)
Laguna P (*see* del Arco et al). 2005;46:424–30
Lahn M (*see* Corbo et al). 2005;46:323–7 (Brief research report)
Lai Z (*see* Joshi et al). 2005;46:S53 (Research Forum abstracts)
Laird TW (*see* Gerhardt et al). 2005;46:S45–S46 (Research Forum abstracts)
Lairet JR, Lee M. A comparison of standard manual cardiopulmonary resuscitation versus the AutoPulse mechanical cardiopulmonary resuscitation device. 2005;46:S114 (Research Forum abstracts)
Lally J (*see* Mallon et al). 2005;46:S23 (Research Forum abstracts)
Lam PKW (*see* Woo et al). 2005;46:352–61
LaMantia J (*see* Barata et al). 2005;46:S54 (Research Forum abstracts)
Lambert L (*see* Frazee et al). 2005;46:401–4 (Case report)
Lang DM (*see* Clark et al). 2005;46:S102 (Research Forum abstracts)
Lang ES. Treatment of carotid artery dissection. 2005;46:294–5 (Systematic review abstract)
Lanigan M, Newman DH, McOsker JL, Quaas J, Mason C. Utility of the digital rectal examination as a diagnostic predictor variable in the presentation of undifferentiated abdominal pain. 2005;46:S81 (Research Forum abstracts)
LaPerriere KA (*see* Eliopoulos et al). 2005;46:S15 (Research Forum abstracts)
Lapostolle F (*see* Haouach et al). 2005;46:S30 (Research Forum abstracts)
Larkin GL, Carey SM, Allen E, Berg RA, Nadkarni V. Recurrence risk for emergency department survivors of pulseless cardiac arrest: a report from the National Registry of Cardiopulmonary Resuscitation. 2005;46: S17–S18 (Research Forum abstracts)
Larkin GL, Parks JK, Alexander GC, Wynia MK. Bioterrorism and public health emergency preparedness: a national survey of physician knowledge and perceived preparedness. 2005;46:S58 (Research Forum abstracts)
Larson E (*see* Carr et al). 2005;46:S39–S40 (Research Forum abstracts)
Latayan M (*see* Prendergast et al). 2005;46: S115–S116 (Research Forum abstracts)
Later PR, Geer BM, Pollack ML. Cervical spine fractures in the elderly. 2005;46:S66 (Research Forum abstracts)
Lau J (*see* Eidelman et al). 2005;46:343–51
Lau TC (*see* Merchant et al). 2005;46:S97 (Research Forum abstracts)
Laudon DA (*see* Raghavan et al). 2005;46:S43 (Research Forum abstracts)
LaValley J (*see* Rimple et al). 2005;46:S58 (Research Forum abstracts)
Lavery R (*see* Chan et al). 2005;46:S36–S37 (Research Forum abstracts)
Lavonas EJ, Beuhler MC, Ford MD, Kerns WP, Rouse AM, Tomaszewski CA, Wittler MA. Intravenous administration of *N*-acetylcysteine: oral and parenteral formulations are both acceptable. 2005;46:207–8 (Correspondence)
Leber M (*see* Hsu et al). 2005;46:S22 (Research Forum abstracts)
Lebosquet T (*see* Berkoff et al). 2005;46:S85 (Research Forum abstracts)
Ledyard HK (*see* Lyons et al). 2005;46:22–8
Lee A (*see* Diercks et al). 2005;46:S51 (Research Forum abstracts)
Lee CC, Golub R, Cantu R. Routine versus selective computed tomography in the evaluation of right lower quadrant pain in the emergency department. 2005;46:S81 (Research Forum abstracts)
Lee CC, Henry MC, Polena S, Kim GW, Cho JP. The etiology of cerebrovascular accidents in geriatric population. 2005;46:S63 (Research Forum abstracts)
Lee DC, Chu J, Bania TC, Elliott DT, Eric P, Gursahani K. Age is not associated with increased admission rates, hospital length-of-stay, or mortality in elderly emergency department patients presenting with undifferentiated abdominal pain. 2005;46:S118 (Research Forum abstracts)
Lee DC, Johnson AB, Rudolph GS. Age is associated with hospital length-of-stay but not with admission rates, anemia, or mortality in emergency department patients with elevated international normalization ratios. 2005;46:S117 (Research Forum abstracts)
Lee DC, Patel JH, Novak TD. Does kidney stone location, sex, or time of presentation affect rates of hospital admission in emergency department patients who present with renal colic? 2005;46:S43–S44 (Research Forum abstracts)
Lee J (*see* Fesmire et al). 2005;46:S8 (Research Forum abstracts)
Lee K, Han S, Kim J, Kim J, Baek K, Hong S. Does it predict femur fracture by biochemical marker and bone mineral density? 2005;46:S118 (Research Forum abstracts)
Lee K (*see* Hwang et al). 2005;46:S75 (Research Forum abstracts)
Lee K (*see* Oh et al). 2005;46:S47 (Research Forum abstracts)
Lee KH, Ji H, Oh SB, Kim H, Hwang S, Kim HJ. Correlation of the serum antithrombin III to injury severity in patients with severe trauma. 2005;46:S66 (Research Forum abstracts)
Lee M (*see* Lairet and Lee). 2005;46:S114 (Research Forum abstracts)
Lee W, Carmaron PA. Road traffic injuries in the elderly. 2005;46:S36 (Research Forum abstracts)
Leech S (*see* Sierzenski et al). 2005;46:S52 (Research Forum abstracts)
Leech SJ, Sierzenski PR, Gukhool JA, O'Connor RE. Replacing a cart-based ultrasound system with a compact system increases emergency bedside ultrasound use and user confidence. 2005;46:S21 (Research Forum abstracts)
Lefkowits D, Hogle GA, Heinz S, Cutter G, Weil K, Mitchell A. Comparison of the effectiveness of nasal packing devices for emergency department treatment of epistaxis. 2005;46:S112 (Research Forum abstracts)
Lemme KA (*see* Seupaul and Lemme). 2005;46:490, 497 (Images in emergency medicine)
Lemme KA, Seupaul RA. [Parinaud's oculoglandular syndrome]. 2005;46:406, 423 (Images in emergency medicine)
Lenfesty B (*see* Norton et al). 2005;46:S110 (Research Forum abstracts)
Lenhardt RO (*see* Walter et al). 2005;46:S92 (Research Forum abstracts), 2005;46:S102 (Research Forum abstracts)
Lera L (*see* DeSandre et al). 2005;46:S64–S65 (Research Forum abstracts)
Lera L (*see* Lovett et al). 2005;46:S12–S13 (Research Forum abstracts)
Lev M (*see* Borczuk et al). 2005;46:S63–S64 (Research Forum abstracts)

Levick N, Swanson J. An optimal solution for enhancing ambulance transport safety: a real-time driver performance monitoring and feedback device. 2005;46:S112–S113 (Research Forum abstracts)
Levin A, Bair A. Ultrasound evaluation of the positional vascular anatomy of the neck: position optimization for central venous access. 2005;46:S26–S27 (Research Forum abstracts)
Levin WJ (*see* Levitan et al). 2005;46:S5 (Research Forum abstracts)
Levine BJ, Humphrey ML, Bollinger ME, King T, Tuggle K, Faller A, Jasani NB. A comparison of haloperidol and Zyprasidone for acute undifferentiated agitation in the emergency department. 2005;46:S99–S100 (Research Forum abstracts)
Levinton C (*see* Brown et al). 2005;46:3–10
Levitan RM, Pisaturo J, Kinkle WC, Butler K, Levin WJ. The effect of stylet bend angle on tracheal tube passage using a straight-to-cuff shape. 2005;46:S5 (Research Forum abstracts)
Levsky M (*see* Shawcross et al). 2005;46:315, 327 (Images in emergency medicine)
Levsky ME (*see* Young et al). 2005;46:13, 21 (Images in emergency medicine)
Levy PD, Berk W, Compton S, King J, Sweeny P, Kuhn G, Bock BF. Effect of rapid patient evaluation on the rate and type of error citation of emergency physicians. 2005;46:S108–S109 (Research Forum abstracts)
Lewin J (*see* Kwon et al). 2005;46:S77–S78 (Research Forum abstracts)
Lewin MR, Platts-Mills TF, Wells J, Bickler P. An improvised cricothyrotomy device provides reliable airway access in un-embalmed, partially re-warmed, human cadavers. 2005;46:S86 (Research Forum abstracts)
Li G (*see* Betz and Li). 2005;46:544–51
Liebeskind DS (*see* Iannuzzi et al). 2005;46:S106 (Research Forum abstracts)
Light J (*see* Papa et al). 2005;46:S23–S24 (Research Forum abstracts)
Lim G, Hassan T, Devitt H, Bush S. How good are the BTS guidelines for diagnosis of pulmonary embolism in patients admitted onto a clinical decision unit? 2005;46:S98 (Research Forum abstracts)
Lim SH, Ananatharaman V, Ong M, Yo SL, Charles R, Chua T, Jacob E. The use of cardiac markers in emergency department 6 hour acute chest pain treatment and evaluation (ACTION) protocol—what we can learn from a randomised trial. 2005;46:S116 (Research Forum abstracts)
Lim SH (*see* Ong et al). 2005;46:237–42
Limperos RJ (*see* Bahner et al). 2005;46:S22 (Research Forum abstracts)
Lindner KH (*see* Krismer et al). 2005;46:337–42
Lindsell CJ (*see* Han et al). 2005;46:S9 (Research Forum abstracts)
Lindsell CJ (*see* Lyons et al). 2005;46:22–8
Lindsell CJ (*see* Meieran et al). 2005;46:S34 (Research Forum abstracts)
Lindsell CJ (*see* Miller et al). 2005;46:S114–S115 (Research Forum abstracts)
Lindsell CJ (*see* Ronan-Bentle et al). 2005;46:S111 (Research Forum abstracts)
Linklater D (*see* Coon and Linklater). 2005;46:202, 211 (Images in emergency medicine)
Linklater D (*see* Coon et al). 2005;46:S28 (Research Forum abstracts)
Linklater D (*see* Kaylor et al). 2005;46:S79 (Research Forum abstracts)
Lisabeth LD (*see* Brown et al). 2005;46:56–60
Litroff A (*see* Barata et al). 2005;46:S54 (Research Forum abstracts), 2005;46:S57–S58 (Research Forum abstracts), 2005;46:S93–S94 (Research Forum abstracts)
Livingston D (*see* Chan et al). 2005;46:S36–S37 (Research Forum abstracts)
Livote E (*see* Barata et al). 2005;46:S54 (Research Forum abstracts), 2005;46:S57–S58 (Research Forum abstracts)
Livote E (*see* Vega et al). 2005;46:S54–S55 (Research Forum abstracts)
Llovera I (*see* Barata et al). 2005;46:S57–S58 (Research Forum abstracts), 2005;46:S93–S94 (Research Forum abstracts)
Lobl JK (*see* Raghavan et al). 2005;46:S43 (Research Forum abstracts)
Lock D (*see* Deibel et al). 2005;46:S4–S5 (Research Forum abstracts)
Lohse CM (*see* Raghavan et al). 2005;46:S43 (Research Forum abstracts)
Long R (*see* Reed et al). 2005;46:S16–S17 (Research Forum abstracts)
Lopatin M (*see* Peacock et al). 2005;46:S114 (Research Forum abstracts)
Lopez-Altimiras F (*see* Coma et al). 2005;46:S92–S93 (Research Forum abstracts)
Losey T, Nguyen HB, Corbett SW, Wittlake WA. Inter-rater agreement of a non-invasive ultrasound cardiac output monitoring (USCOM) device in emergency department patients. 2005;46:S18 (Research Forum abstracts)
Louie J (*see* Stein et al). 2005;46:412–19
Louters L (*see* Ten Harmsel et al). 2005;46:S77 (Research Forum abstracts)
Love A, Greenberg MR, Brice M, Weinstock M. Emergency department screening and brief intervention of alcohol use disorders: how to do it and does it work? 2005;46:S12 (Research Forum abstracts)
Lovett PB, D'Angelo JD, Stürmann KM, Homel P, Cho H. Self-collection of stool: an alternative to digital rectal examination for fecal occult blood testing in the emergency department. 2005;46:S65 (Research Forum abstracts)
Lovett PB, Lera L, Stürmann KM. Rotators in the emergency department: conference attendance, duty hours compliance, sick call, and other issues. A survey of academic emergency medicine programs. 2005;46:S12–S13 (Research Forum abstracts)
Lowe RA, Fu R, Adams AL, McConnell KJ, Weathers CC, Gallia C, Mohr-Peterson J. Impact of cutbacks in the Oregon Health Plan on emergency department use: a statewide study. 2005;46:S120 (Research Forum abstracts)
Lowe RA (*see* Karwowski et al). 2005;46:S119–S120 (Research Forum abstracts)
Lowe RA (*see* Ogden et al). 2005;46:S33–S34 (Research Forum abstracts)
Lozada C (*see* Bryant et al). 2005;46:208 (Correspondence)
Luetke C (*see* Papa et al). 2005;46:S23–S24 (Research Forum abstracts)
Lumpkins JM (*see* Pigott et al). 2005;46:S47 (Research Forum abstracts)
Luterman A (*see* Caruso et al). 2005;46:S48 (Research Forum abstracts)
Lynch RM (*see* Brand and Lynch). 2005;46:S90 (Research Forum abstracts)
Lyon M (*see* Blaivas et al). 2005;46:S20–S21 (Research Forum abstracts), 2005;46:S52 (Research Forum abstracts)
Lyon M (*see* McIlrath et al). 2005;46:S53 (Research Forum abstracts)
Lyon M (*see* Schwartz et al). 2005;46:S87 (Research Forum abstracts)
Lyons EE (*see* Magid et al). 2005;46:14–21
Lyons MS, Lindsell CJ, Ledyard HK, Frame PT, Trott AT. Emergency department HIV testing and counseling: an ongoing experience in a low-prevalence area. 2005;46:22–8

M

Machen HE, Gopichandran V, Swaminkannu M. Developing a training program for managing common pediatric emergencies for non-medical personnel: a pilot study in India. 2005;46:S95 (Research Forum abstracts)
Macias CG (*see* Allen and Macias). 2005;46:43–50
Macias DJ, Ernst AA, Weiss SJ, Sklar DP. Comparison of emergency physicians' and attorneys' opinions on restraints usage in emergency department patients. 2005;46:S97 (Research Forum abstracts)
Macias WL, Nentwich L, Hong C, Chan K, Pliakas J, Thomas SH. Acute ischemic stroke in the modern era: impact of stroke care regionalization on evaluation, documentation and patient transport—the Massachusetts General Hospital experience. 2005;46:S62 (Research Forum abstracts)
Mackway-Jones K (*see* Hogg et al). 2005;46:305–10
Macpherson A (*see* Goldman et al). 2005;46:S109 (Research Forum abstracts)
Madan S (*see* Milzman et al). 2005;46:S38–S39 (Research Forum abstracts)
Madan S (*see* O'Leary et al). 2005;46:S80–S81 (Research Forum abstracts)
Maddow CL (*see* Chesney et al). 2005;46:S120 (Research Forum abstracts)
Madsen BE (*see* Giraldez et al). 2005;46:S59 (Research Forum abstracts)
Madsen BE (*see* Smars et al). 2005;46:S43 (Research Forum abstracts)
Madsen BE, Sztajnkrycer MD, Baez AA. Potential under-triage of acute non-traumatic conditions using the Simple Triage And Rapid Treatment system. 2005;46:S69 (Research Forum abstracts)
Magid DJ, Masoudi FA, Vinson DR, van der Vlugt TM, Padgett TG, Tricomi AJ, Lyons EE, Crounse L, Brand DW, Go AS, Ho PM, Rumsfeld JS. Older emergency department patients with acute myocardial infarction receive lower quality of care than younger patients. 2005;46:14–21
Magid DJ (*see* Wears and Magid). 2005;46:61–3 (Editorial)
Magid DJ (*see* Wears et al). 2005;46:253–5 (Editorial)
Mahaffey KW (*see* Miller et al). 2005;46:S3 (Research Forum abstracts)
Mahajan P (*see* Joshi et al). 2005;46:S53 (Research Forum abstracts)
Mahoney B (*see* Bultman et al). 2005;46:S113 (Research Forum abstracts)
Maimani O (*see* Alshinkity et al). 2005;46:S121 (Research Forum abstracts)

Makani S (*see* Garcia et al). 2005;46:S17 (Research Forum abstracts)
Mallon WK, Hathaway W, Aldrich A, Lally J, Blakeman J, Edwards I, Bell M. Reimbursement for emergency department electrocardiogram and radiograph interpretations: what is it worth for the "pit doc"? 2005;46:S23 (Research Forum abstracts)
Man S-Y (*see* Woo et al). 2005;46:352–61
Mandl KD (*see* Reis et al). 2005;46:386–7 (Correspondence)
Maniago E, Ardolic B. Documentation accuracy: does emergency medicine residency training make a difference? 2005;46:S8 (Research Forum abstracts)
Maniago E, Ardolic B, Peana J. ED patient flow: utilizing the Six Sigma approach to reduce emergency department overcrowding. 2005;46:S8 (Research Forum abstracts)
Mannenbach MS (*see* Hess and Mannenbach). 2005;46:498, 506 (Images in emergency medicine)
Marchesini G (*see* Fabbri et al). 2005;46:161–7
Marcon MJ (*see* Agoritsas et al). 2005;46:S82 (Research Forum abstracts)
Marill KA (*see* Parker et al). 2005;46:S23 (Research Forum abstracts)
Marinsek M, Kovacic D, Versnik D, Golez S, Parasuh M, Podbregar M. Prospective evaluation of satisfaction with emergency department analgesia in patients with acute undifferentiated abdominal pain. 2005;46:S49 (Research Forum abstracts)
Maroun VN, Cochrane DG, Allegra JR. Application of literature based exclusion criteria to an implementation of the "4-hour rule" for antibiotic administration in pneumonia. 2005;46:S16 (Research Forum abstracts)
Marowski-Thacker JK (*see* Thacker et al). 2005;46:S104 (Research Forum abstracts)
Marquez A, Prendergast HM, Schlichting A, Figueroa-Pal EM. Emergency department utilization: characterization and comparison of visits by minority versus non-minority elderly populations. 2005;46:S19 (Research Forum abstracts)
Marshburn TH (*see* Summers et al). 2005;46: 177–84 (Concepts)
Martin A (*see* del Arco et al). 2005;46:424–30
Martin DP (*see* Michael et al). 2005;46:S74 (Research Forum abstracts)
Martin G (*see* Garcia et al). 2005;46:S17 (Research Forum abstracts)
Martin TG, Pace AK, Pace SA, Robertson WO. Acetaminophen nomogram versus Buckley categories to predict overdose outcome. 2005;46:S50 (Research Forum abstracts)
Martin W (*see* Williams et al). 2005;46:S69 (Research Forum abstracts)
Martinez G (*see* Masip et al). 2005;46:S97 (Research Forum abstracts)
Martinez-Capolino C (*see* Garcia et al). 2005;46:S17 (Research Forum abstracts)
Martin-Gill C, Brady WJ, Ferguson J. Physician integration into an emergency medical services managed mass gathering event. 2005;46:S46 (Research Forum abstracts)
Martino ML (*see* DeLuca and Martino). 2005;46:S41 (Research Forum abstracts)
Mary AH (*see* Kwon et al). 2005;46:S77–S78 (Research Forum abstracts)
Maselli J (*see* Radeos et al). 2005;46:S16 (Research Forum abstracts)
Maselli J (*see* Stein et al). 2005;46:412–19
Masip J, Salazar A, Martinez G, Riera C, Escarrabill J, Corbella X. Violence-related injuries and domestic violence against women in an urban emergency department. 2005;46:S97 (Research Forum abstracts)
Mason C (*see* Lanigan et al). 2005;46:S81 (Research Forum abstracts)
Mason-Plunkett J, Sidman R, Mermel L, Jay G. Prevalence of methicillin-resistant *Staphylococcus aureus* among emergency department health care workers. 2005;46: S15–S16 (Research Forum abstracts)
Masoudi FA (*see* Magid et al). 2005;46:14–21
Masser BA, Woo B, Kerfoot P. Randomized controlled trial of physical examination teaching to first-year medical students in the emergency department. 2005;46:S14–S15 (Research Forum abstracts)
Matts C (*see* Kabrhel et al). 2005;46:S11 (Research Forum abstracts)
Mayer DM, Young A. When to use relative risk or odds ratios in describing study results. 2005;46:385–6 (Correspondence)
Mayer KH (*see* Merchant et al). 2005;46:S47 (Research Forum abstracts), 2005;46:S93 (Research Forum abstracts), 2005;46:S97 (Research Forum abstracts)
Mayer SA (*see* Jauch et al). 2005;46:S2 (Research Forum abstracts)
Mayerhoff RM (*see* Barata et al). 2005;46:S54 (Research Forum abstracts), 2005;46:S57–S58 (Research Forum abstracts), 2005;46:S93–S94 (Research Forum abstracts)
Mayerhoff RM (*see* D'Amore et al). 2005;46: S83–S84 (Research Forum abstracts)
Mayerhoff RM (*see* Vega et al). 2005;46:S54–S55 (Research Forum abstracts)
Mayrose J (*see* Kenjarski et al). 2005;46:S103 (Research Forum abstracts)
McCabe JB, Satish U, Streufert S. Competency evaluation in a cohort of emergency medicine residents using strategic management simulation. 2005;46:S29 (Research Forum abstracts)
McClain SA (*see* Singer et al). 2005;46:S68 (Research Forum abstracts)
McConnell JK. What do health savings accounts mean for the emergency department? 2005;46:536–40 (Concepts)
McConnell KJ (*see* Lowe et al). 2005;46:S120 (Research Forum abstracts)
McConnell KJ (*see* Newgard et al). 2005;46:S111 (Research Forum abstracts)
McCormack JE (*see* Henry et al). 2005;46:S67 (Research Forum abstracts)
McCoy J (*see* Gaieski et al). 2005;46:S4 (Research Forum abstracts)
McCubbin TR (*see* Wolf et al). 2005;46:S98–S99 (Research Forum abstracts)
McDermott MF (*see* Walter et al). 2005;46:S92 (Research Forum abstracts), 2005;46:S102 (Research Forum abstracts)
McDonnell J (*see* Ritchie et al). 2005;46:S42 (Research Forum abstracts)
McDonough J (*see* Waters et al). 2005;46:S80 (Research Forum abstracts)
McErlean M (*see* McKenna et al). 2005;46:S7 (Research Forum abstracts)
McGahan JP (*see* Holmes et al). 2005;46: 232–6
McGary WB (*see* Veser et al). 2005;46:S16 (Research Forum abstracts)
McGinnis HD (*see* Charles et al). 2005;46:S64 (Research Forum abstracts), 2005;46:S73 (Research Forum abstracts), 2005;46:S73–S74 (Research Forum abstracts)
McGinnis HD (*see* Nicks and McGinnis). 2005;46:S52–S53 (Research Forum abstracts)
McGinnis-Hainsworth D (*see* Megargel et al). 2005;46:S36 (Research Forum abstracts)
McGuire E (*see* Ritchie and McGuire). 2005;46:S58–S59 (Research Forum abstracts)
McHugh KA, Bryson SA, Dabulewicz J, Adams BD. The law of unintended consequences: implementation of point-of-care testing regulations decreases physician performance of digital rectal exams. 2005;46:S32–S33 (Research Forum abstracts)
McHugh-McNally A (*see* Swor et al). 2005;46:S42 (Research Forum abstracts)
McIlrath ST, Blaivas M, Lyon M. Patient follow-up after negative lower extremity ultrasound for deep venous thrombosis. 2005;46:S53 (Research Forum abstracts)
McKay MP, Garrison HG. Commentary: reducing drunk driving: what is the role of emergency physicians? 2005;46:553–5 (NHTSA notes commentary)
McKay MP (*see* Pallin et al). 2005;46:77–81 (Brief research report)
McKenna DP, Triner W, Kardos K, McErlean M. Patients' perception of privacy during various phases of emergency care. 2005;46:S7 (Research Forum abstracts)
McKenna DP, Triner W, McErlean M, Stern M. The workload and efficiency of nursing assistants trained to work as emergency transfer liaisons. 2005;46:S7 (Research Forum abstracts)
McKniff S (*see* Kaale et al). 2005;46:S108 (Research Forum abstracts)
McMahon B (*see* Winslow et al). 2005;46:S61 (Research Forum abstracts)
McManus JG Jr, Convertino VA, Cooke WH, Holcomb JB. The use of electrocardiograph R-wave amplitude fails to predict early hypovolemia in humans. 2005;46:S66–S67 (Research Forum abstracts)
McManus JG Jr, Hill G, Ward J, Cain J, Parsons D, Proulx C. An observational study comparing the Combitube and the King Laryngeal Tracheal Device in combat trauma airway training for U.S. Army combat medic students. 2005;46:S46 (Research Forum abstracts)
McManus JG Jr (*see* Schwartz et al). 2005;46:S87 (Research Forum abstracts)
McNair RS (*see* Fernandes et al). 2005;46:204–5 (Correspondence)
McNamara M (*see* Kabrhel et al). 2005;46:S11 (Research Forum abstracts)
McOsker JL (*see* Lanigan et al). 2005;46:S81 (Research Forum abstracts)
Meadows T (*see* Qureshi et al). 2005;46:29–36
Medado P (*see* Bastani et al). 2005;46:S92 (Research Forum abstracts)
Medado P (*see* Bork et al). 2005;46:S44 (Research Forum abstracts)
Medzon R (*see* Choo et al). 2005;46:S84 (Research Forum abstracts)
Megargel RE, McGinnis-Hainsworth D, O'Connor RE. Survival following penetrating trauma and response time delays. 2005;46:S36 (Research Forum abstracts)
Meggs WJ (*see* Murr et al). 2005;46:S76–S77 (Research Forum abstracts)

Mehta SD, Fernandez WG, Agarwal SK, Bauza G, Harrison P, Hirsch E, Burke P. Routinely collected data from an electronic trauma registry: trends over time in injury mechanism and patient outcome. 2005;46:S85 (Research Forum abstracts)
Mehta SD (*see* Berg et al). 2005;46:S89 (Research Forum abstracts)
Mehta SD (*see* Choo et al). 2005;46:S84 (Research Forum abstracts)
Mehta SD (*see* Evans et al). 2005;46:S10 (Research Forum abstracts)
Mehta SD (*see* Hultin et al). 2005;46:S43 (Research Forum abstracts)
Meieran S, Bazemore A, Lindsell CJ. Comparison of users of an emergency department versus users of community health clinics with similar complaint profiles—a patient-centered approach. 2005;46:S34 (Research Forum abstracts)
Melanson S (*see* Gambarota et al). 2005;46:S56 (Research Forum abstracts)
Mellick LB. Pediatric laryngoscope blade size selection using facial landmarks. 2005;46:S87 (Research Forum abstracts)
Mellick LB. Will the headaches of pediatric patients respond to bilateral lower cervical intramuscular bupivacaine injections? 2005;46:S91 (Research Forum abstracts)
Melniker LA, Briggs WM. Predictive value of point-of-care, limited ultrasonography for trauma using the focused assessment with sonography in trauma scanning technique with a hemoperitoneum score in assessing the need for operative care in torso trauma patients. 2005;46:S112 (Research Forum abstracts)
Melniker LA (*see* Milling et al). 2005;46:S26 (Research Forum abstracts)
Meltzer A (*see* Murr et al). 2005;46:S76–S77 (Research Forum abstracts)
Mencl F (*see* Elshove-Bolk et al). 2005;46:S88–S89 (Research Forum abstracts)
Mencl F (*see* Jansen and Mencl). 2005;46:S21 (Research Forum abstracts)
Mendoza CD (*see* Eliopoulos et al). 2005;46:S15 (Research Forum abstracts)
Mendoza MX (*see* Eliopoulos et al). 2005;46:S15 (Research Forum abstracts)
Mengozzi G (*see* Battista et al). 2005;46:S3–S4 (Research Forum abstracts)
Menzin J (*see* Russell et al). 2005;46:S57 (Research Forum abstracts)
Merchant RC. Antiretroviral postexposure prophylaxis after sexual, injection-drug use, or other nonoccupational exposure to HIV in the United States. 2005;46:84–6 (CDC update commentary)
Merchant RC, Chee KM, Becker BM, Mayer KH. Health care worker blood or body fluid exposures and HIV prophylaxis provision at Rhode Island emergency departments. 2005;46:S93 (Research Forum abstracts)
Merchant RC, Gee EM, Damergis JA, Bock BC, Becker BM, Clark MA. Correlates of contraceptive usage among female emergency department patients. 2005;46:S94–S95 (Research Forum abstracts)
Merchant RC, Lau TC, Becker BM, Mayer KH. Adult sexual assault evaluations at Rhode Island emergency departments, 1995-2001. 2005;46:S97 (Research Forum abstracts)
Merchant RC, Phillips BZ, Becker BM, Mayer KH. Predictors of STD and pregnancy testing and prophylaxis usage for adult female sexual assault survivors in Rhode Island EDs. 2005;46:S47 (Research Forum abstracts)
Merkley M (*see* Daniel et al). 2005;46:S115 (Research Forum abstracts)
Mermel L (*see* Mason-Plunkett et al). 2005;46:S15–S16 (Research Forum abstracts)
Messner K (*see* Kaale et al). 2005;46:S108 (Research Forum abstracts)
Metlay JP (*see* Radeos et al). 2005;46:S16 (Research Forum abstracts)
Metz M (*see* Davis et al). 2005;46:S17 (Research Forum abstracts)
Meunier JM (*see* Shaw et al). 2005;46:S27 (Research Forum abstracts)
Meurer D (*see* Papa et al). 2005;46:S23–S24 (Research Forum abstracts), 2005;46:S59 (Research Forum abstracts)
Meyer L (*see* Schepker et al). 2005;46:S13 (Research Forum abstracts)
Meyers A (*see* Houston et al). 2005;46:S100–S101 (Research Forum abstracts)
Meyers R (*see* Haydel et al). 2005;46:S66 (Research Forum abstracts)
Meza YE, Williams E, Salazar S, Fasano CJ. Accuracy of immunization histories given by adults accompanying children 3-36 months to the emergency department: are they reliable. 2005;46:S15 (Research Forum abstracts)
Mezrich J (*see* Filbin et al). 2005;46:S75 (Research Forum abstracts)
Michael JB, Palm KH, Goyal DG, Martin DP, Vukov LF. Patient controlled analgesia for hip fractures in the emergency department: a prospective randomized controlled trial. 2005;46:S74 (Research Forum abstracts)
Michael KD (*see* Gerard et al). 2005;46:S100 (Research Forum abstracts)
Michalke JA, Patel SG, Siler Fisher A, Hoxhaj S, Augustine J, Davidson SJ, O'Connor RE, Reese CL IV. Emergency department size determines the demographics of emergency department patients. 2005;46:S39 (Research Forum abstracts)
Miles E (*see* Miller et al). 2005;46:S70 (Research Forum abstracts)
Milford-Beland S (*see* Cairns et al). 2005;46:S116 (Research Forum abstracts)
Milford-Beland S (*see* Peacock et al). 2005;46:S3 (Research Forum abstracts)
Miller A (*see* Walter et al). 2005;46:S102 (Research Forum abstracts)
Miller CD. Is the initial diagnostic impression of "noncardiac chest pain" adequate to exclude cardiac disease? 2005;46:96–7 (Correspondence reply)
Miller CD, Kontos M, Mahaffey KW, Fermann GJ, Banerjee A, Pollack CV Jr, Santos R, Ferguson JJ, Califf RM, Hoekstra JW. Patients with evolving myocardial infarction have a significant missed opportunity for earlier treatment: experience from the SYNERGY Trial. 2005;46:S3 (Research Forum abstracts)
Miller CD, Mulgund J, Hoekstra JW, Santos R, Pollack CV Jr, Gibler WB, Peterson ED, Roe MT. Patterns and correlates of acute (<24 hours) use of beta-blockers for non-ST-segment elevation acute coronary syndromes: results from the CRUSADE initiative. 2005;46: S59–S60 (Research Forum abstracts)
Miller CD (*see* Han et al). 2005;46:S9 (Research Forum abstracts)
Miller D, Lindsell CJ, Fermann GJ, Hollander JE, Pollack CV Jr, Peacock WF IV, Gibler WB, Hoekstra JW. After the first negative troponin: distinguishing patients with evolving myocardial infarctions from those without infarction in emergency department patients with chest pain. 2005;46:S114–S115 (Research Forum abstracts)
Miller M (*see* Coon et al). 2005;46:473 (Correspondence)
Miller M (*see* Shawcross et al). 2005;46:315, 327 (Images in emergency medicine)
Miller MA, Coon TP, Miles E, Belson M, Patel M, Christensen J. The impact of pretest probability upon radiograph interpretation: anthrax and mediastinal widening. 2005;46:S70 (Research Forum abstracts)
Miller MA (*see* Coon et al). 2005;46:S28 (Research Forum abstracts)
Miller MA (*see* Crystal et al). 2005;46:S38 (Research Forum abstracts), 2005;46:S86–S87 (Research Forum abstracts)
Miller MA (*see* Kaylor et al). 2005;46:S79 (Research Forum abstracts)
Miller MA (*see* Young et al). 2005;46:S6 (Research Forum abstracts)
Miller V (*see* O'Sullivan et al). 2005;46:S19–S20 (Research Forum abstracts)
Milling TJ. Drug and alcohol use in emergency medicine residency: an impaired resident's perspective. 2005;46:148–51 (Residents' perspective)
Milling TJ Jr, Holden C, Melniker LA, Briggs WM. Use of real-time, single-operator dynamic ultrasound guidance for internal jugular central venous cannulation: a randomized, controlled clinical trial. 2005;46:S26 (Research Forum abstracts)
Mills AM, Barros S. Are blood cultures necessary in adults with pyelonephritis? 2005;46:285–7 (Best available evidence)
Mills AM (*see* Chen and Mills). 2005;46:440–4 (Best available evidence)
Mills L (*see* Haydel et al). 2005;46:S66 (Research Forum abstracts)
Mills L (*see* Sacks et al). 2005;46:S25 (Research Forum abstracts)
Mills LD (*see* Do et al). 2005;46:S94 (Research Forum abstracts)
Mills LD (*see* Yursik et al). 2005;46:S56 (Research Forum abstracts)
Mills TJ (*see* Do et al). 2005;46:S94 (Research Forum abstracts)
Mills TJ (*see* Sacks et al). 2005;46:S25 (Research Forum abstracts)
Mills TJ (*see* Yursik et al). 2005;46:S56 (Research Forum abstracts)
Milton L (*see* Davis et al). 2005;46:S11 (Research Forum abstracts)
Milton L (*see* Milzman et al). 2005;46:S14 (Research Forum abstracts)
Milton L (*see* O'Leary et al). 2005;46:S80–S81 (Research Forum abstracts)
Milzman DP, Bolden J, Davis G, O'Leary C, Minton L. Truer ED volume: interpreting the effect of recidivism amongst patients. 2005;46:S11 (Research Forum abstracts)
Milzman DP, Ennis J, Barbaccia J, Davis G, Gebreyes K, Madan S. ED presentation of dyspnea in HF patients results in increased hospital stay and medication costs. 2005;46:S38–S29 (Research Forum abstracts)
Milzman DP, O'Leary C, Sarohia M, Milton L, Kaehler C. Prime time television seat belt

usage: still a poor example. 2005;46:S14 (Research Forum abstracts)
Milzman DP (*see* Davis et al). 2005;46:S11 (Research Forum abstracts)
Milzman DP (*see* O'Leary et al). 2005;46:S80–S81 (Research Forum abstracts)
Min Y (*see* Jeung et al). 2005;46:S35 (Research Forum abstracts)
Miner JR (*see* Danahy et al). 2005;46:S72–S73 (Research Forum abstracts)
Miner JR (*see* Hubbard et al). 2005;46:S74 (Research Forum abstracts)
Minor SK, Wallace KL, Krantz AJ. Prevalence of heroin use and heroin-related asthma symptoms among inner-city asthmatics. 2005;46:S102 (Research Forum abstracts)
Minton L (*see* Milzman et al). 2005;46:S11 (Research Forum abstracts)
Miro O (*see* Jimenez et al). 2005;46:S55 (Research Forum abstracts)
Miro O (*see* Sanchez et al). 2005;46:S24 (Research Forum abstracts)
Mistry C (*see* Walter et al). 2005;46:S102 (Research Forum abstracts)
Mitchell A (*see* Lefkowits et al). 2005;46:S112 (Research Forum abstracts)
Mitchell AM, Garvey JL, Kline JA. Troponin T and monocyte chemoattractant protein-1 in reducing chest pain unit testing for acute coronary syndromes in low-risk emergency department patients. 2005;46:S42 (Research Forum abstracts)
Mitchell AM, Zagorski J, Kruse L, Kline JA. Enhanced resolution of human plasma proteins by proteomic separation and 2-dimensional gel electrophoresis. 2005;46:S68 (Research Forum abstracts)
Mitchell LW (*see* Freishtat et al). 2005;46:S67 (Research Forum abstracts)
Mitchell P (*see* Berg et al). 2005;46:S89 (Research Forum abstracts)
Mitchell P (*see* Choo et al). 2005;46:S84 (Research Forum abstracts)
Mitchell P (*see* Evans et al). 2005;46:S10 (Research Forum abstracts)
Mitchell P (*see* Oyama et al). 2005;46:S24–S25 (Research Forum abstracts)
Mitchiner J. Is your pneumonia patient getting antibiotics within 4 hours? It's less likely if you practice in a large, urban teaching hospital. 2005;46:S98 (Research Forum abstracts)
Moch A (*see* Danahy et al). 2005;46:S72–S73 (Research Forum abstracts)
Moerke B (*see* Henderson et al). 2005;46:S17 (Research Forum abstracts)
Moettus AL. Weighing the 480-pound person. 2005;46:98 (Correspondence reply)
Mohammed F (*see* Roberts et al). 2005;46:275–84
Mohart AE, Banet GA, Katz ED. Resident sex and the pelvic exam: the effect of physician sex on selection and management of patients who may require a pelvic exam. 2005;46:S55–S56 (Research Forum abstracts)
Mohr-Peterson J (*see* Lowe et al). 2005;46:S120 (Research Forum abstracts)
Moises J, Amessoudji AW, Musto B, Ramirez J, Rodriguez de Turco EB, Van Meter K, Bazan NG. Docosahexaenoic acid complexed to human albumin reduces rat brain edema triggered by traumatic brain injury. 2005;46:S110 (Research Forum abstracts)
Moneta S (*see* Al Darrab et al). 2005;46:S40–S41 (Research Forum abstracts)
Mooney RL, Schears RM, Weaver AL. Prescription use and survival among nonagenarians presenting to the emergency department. 2005;46:S117 (Research Forum abstracts)
Moore EC (*see* Kwon et al). 2005;46:S77–S78 (Research Forum abstracts)
Moore EE (*see* Ungar et al). 2005;46:S110 (Research Forum abstracts)
Moorhead J (*see* Ogden et al). 2005;46:S33–S34 (Research Forum abstracts)
Moorman CT (*see* Berkoff et al). 2005;46:S8–S9 (Research Forum abstracts)
Morady M (*see* Tahani et al). 2005;46:S76 (Research Forum abstracts)
Moran GJ, Abrahamian FM. Blood cultures for community-acquired pneumonia: can we hit the target without a shotgun? 2005;46:407–8 (Editorial)
Morello CA, Carrubba C, Severance H. Can paramedics appropriately downgrade ALS to BLS transport based on a given set of protocols? 2005;46:S31 (Research Forum abstracts)
Morgan DL (*see* Henson et al). 2005;46:S37 (Research Forum abstracts)
Morgenstern LB (*see* Brown et al). 2005;46:56–60
Mossallam U (*see* Bilkovski et al). 2005;46:S27 (Research Forum abstracts)
Moyer P (*see* Chawla and Moyer). 2005;46:S45 (Research Forum abstracts)
Mueller MJ (*see* Williams et al). 2005;46:S69 (Research Forum abstracts)
Mulholland S (*see* Cameron et al). 2005;46:S112 (Research Forum abstracts)
Mullins R (*see* Norton et al). 2005;46:S110 (Research Forum abstracts)
Muñiz AE. Altered mental status evaluation in children presenting to an emergency department. 2005;46:S72 (Research Forum abstracts)
Muñiz AE. Serum lactate in children is not predictive of major trauma. 2005;46:S65 (Research Forum abstracts)
Muñiz AE. Should we order the lateral cervical spine and pelvic radiographs in children with major trauma. 2005;46:S36 (Research Forum abstracts)
Muñiz AE. Urinary tract infection one must exclude in febrile infants less than 3 months of age with respiratory syncytial virus (RSV). 2005;46:S83 (Research Forum abstracts)
Murr IM, Barrueto F, Meltzer A, Brewer KL, Meggs WJ. Effects of amiodarone in a porcine model of tricyclic antidepressant poisoning. 2005;46:S76–S77 (Research Forum abstracts)
Musto B (*see* Moises et al). 2005;46:S110 (Research Forum abstracts)
Mycyk MB (*see* Anderson et al). 2005;46:S78 (Research Forum abstracts)
Mycyk MB (*see* Tudor et al). 2005;46:S35 (Research Forum abstracts)

N

Nachat A (*see* DeSandre et al). 2005;46:S64–S65 (Research Forum abstracts)
Naderi S, Barnett B, Alagappan K, Dalipi R, Sheridan I, Silverman R. Factors associated with 'no-shows' for medical clinic appointments made from the emergency department. 2005;46:S113 (Research Forum abstracts)
Nadkarni V (*see* Donoghue et al). 2005;46:512–22 (Evidence-based emergency medicine)
Nadkarni V (*see* Larkin et al). 2005;46:S17–S18 (Research Forum abstracts)
Nagumey JT (*see* Borczuk et al). 2005;46:S63–S64 (Research Forum abstracts)
Nagurney JT, Resnick JB, Gatha N, Binder W, Filbin M, Borczuk P, Brown DF, Swap C, Parry B, Chang Y. Emergency physicians and the neurologic examination. 2005;46:S88 (Research Forum abstracts)
Nasir AA (*see* Chan et al). 2005;46:S36–S37 (Research Forum abstracts)
Natarajan N, Wilets I, Richardson LD. Health risks and behaviors among young Latinas who present to the emergency department. 2005;46:S94 (Research Forum abstracts)
National Highway Safety Administration. Breath test refusals in DWI enforcement: an interim report. 2005;46:552–3 (NHTSA notes)
National Highway Traffic Safety Administration. Knee-thigh-hip injuries in frontal crashes. 2005;46:168–9 (NHTSA notes)
National Highway Traffic Safety Administration. State medical advisory boards and driver license reviews. 2005;46:376–7 (NHTSA notes)
The National Institute of Neurological Disorders and Stroke rt-Pa Stroke Study Group. Recombinant tissue plasminogen activator for minor strokes: the National Institute of Neurological Disorders and Stroke rt-Pa Stroke Study experience. 2005;46:243–52
Naviaux N (*see* Nordenholz et al). 2005;46: S10–S11 (Research Forum abstracts)
Nazem S (*see* Tahani et al). 2005;46:S76 (Research Forum abstracts)
Nelson LS (*see* Hahn et al). 2005;46:298–9 (Correspondence)
Nelson LS (*see* Hoffman et al). 2005;46:S77 (Research Forum abstracts)
Nelson LS (*see* Kwon et al). 2005;46:S77–S78 (Research Forum abstracts)
Nelson MJ, Chiricolo GC, Raio CC, Theodoro DL, Patel T, Johnson AB. Can emergency physicians positively predict acute appendicitis on focused right lower quadrant ultrasound? 2005;46:S27–S28 (Research Forum abstracts)
Nelson MJ, Raio CC, Gerardo CC, Theodoro DL, Chun P. Can emergency physicians utilize the S. I. N. phenomenon (stone impacted in gallbladder neck) to accurately diagnose cholecystitis? 2005;46:S80 (Research Forum abstracts)
Nelson MJ (*see* Jacoby et al). 2005;46:S74 (Research Forum abstracts)
Nelson MJ (*see* Raio et al). 2005;46:S28 (Research Forum abstracts)
Nelson MJ (*see* Theodoro et al). 2005;46:S78 (Research Forum abstracts)
Nentwich L (*see* Macias et al). 2005;46:S62 (Research Forum abstracts)
Nesbitt L (*see* Donoghue et al). 2005;46:512–22 (Evidence-based emergency medicine)
Neumann PJ (*see* Russell et al). 2005;46:S57 (Research Forum abstracts)
Neuvonen PJ (*see* Alaspää et al). 2005;46:299–300 (Correspondence reply)
Newby LK (*see* Cairns et al). 2005;46:S116 (Research Forum abstracts)
Newby LK (*see* Gibler et al). 2005;46:185–97 (AHA statement)
Newby LK (*see* Peacock et al). 2005;46:S3 (Research Forum abstracts)
Newgard C. Agreement of existing and imputed prehospital data in a state trauma registry when

compared to ambulance data. 2005;46:S62 (Research Forum abstracts)
Newgard C, McConnell KJ, Hedges JR. Bias and variability in interhospital trauma transfer practices in a statewide rural trauma system. 2005;46:S111 (Research Forum abstracts)
Newgard C. Validation of probabilistic linkage for matching de-identified ambulance records to a state trauma registry. 2005;46:S45 (Research Forum abstracts)
Newman DH (*see* Lanigan et al). 2005;46:S81 (Research Forum abstracts)
Neyman G (*see* Irvin and Neyman). 2005;46:S69 (Research Forum abstracts)
Ngo AS, Rabind C, Samuel M, Wong E, Ponampalam R. Use of flumazenil in comatose patients presenting to the emergency department. 2005;46:S51 (Research Forum abstracts)
Nguyen H (*see* Holmes et al). 2005;46:232–6
Nguyen HB, Corbett SW, Clark RT, Cho T, Wittlake WA. Improving the uniformity of care with a sepsis bundle in the emergency department. 2005;46:S83 (Research Forum abstracts)
Nguyen HB (*see* Ebarb et al). 2005;46:S10 (Research Forum abstracts)
Nguyen HB (*see* Losey et al). 2005;46:S18 (Research Forum abstracts)
Nguyen HB (*see* Osborn et al). 2005;46:228–31 (Editorial). Correction 2005;46:379
Nicholson SA (*see* Kolb et al). 2005;46:S71 (Research Forum abstracts)
Nicks BA, McGinnis HD. Ultrasound confirmation of intraosseous line placement using a cadaveric teaching model. 2005;46:S52–S53 (Research Forum abstracts)
Nicoll K (*see* Brown et al). 2005;46:S38 (Research Forum abstracts)
Nikolopoulos P (*see* Akritidis et al). 2005;46:94, 98 (Images in emergency medicine)
Noble V (*see* Sutingco and Noble). 2005;46: S79–S80 (Research Forum abstracts)
Nordeman L (*see* Walter et al). 2005;46:S102 (Research Forum abstracts)
Nordenholz KE, Naviaux N, Zieske M, Hanson J, Wolf SJ, Heard K. Pulmonary embolism is uncommon in patients with moderate or high pre-test probability and negative D-dimers. 2005;46:S10–S11 (Research Forum abstracts)
Norton RL, Brand D, Lenfesty B, Mullins R. Emergency department observation unit management of trauma patients. 2005;46:S110 (Research Forum abstracts)
Norton RL, Steinfeldt MP, Truitt CA, Adams AL, Giffin SL, Alexander JD. Hospitalized pediatric poisoned patients with and without poison center consult. 2005;46:S50 (Research Forum abstracts)
Norton RL, Steinfeldt MP, Truitt CA, Adams AL, Giffin SL, Alexander JD. How accurate is the Toxic Exposure Surveillance System data compared to medical record data for hospitalized poisoned pediatric patients? 2005;46:S78 (Research Forum abstracts)
Novak TD (*see* Lee et al). 2005;46:S43–S44 (Research Forum abstracts)

O

Ochoa WG, Wedro BC, Firary SA. [Morula within a monocyte]. 2005;46:470, 478 (Images in emergency medicine)
Ochs G (*see* Davis et al). 2005;46:S62 (Research Forum abstracts)
O'Connor RE (*see* Bollinger et al). 2005;46:S46 (Research Forum abstracts)
O'Connor RE (*see* Hoxhaj et al). 2005;46:S42–S43 (Research Forum abstracts)
O'Connor RE (*see* Leech et al). 2005;46:S21 (Research Forum abstracts)
O'Connor RE (*see* Megargel et al). 2005;46:S36 (Research Forum abstracts)
O'Connor RE (*see* Michalke et al). 2005;46:S39 (Research Forum abstracts)
O'Connor RE (*see* Pesek-McCoy and O'Connor). 2005;46:S44 (Research Forum abstracts)
O'Connor RE (*see* Price et al). 2005;46:S40 (Research Forum abstracts)
O'Connor RE (*see* Reed et al). 2005;46:S75 (Research Forum abstracts)
O'Connor RE (*see* Sierzenski et al). 2005;46:S52 (Research Forum abstracts)
O'Connor RE (*see* Siler Fisher et al). 2005;46: S6–S7 (Research Forum abstracts)
Offerman S (*see* Diercks et al). 2005;46:S51 (Research Forum abstracts)
Ogden L, Lowe RA, Sanchez CD, Weathers C, Boyer-Quick J, Bauman B, Moorhead J. Impact of Oregon Health Plan cutbacks on emergency department patients varies by ethnicity. 2005;46:S33–S34 (Research Forum abstracts)
Oh SB, Hwang S, Kim S, Ji H, Kim H, Lee K. Elevation of plasma B-type natriuretic peptide and left ventricular systolic function in sepsis patients. 2005;46:S47 (Research Forum abstracts)
Oh SB (*see* Hwang et al). 2005;46:S75 (Research Forum abstracts)
Oh SB (*see* Lee et al). 2005;46:S66 (Research Forum abstracts)
Ohman EM (*see* Cairns et al). 2005;46:S116 (Research Forum abstracts)
Ohman EM (*see* Gibler et al). 2005;46:185–97 (AHA statement)
Ohman EM (*see* Peacock et al). 2005;46:S3 (Research Forum abstracts)
O'Kane JW (*see* Butler-Hall and O'Kane). 2005;46:S85 (Research Forum abstracts)
O'Leary C, Madan S, Davis G, Feldman D, Sarohia M, Milton L, Milzman DP. Relative risk of pulmonary embolism in end stage renal disease. 2005;46:S80–S81 (Research Forum abstracts)
O'Leary C (*see* Milzman et al). 2005;46:S11 (Research Forum abstracts), 2005;46:S14 (Research Forum abstracts)
Oliver B, Gross EA. Legionnaires disease associated with potable water in a hotel—Ocean City, MD, October 2003 to February 2004. 2005;46:290–1 (CDC update commentary)
Oliver J (*see* Gerhardt et al). 2005;46:S45–S46 (Research Forum abstracts)
Olshaker J (*see* Oyama et al). 2005;46:S24–S25 (Research Forum abstracts)
Olson LM (*see* Coule et al). 2005;46:S70 (Research Forum abstracts)
Olson M (*see* Szudera et al). 2005;46:S63 (Research Forum abstracts)
O'Malley G (*see* Deitch et al). 2005;46:S73 (Research Forum abstracts)
O'Neil BJ (*see* Bork et al). 2005;46:S44 (Research Forum abstracts)
O'Neil BJ (*see* O'Sullivan et al). 2005;46:S19–S20 (Research Forum abstracts)
O'Neil BJ (*see* Ryder and O'Neil et al). 2005;46:S20 (Research Forum abstracts)
Ong MEH, Coyle D, Lim SH, Stiell I. Cost-effectiveness of hair apposition technique compared with standard suturing in scalp lacerations. 2005;46:237–42
Oredsson S (*see* af Geijerstam et al). 2005;46: S109–S110 (Research Forum abstracts)
Oroszy S (*see* Krismer et al). 2005;46:337–42
O'Rourke MC (*see* Young et al). 2005;46:13, 21 (Images in emergency medicine)
Osalva N (*see* Chandra et al). 2005;46:S82–S83 (Research Forum abstracts)
Osborn TM, Nguyen HB, Rivers EP. Emergency medicine and the Surviving Sepsis Campaign: an international approach to managing severe sepsis and septic shock. 2005;46:228–31 (Editorial), 2005;46:228–31 (Editorial). Correction 2005;46:379
Osborn TM (*see* Barlotta et al). 2005;46:S24 (Research Forum abstracts)
Osborn TM (*see* Ebarb et al). 2005;46:S10 (Research Forum abstracts)
Osborn TM (*see* Huang et al). 2005;46:217–23 (Concepts)
O'Shaughnessy J. Triage questions. 2005;46:203 (Correspondence)
Osmond MH (*see* Donoghue et al). 2005;46: 512–22 (Evidence-based emergency medicine)
O'Sullivan J, Miller V, Khan GM, Zervos M, O'Neil BJ, Ryder A. Cefepime versus traditional antibiotic therapy in the treatment of nursing home acquired pneumonia: a pilot study. 2005;46:S19–S20 (Research Forum abstracts)
Otero R (*see* Chandra et al). 2005;46:S81 (Research Forum abstracts)
Overly WD (*see* Stehman et al). 2005;46:S106 (Research Forum abstracts)
Overton DT. Emergency medicine and critical care medicine: have the stars (finally) aligned? 2005;46:225–7 (Editorial)
Oyama L, Easow J, Mitchell P, Feldman J, Olshaker J, Fernandez WG. Evaluation of a pilot emergency department-based influenza vaccination initiative. 2005;46:S24–S25 (Research Forum abstracts)
Oyama L (*see* Berg et al). 2005;46:S89 (Research Forum abstracts)
Oyama L (*see* Hultin et al). 2005;46:S43 (Research Forum abstracts)

P

Pace AK (*see* Martin et al). 2005;46:S50 (Research Forum abstracts)
Pace SA (*see* Martin et al). 2005;46:S50 (Research Forum abstracts)
Padgett TG (*see* Magid et al). 2005;46:14–21
Palestrant S (*see* Reznikova et al). 2005;46:S82 (Research Forum abstracts)
Pallin DJ, Chng Y-M, McKay MP, Emond JA, Pelletier AJ, Camargo CA Jr. Epidemiology of epistaxis in US emergency departments, 1992 to 2001. 2005;46:77–81 (Brief research report)
Palm KH (*see* Michael et al). 2005;46:S74 (Research Forum abstracts)
Panacek EA (*see* Vierra et al). 2005;46:S33 (Research Forum abstracts)
Pancioli AM. The combined approach to lysis utilizing eptifibatide and rt-PA in acute ischemic stroke (the Clear Stroke Trial): blinded results from the first dose tier. 2005;46:S121 (Research Forum abstracts)

Pane G (*see* Hardeman et al). 2005;46:560–561 (Correspondence)
Papa L, Rees E, Ferguson K, Goldfeder B, Meurer D, Light J, Stair R, Willett M, Luetke C, Seaberg D. Does preparing patients for their emergency department experience through a waiting room video about process of care improve their satisfaction? 2005;46:S23–S24 (Research Forum abstracts)
Papa L, Shaw CR, Rees E, Goldfeder B, Meurer D, Seaberg D. Reliability of three sets of cardiac enzymes in the setting of acute chest pain in patients at low risk for acute coronary syndrome in the emergency department. 2005;46:S59 (Research Forum abstracts)
Paparounas K (*see* Akritidis et al). 2005;46:94, 98 (Images in emergency medicine)
Parasuh M (*see* Marinsek et al). 2005;46:S49 (Research Forum abstracts)
Parikh AK (*see* Costantino et al). 2005;46: 456–61
Pariyadath M (*see* Tayal et al). 2005;46:S80 (Research Forum abstracts)
Park C. The cardiopulmonary resuscitation training in Korean elementary school students. 2005;46:S89 (Research Forum abstracts)
Park E (*see* Bansal et al). 2005;46:S96 (Research Forum abstracts)
Parker RB, Marill KA, Walsh MJ. Impact of coder feedback on down-coding. 2005;46:S23 (Research Forum abstracts)
Parks JK (*see* Larkin et al). 2005;46:S58 (Research Forum abstracts)
Parry B (*see* Nagurney et al). 2005;46:S88 (Research Forum abstracts)
Parsons D (*see* McManus et al). 2005;46:S46 (Research Forum abstracts)
Partridge R (*see* Tubbs et al). 2005;46:S81–S82 (Research Forum abstracts)
Patel H (*see* Sidransky et al). 2005;46:S51 (Research Forum abstracts)
Patel JH (*see* Lee et al). 2005;46:S43–S44 (Research Forum abstracts)
Patel K (*see* Ritchie et al). 2005;46:S42 (Research Forum abstracts), 2005;46:S93 (Research Forum abstracts)
Patel M (*see* Miller et al). 2005;46:S70 (Research Forum abstracts)
Patel M (*see* Theodoro et al). 2005;46:S78 (Research Forum abstracts)
Patel PB, Vinson DR. Team assignment system: expediting emergency department care. 2005;46:499–506
Patel R (*see* Roberts et al). 2005;46:275–84
Patel S (*see* Sochor et al). 2005;46:S90 (Research Forum abstracts)
Patel SG (*see* Michalke et al). 2005;46:S39 (Research Forum abstracts)
Patel SG (*see* Siler Fisher et al). 2005;46:S6–S7 (Research Forum abstracts)
Patel T (*see* Nelson et al). 2005;46:S27–S28 (Research Forum abstracts)
Peacock WF IV, Emerman CL. Renal effects of nesiritide during short-term infusion for decompensated heart failure. 2005;46:S105–S106 (Research Forum abstracts)
Peacock WF IV, Phillips CO, Stevenson LW, Givertz MM, Lopatin M, Fonorow GC. Admission B-type natriuretic peptide levels in acute decompensated heart failure predict hospital length of stay: an analysis of 48,629 hospitalizations in ADHERE. 2005;46:S114 (Research Forum abstracts)
Peacock WF IV, Roe MT, Bhatt DL, Fonarow GC, Jesse RL, Christenson RH, Newby LK, Fesmire FM, Milford-Beland S, Ohman EM, Peterson ED. Non-ST-segment elevation acute coronary syndrome mortality: an analysis of B-type natriuretic peptide and cardiac troponin. 2005;46:S3 (Research Forum abstracts)
Peacock WF IV (*see* Cairns et al). 2005;46:S116 (Research Forum abstracts)
Peacock WF IV (*see* Han et al). 2005;46:S9 (Research Forum abstracts)
Peacock WF IV (*see* Miller et al). 2005;46: S114–S115 (Research Forum abstracts)
Peacock WF IV (*see* Tallman et al). 2005;46:S114 (Research Forum abstracts)
Peana J (*see* Maniago et al). 2005;46:S8 (Research Forum abstracts)
Pease J (*see* Strote et al). 2005;46:S85 (Research Forum abstracts)
Peay J (*see* Davis et al). 2005;46:115–22
Peberdy MA (*see* Reed et al). 2005;46:S75 (Research Forum abstracts)
Pechere-Bertschi A (*see* Rutschmann et al). 2005;46:172–6 (Brief research report)
Peden M, Toroyan T. Counting road traffic deaths and injuries: poor data should not detract from doing something! 2005;46:158–60 (Editorial)
Peery BN (*see* Wolf et al). 2005;46:S98–S99 (Research Forum abstracts)
Pelletier AJ (*see* Clark et al). 2005;46:S102 (Research Forum abstracts)
Pelletier AJ (*see* Doshi et al). 2005;46:369–75
Pelletier AJ (*see* Pallin et al). 2005;46:77–81 (Brief research report)
Pelletier AJ (*see* Strehlow et al). 2005;46:S48 (Research Forum abstracts)
Pellett N (*see* Tenison et al). 2005;46:S54 (Research Forum abstracts)
Perdreau-Remington F (*see* Frazee and Perdreau-Remington). 2005;46:385 (Correspondence reply)
Perry CM, Weigler A, Shipkey J, Kim B. Prevalence of sexually transmitted diseases in women with urinary complaints. 2005;46:S48 (Research Forum abstracts)
Pesek-McCoy MC, O'Connor RE. Alternate diagnoses are frequently established by pulmonary embolism protocol contrast-enhanced chest computed tomography. 2005;46:S44 (Research Forum abstracts)
Peters HL (*see* Pigott et al). 2005;46:S47 (Research Forum abstracts)
Peterson ED (*see* Cairns et al). 2005;46:S116 (Research Forum abstracts)
Peterson ED (*see* Gibler et al). 2005;46:185–97 (AHA statement)
Peterson ED (*see* Peacock et al). 2005;46:S3 (Research Forum abstracts)
Pfaff JA (*see* Gerhardt et al). 2005;46:S71–S72 (Research Forum abstracts)
Phelps MA, Rodriguez RM. The clinical impact of cardiac, abdominal, and lung exams for emergency department patients with minor chief complaints. 2005;46:S12 (Research Forum abstracts)
Phelps MA, Rodriguez RM. The comprehensive physical exam: when and why do emergency medicine residents perform them on patients with minor chief complaints? 2005;46:S28–S29 (Research Forum abstracts)
Phillips BZ (*see* Merchant et al). 2005;46:S47 (Research Forum abstracts)
Phillips CO (*see* Peacock et al). 2005;46:S114 (Research Forum abstracts)
Phua D, Seow E. The epidemiology and mortality of pelvic fractures. 2005;46:S67 (Research Forum abstracts)
Pigott DC, Bachmann LH, Peters HL, Lumpkins JM, Hook EW III. Does the presence of pregnancy or vaginal bleeding influence gonorrhea and chlamydia testing patterns? 2005;46:S47 (Research Forum abstracts)
Pigott DC, Buckingham RB. A comparison of digital video and still imaging for ultrasonography: an evaluation of diagnostic accuracy, user confidence and image quality. 2005;46:S52 (Research Forum abstracts)
Pisaturo J (*see* Levitan et al). 2005;46:S5 (Research Forum abstracts)
Pitetti RD (*see* Davidovic et al). 2005;46:37–42 (Brief research report)
Platts-Mills TF (*see* Lewin et al). 2005;46:S86 (Research Forum abstracts)
Pliakas J (*see* Macias et al). 2005;46:S62 (Research Forum abstracts)
Podbregar M (*see* Marinsek et al). 2005;46:S49 (Research Forum abstracts)
Polena S (*see* Lee et al). 2005;46:S63 (Research Forum abstracts)
Pollack CV Jr (*see* Cairns et al). 2005;46:S116 (Research Forum abstracts)
Pollack CV Jr (*see* Miller et al). 2005;46:S3 (Research Forum abstracts), 2005;46: S114–S115 (Research Forum abstracts)
Pollack CV (*see* Gibler et al). 2005;46:185–97 (AHA statement)
Pollack ML (*see* Later et al). 2005;46:S66 (Research Forum abstracts)
Ponampalam R (*see* Ngo et al). 2005;46:S51 (Research Forum abstracts)
Post D (*see* White et al). 2005;46:S120–S121 (Research Forum abstracts)
Prendergast HM (*see* Marquez et al). 2005;46:S19 (Research Forum abstracts)
Prendergast HM, Sloan E, Gordon R, Shanley J, Schlichting A, Boxley C, Latayan M. Correlation of acute and convalescent BNP levels in symptomatic heart failure patients presenting to the emergency department. 2005;46:S115–S116 (Research Forum abstracts)
Prestosh JC (*see* Axelband et al). 2005;46:S91 (Research Forum abstracts)
Price AS, Faller A, O'Connor RE. Length of stay of critically ill patients in the emergency department. 2005;46:S40 (Research Forum abstracts)
Promes S, Bordley W, Freiberger J, Cheung M. Carbon monoxide poisonings during the Southeastern ice storm of 2002: lessons learned. 2005;46:S57 (Research Forum abstracts)
Protic J (*see* Hoffman et al). 2005;46:S77 (Research Forum abstracts)
Proulx C (*see* McManus et al). 2005;46:S46 (Research Forum abstracts)

Q

Quaas J (*see* Lanigan et al). 2005;46:S81 (Research Forum abstracts)
Quattlebaum R (*see* Hobgood et al). 2005;46: 481–9
Queen JR (*see* Tallman et al). 2005;46:S114 (Research Forum abstracts)
Queener C (*see* Veser et al). 2005;46:S16 (Research Forum abstracts)

Quest TE, Bell K. Symptom burden and physical, emotional and functional well-being in cancer patients in the emergency department. 2005;46:S99 (Research Forum abstracts)
Qureshi F, Zaritsky A, Welch C, Meadows T, Burke BL. Clinical efficacy of racemic albuterol versus levalbuterol for the treatment of acute pediatric asthma. 2005;46:29–36

R

Rabind C (*see* Ngo et al). 2005;46:S51 (Research Forum abstracts)
Radeos MS, Gonzales R, Camargo CA Jr, Maselli J, Metlay JP. Is ED testing for group A *Streptococcus* associated with antibiotic prescription rates for adults with pharyngitis? 2005;46:S16
Radford M (*see* Graff et al). 2005;46:S60 (Research Forum abstracts), 2005;46:S60–S61 (Research Forum abstracts)
Raghavan AV, Decker WW, Lohse CM, Lobl JK, Laudon DA, Smars PA, Gibbons RJ. Assessment and management of chest pain in the septuagenarian population in the emergency department chest pain unit setting. 2005;46:S43 (Research Forum abstracts)
Rahko PS (*see* Katz et al). 2005;46:525–33
Rainer TH (*see* Woo et al). 2005;46:352–61
Raio CC, Johnson AB, Nelson MJ, Chiricolo GC, Theodoro DL, Baker A. Can emergency ultrasonographers utilize a water bath to more accurately identify superficial soft tissue foreign bodies? 2005;46:S28 (Research Forum abstracts)
Raio CC (*see* Nelson et al). 2005;46:S27–S28 (Research Forum abstracts), 2005;46:S80 (Research Forum abstracts)
Raio CC (*see* Theodoro et al). 2005;46:S78 (Research Forum abstracts)
Ralls G (*see* Silvestri et al). 2005;46:S6 (Research Forum abstracts)
Ramalanjaona G (*see* Rowden and Ramalanjaona). 2005;46:S14 (Research Forum abstracts)
Ramanujam P (*see* Davis et al). 2005;46:S17 (Research Forum abstracts)
Ramirez J (*see* Moises et al). 2005;46:S110 (Research Forum abstracts)
Rammohan G (*see* Stromski et al). 2005;46:S13 (Research Forum abstracts)
Rapone S (*see* Villarin et al). 2005;46:S103 (Research Forum abstracts)
Rashi S (*see* Clinton et al). 2005;46:S64 (Research Forum abstracts)
Rathlev N (*see* Hultin et al). 2005;46:S43 (Research Forum abstracts)
Raven MC, Hoffman RS. [Acute rectus sheath hematoma]. 2005;46:558, 562 (Images in emergency medicine)
Ray AM, Kupas DF. Comparison of rural and urban ambulance crashes in Pennsylvania. 2005;46:S113 (Research Forum abstracts)
Rayfield JC (*see* Gerhardt et al). 2005;46:S71–S72 (Research Forum abstracts)
Razzak JA, Hyder A. Perception of users and providers regarding district level emergency care system in Pakistan. 2005;46:S95 (Research Forum abstracts)
Rea TD, Shah S, Kudenchuk PJ, Copass MK, Cobb LA. Automated external defibrillators: to what extent does the algorithm delay CPR? 2005;46:132–41
Reardon RF (*see* Ho et al). 2005;46:S94 (Research Forum abstracts)
Reed D, Birnbaum A, Brown LH, Fleg JL, O'Connor RE, Peberdy MA, Van Ottingham L, Hallstrom AP. Location of cardiac arrests in the Public Access Defibrillation trial. 2005;46:S75 (Research Forum abstracts)
Reed D, Long R, Reed K, Sullivan T. Role of immunization registry data in pediatric patients diagnosed with Bordetella pertussis. 2005;46:S16–S17 (Research Forum abstracts)
Reed J (*see* Salen et al). 2005;46:S105 (Research Forum abstracts)
Reed K (*see* Reed et al). 2005;46:S16–S17 (Research Forum abstracts)
Rees E (*see* Papa et al). 2005;46:S23–S24 (Research Forum abstracts), 2005;46:S59 (Research Forum abstracts)
Reese CL IV (*see* Hoxhaj et al). 2005;46:S42–S43 (Research Forum abstracts)
Reese CL IV (*see* Michalke et al). 2005;46:S39 (Research Forum abstracts)
Reese CL IV (*see* Siler Fisher et al). 2005;46:S6–S7 (Research Forum abstracts)
Rehmani R. Reduction of home injury hazards by home visiting program: a randomized controlled trial. 2005;46:S86 (Research Forum abstracts)
Reis BY, Brownstein JS, Mandl KD. Running outside the baseline: impact of the 2004 Major League Baseball postseason on emergency department use. 2005;46:386–7 (Correspondence)
Reischman D (*see* Jones et al). 2005;46:S106–S107 (Research Forum abstracts)
Reiter S (*see* Rossman et al). 2005;46:S96 (Research Forum abstracts)
Resnick J (*see* Walls and Resnick). 2005;46:409–11 (Editorial)
Resnick JB, Bohan JS, Griffey R. Physician delay is key factor in delayed administration of antibiotics in community acquired pneumonia. 2005;46:S108 (Research Forum abstracts)
Resnick JB (*see* Borczuk et al). 2005;46:S63–S64 (Research Forum abstracts)
Resnick JB (*see* Nagurney et al). 2005;46:S88 (Research Forum abstracts)
Rewers AB (*see* Wathen et al). 2005;46:507–11
Reznikova S, Iserson K, Rousseau E, Palestrant S, Yarnish A. Pain in the emergency department. 2005;46:S82 (Research Forum abstracts)
Rhee JE (*see* Shin et al). 2005;46:S90 (Research Forum abstracts)
Riberdy L (*see* Rutschmann et al). 2005;46:172–6 (Brief research report)
Riccardi D (*see* Barata et al). 2005;46:S54 (Research Forum abstracts), 2005;46:S57–S58 (Research Forum abstracts), 2005;46:S93–S94 (Research Forum abstracts)
Rich JA (*see* Corbin et al). 2005;46:S97–S98 (Research Forum abstracts)
Richardson LD (*see* Natarajan et al). 2005;46:S94 (Research Forum abstracts)
Richardson R (*see* Kumar et al). 2005;46:S96–S97 (Research Forum abstracts)
Richman P, Dominguez S, Wood J, Hernandez J. Utility of chest CT angiography and indirect lower extremity CT venography to exclude venous thromboembolism: a prospective study of emergency department patients. 2005;46:S98 (Research Forum abstracts)
Riera C (*see* Masip et al). 2005;46:S97 (Research Forum abstracts)
Riley S, Schaefer TJ, Hafner JW Jr, Sunga K. Diagnostic utility of the genital gram stain in emergency department patients. 2005;46:S104 (Research Forum abstracts)
Rimple D, LaValley J, Janello B, Brett M. An emergency department (ED) based vaccination program eliminates barriers to preventative health care. 2005;46:S58 (Research Forum abstracts)
Rios D (*see* Salen et al). 2005;46:S105 (Research Forum abstracts)
Ripper J (*see* Shah et al). 2005;46:S30 (Research Forum abstracts)
Ritchie RI, Arnott R, Abrahams M, Patel K, McDonnell J. Thrombolysis in the elderly with S-T segment elevation myocardial infarction in a district general hospital. 2005;46:S42 (Research Forum abstracts)
Ritchie RI, McGuire E. Imported malaria into a region in the United Kingdom. 2005;46: S58–S59 (Research Forum abstracts)
Ritchie RI, Thain A, Hughes A, Patel K. Using a head injury performa improves the quality of written documentation in head injuries. 2005;46:S93 (Research Forum abstracts)
Rivers E (*see* Garcia et al). 2005;46:S17 (Research Forum abstracts)
Rivers EP (*see* Huang et al). 2005;46:217–23 (Concepts)
Rivers EP (*see* Osborn et al). 2005;46:228–31 (Editorial). Correction 2005;46:379
Roberts DM, Seneviratne R, Mohammed F, Patel R, Senarathna L, Hittarage A, Buckley NA, Dawson AH, Eddleston M. Intentional self-poisoning with the chlorophenoxy herbicide 4-chloro-2-methylphenoxyacetic acid (MCPA). 2005;46:275–84
Roberts RR, Einstein A, Ahmad I, Gore R, Kampe LM, Cohen N, Diaz P. Improving syndrome surveillance case definitions and outcomes by using existing data. 2005;46:S24 (Research Forum abstracts)
Roberts RR, Einstein A, Gore R, Ahmad I, Kampe LM, Cohen N. Applying cost-benefit theory to public health syndrome surveillance programs. 2005;46:S25 (Research Forum abstracts)
Roberts RR (*see* Schabowski et al). 2005;46:S25 (Research Forum abstracts), 2005;46:S25–S26 (Research Forum abstracts), 2005;46:S58 (Research Forum abstracts)
Robertson WO (*see* Martin et al). 2005;46:S50 (Research Forum abstracts)
Robinson A (*see* Adams et al). 2005;46:S18 (Research Forum abstracts)
Robinson A (*see* Stiffler et al). 2005;46:S28 (Research Forum abstracts)
Robinson CH (*see* Engel et al). 2005;46:S26 (Research Forum abstracts)
Robinson CH (*see* Simmons et al). 2005;46: S22–S23 (Research Forum abstracts)
Rockswold E (*see* Hubbard et al). 2005;46:S74 (Research Forum abstracts)
Rodi SW (*see* Grau et al). 2005;46:S84 (Research Forum abstracts)
Rodriguez de Turco EB (*see* Moises et al). 2005;46:S110 (Research Forum abstracts)
Rodriguez RM (*see* Phelps and Rodriguez). 2005;46:S12 (Research Forum abstracts), 2005;46:S28–S29 (Research Forum abstracts)
Rodriguez RM, Taylor O, Shah S, Urstein S. An emergency department prospective, randomized, blinded trial of suggestive audio-therapy under deep sedation for smoking cessation. 2005;46:S95 (Research Forum abstracts)

Roe MT (*see* Cairns et al). 2005;46:S116 (Research Forum abstracts)
Roe MT (*see* Peacock et al). 2005;46:S3 (Research Forum abstracts)
Rogan S, Chan GM. Out-of-hospital activated charcoal: not so fast. 2005;46:299 (Correspondence)
Rohlinger A (*see* Schears et al). 2005;46:S20 (Research Forum abstracts)
Romisher S, Cheatham J. Ultrasound screening for abdominal aortic aneurysm in the emergency department in an asymptomatic patient population. 2005;46:S51–S52 (Research Forum abstracts)
Ronan-Bentle SE, Werdehoff SG, Lindsell CJ, Johannigman JA, Blomkalns AL. Emergency physician judgment more specific than criteria for trauma. 2005;46:S111 (Research Forum abstracts)
Rosenau AM (*see* Fernandes et al). 2005;46:204–5 (Correspondence)
Rosenthal MS, Brautigan MW, Dockery C, Gold RJ, Bock BF. The 29 minute guarantee—improving patient triage and flow. 2005;46:S107 (Research Forum abstracts)
Rosh AJ. Diagnosing pneumonia by medical history and physical examination. 2005;46:465–7 (Rational clinical examination abstract)
Rossi PG, Farchi S, Chini F, Camilloni l, Borgia P, Guasticchi G. Road traffic injuries in Lazio, Italy: a descriptive analysis from an emergency department–based surveillance system. 2005;46:152–7 (Brief research report)
Rossman L, Wynn B, Dunnuck C, Reiter S, Jones JS. Accuracy and reliability of photo-colposcopy in the documentation of anogenital injuries after sexual assault. 2005;46:S96 (Research Forum abstracts)
Rothman J (*see* Junker et al). 2005;46:S34 (Research Forum abstracts)
Rotter T (*see* Tubbs et al). 2005;46:S81–S82 (Research Forum abstracts)
Rouse AM (*see* Lavonas et al). 2005;46:207–8 (Correspondence)
Rouse S (*see* Berkoff et al). 2005;46:S85 (Research Forum abstracts)
Rousseau E (*see* Reznikova et al). 2005;46:S82 (Research Forum abstracts)
Rowden AK, Eldridge DL, Brady WL, Holstege CP. The association of cardiovascular toxins and electrocardiographic abnormality in poisoned patients. 2005;46:S35 (Research Forum abstracts)
Rowden AK, Ramalanjaona G. How do emergency medicine residents learn? 2005;46:S14 (Research Forum abstracts)
Rowe BH (*see* Stiell et al). 2005;46:S115 (Research Forum abstracts)
Roy D (*see* Stiell et al). 2005;46:S115 (Research Forum abstracts)
Rudolph GS (*see* Lee et al). 2005;46:S117 (Research Forum abstracts)
Ruiz R (*see* Kennedy et al). 2005;46:393–400, 2005;46:S105 (Research Forum abstracts)
Rumsfeld JS (*see* Magid et al). 2005;46:14–21
Rund DA (*see* Bahner et al). 2005;46:S22 (Research Forum abstracts)
Runyon MS, Sanapareddy N, Gellar M, Kline JA. Comparison of the Copenhagen and Sprague-Dawley rat strains in an experimental model of autologous clot pulmonary embolism. 2005;46:S68 (Research Forum abstracts)
Rupp J (*see* Sochor and Rupp). 2005;46:169–71 (NHTSA notes commentary)
Rusho WJ (*see* Crouch and Rusho). 2005;46:207 (Correspondence)
Rusnak RA (*see* Josephsen and Rusnak). 2005;46:S32 (Research Forum abstracts)
Russell MW, Joshi AV, Neumann PJ, Boulanger L, Menzin J. High proportions of brain hemorrhages are admitted via the emergency department and are associated with high inpatient mortality and cost. 2005;46:S57 (Research Forum abstracts)
Rutschmann OT, Sarasin FP, Simon J, Vermeulen B, Riberdy L, Pechere-Bertschi A. Can wrist blood pressure oscillometer be used for triage in an adult emergency department? 2005;46: 172–6 (Brief research report)
Ryder A, O'Neil BJ. Diagnosing pneumonia in nursing home patients: the utility or futility of chest x-ray and blood cultures. 2005;46:S20 (Research Forum abstracts)
Ryder A (*see* Bork et al). 2005;46:S44 (Research Forum abstracts)
Ryder A (*see* O'Sullivan et al). 2005;46:S19–S20 (Research Forum abstracts)

S

Sachdeva R (*see* Freishtat et al). 2005;46:S67 (Research Forum abstracts)
Sacks P, Do J, Mills L, Mills TJ. Results of a one day alcohol screening event. 2005;46:S25 (Research Forum abstracts)
Sacks P (*see* Do et al). 2005;46:S94 (Research Forum abstracts)
Safi-Berty C (*see* Evans et al). 2005;46:S10 (Research Forum abstracts)
Sagarin MJ, Barton ED, Chng Y-M, Walls RM. Airway management by US and Canadian emergency medicine residents: a multicenter analysis of more than 6,000 endotracheal intubation attempts. 2005;46:328–36
Salazar A (*see* Masip et al). 2005;46:S97 (Research Forum abstracts)
Salazar S (*see* Meza et al). 2005;46:S15 (Research Forum abstracts)
Salen PN, Schultz J, Rios D, Reed J, Heller M. D-dimer performance in low and high risk populations: is it reliable? 2005;46:S105 (Research Forum abstracts)
Salz TO (*see* Frazee et al). 2005;46:401–4 (Case report)
Sama A (*see* Barata et al). 2005;46:S54 (Research Forum abstracts), 2005;46:S57–S58 (Research Forum abstracts), 2005;46:S93–S94 (Research Forum abstracts)
Sama A (*see* D'Amore et al). 2005;46:S83–S84 (Research Forum abstracts)
Sama A (*see* Vega et al). 2005;46:S54–S55 (Research Forum abstracts)
Samuel M (*see* Ngo et al). 2005;46:S51 (Research Forum abstracts)
Sanapareddy N (*see* Runyon et al). 2005;46:S68 (Research Forum abstracts)
Sanchez CD (*see* Ogden et al). 2005;46:S33–S34 (Research Forum abstracts)
Sanchez M, Espinosa G, Estrada C, Jimenez S, Tomas S, Miro O. Direct discharge from triage in emergency departments: assessment, risks and patient satisfaction. 2005;46:S24 (Research Forum abstracts)
Sanchez M (*see* Jimenez et al). 2005;46:S55 (Research Forum abstracts)
Sanders AB (*see* Heidenreich et al). 2005;46:S76 (Research Forum abstracts)
Sandoval GA (*see* Brown et al). 2005;46:3–10
Sandoval M (*see* Hoffman et al). 2005;46:S77 (Research Forum abstracts)
Santos R (*see* Miller et al). 2005;46:S3 (Research Forum abstracts)
Sarasin FP (*see* Rutschmann et al). 2005;46:172–6 (Brief research report)
Sarohia M (*see* Davis et al). 2005;46:S11 (Research Forum abstracts)
Sarohia M (*see* Milzman et al). 2005;46:S14 (Research Forum abstracts)
Sarohia M (*see* O'Leary et al). 2005;46:S80–S81 (Research Forum abstracts)
Satish U (*see* McCabe et al). 2005;46:S29 (Research Forum abstracts)
Sattar A (*see* Walsh et al). 2005;46:S91 (Research Forum abstracts)
Satz WA (*see* Costantino et al). 2005;46:456–61
Sawchuk P (*see* Fernandes et al). 2005;46:204–5 (Correspondence)
Sawer RS (*see* Barlotta et al). 2005;46:S24 (Research Forum abstracts)
Sawer RS (*see* Ebarb et al). 2005;46:S10 (Research Forum abstracts)
Schabowski SL, Killey B, Roberts RR, Kampe LM, Ahmad I. ED overcrowding: an opportunity to improve public health through education. 2005;46:S25–S26 (Research Forum abstracts)
Schabowski SL, Kirchoff J, Hansen S, Anderson M, Roberts RR. Testing a model for an emergency department waiting room educational intervention. 2005;46:S25 (Research Forum abstracts)
Schabowski SL, Smith L, Ahmed O, Kampe LM, Roberts RR. The ED waiting room: a captured audience for emergency medicine research. 2005;46:S58 (Research Forum abstracts)
Schaefer TJ (*see* Riley et al). 2005;46:S104 (Research Forum abstracts)
Schafer J (*see* Givens et al). 2005;46:S50–S51 (Research Forum abstracts)
Schaffer MS (*see* Wathen et al). 2005;46: 507–11
Schears RM (*see* Mooney et al). 2005;46:S117 (Research Forum abstracts)
Schears RM, Varadachari CJ, Stead LG, Weaver AL. Factors that influence length of visit in the emergency department for patients with congestive heart failure. 2005;46:S117 (Research Forum abstracts)
Schears RM, Vedula KC, Rohlinger A, Weaver AL. Finding advance directives in neverland: does saying goodbye grow easier with time? 2005;46:S20 (Research Forum abstracts)
Schepker SM, Cummings AJ, Meyer L. Evaluation of a novel animal model for emergency surgical airway skills training. 2005;46:S13 (Research Forum abstracts)
Schieve AD (*see* Coule et al). 2005;46:S70 (Research Forum abstracts)
Schlenker M (*see* Vega et al). 2005;46:S71 (Research Forum abstracts)
Schlichting A (*see* Marquez et al). 2005;46:S19 (Research Forum abstracts)
Schlichting A (*see* Prendergast et al). 2005;46:S115–S116 (Research Forum abstracts)
Schnadower D (*see* Hahn et al). 2005;46:298–9 (Correspondence)
Schneider JI (*see* Evans et al). 2005;46:S10 (Research Forum abstracts)

Schorin MJ. Weighing the 480-pound person. 2005;46:98 (Correspondence)
Schriger DL, Brown TB. Decisions, decisions: emergency physician evaluation of low probability-high morbidity conditions. 2005;46:534–5 (Editorial)
Schultz AA (*see* Strout et al). 2005;46:S100 (Research Forum abstracts)
Schultz J (*see* Salen et al). 2005;46:S105 (Research Forum abstracts)
Schwartz RB, Coule PL, McManus JG Jr, Lyon M, Blaivas M. The use of an endotracheal tube introducer and King LT airway for endotracheal intubation. 2005;46:S87 (Research Forum abstracts)
Schwartz RB (*see* Coule et al). 2005;46:S70 (Research Forum abstracts)
Scully K (*see* Barlotta et al). 2005;46:S24 (Research Forum abstracts)
Scully K (*see* Ebarb et al). 2005;46:S10 (Research Forum abstracts)
Seaberg D (*see* Papa et al). 2005;46:S23–S24 (Research Forum abstracts), 2005;46:S59 (Research Forum abstracts)
Selker HP (*see* Katz et al). 2005;46:525–33
Senarathna L (*see* Roberts et al). 2005;46:275–84
Seneviratne R (*see* Roberts et al). 2005;46:275–84
Seow E (*see* Phua and Seow). 2005;46:S67 (Research Forum abstracts)
Serrano JA (*see* Davis et al). 2005;46:115–22
Setayesh A (*see* Tahani et al). 2005;46:S76 (Research Forum abstracts)
Seupaul RA, Lemme KA. [Toddler's fracture]. 2005;46:490, 497 (Images in emergency medicine)
Seupaul RA (*see* Finnell and Seupaul). 2005;46:S29 (Research Forum abstracts)
Seupaul RA (*see* Lemme and Seupaul). 2005;46:406, 423 (Images in emergency medicine)
Severance H (*see* Morello et al). 2005;46:S31 (Research Forum abstracts)
Shah C, Stürmann KM, Ripper J, Hsu CK. Knowledge of invasive procedures and procedural competency after participation in training labs. 2005;46:S30 (Research Forum abstracts)
Shah MN (*see* Chesney et al). 2005;46:S120 (Research Forum abstracts)
Shah S (*see* Rea et al). 2005;46:132–41
Shah S (*see* Rodriguez et al). 2005;46:S95 (Research Forum abstracts)
Shanley J (*see* Prendergast et al). 2005;46: S115–S116 (Research Forum abstracts)
Shapiro NI, Howell MD, Talmor D. Serum lactate as a predictor of mortality in emergency department patients with infection: does the lactate level tell the whole story? 2005;46:562 (Correspondence reply)
Shapiro NI (*see* Kennedy et al). 2005;46:393–400, 2005;46:S105 (Research Forum abstracts)
Shaw CR (*see* Papa et al). 2005;46:S59 (Research Forum abstracts)
Shaw GJ, Meunier JM, Cheng JY, Holland CK. Duty cycle dependence of ultrasound enhanced thrombolysis in an in-vitro human clot model. 2005;46:S27 (Research Forum abstracts)
Shawcross D, Levsky M, Christensen J, Miller M. [Vaccinia-associated myopericarditis]. 2005;46:315, 327 (Images in emergency medicine)
Shen JM (*see* Hoffman et al). 2005;46:S77 (Research Forum abstracts)
Sheppard H (*see* Bastani et al). 2005;46:S39 (Research Forum abstracts)
Sheridan I (*see* Naderi et al). 2005;46:S113 (Research Forum abstracts)
Sherman SC, Thompson TT. Pontine hemorrhage presenting as an isolated facial nerve palsy. 2005;46:64–6 (Case report)
Sherwin R, Bilkovski R. Critical care responsibility in community emergency medicine practice: results of an emergency department director survey. 2005;46:S7–S8 (Research Forum abstracts)
Shiblee T (*see* Hsu et al). 2005;46:S22 (Research Forum abstracts)
Shih H (*see* Adams et al). 2005;46:S18 (Research Forum abstracts)
Shih RD (*see* Dohrenwood et al). 2005;46:S118 (Research Forum abstracts)
Shimizu K (*see* Iannuzzi et al). 2005;46:S106 (Research Forum abstracts)
Shin JH, Kim SC, Suh GJ, Rhee JE. Optimal depth of central venous catheter by measuring reconstructed central veins using 3 dimensional computed tomography. 2005;46:S90 (Research Forum abstracts)
Shin S (*see* Kwon et al). 2005;46:S36 (Research Forum abstracts)
Shingles J (*see* White et al). 2005;46:S116 (Research Forum abstracts)
Shipkey J (*see* Perry et al). 2005;46:S48 (Research Forum abstracts)
Shirazi E (*see* Garcia et al). 2005;46:S17 (Research Forum abstracts)
Shiver S (*see* Blaivas et al). 2005;46:S20–S21 (Research Forum abstracts), 2005;46:S52 (Research Forum abstracts)
Sidbury G (*see* Hardeman et al). 2005;46:560–561 (Correspondence)
Sidman R (*see* Mason-Plunkett et al). 2005;46:S15–S16 (Research Forum abstracts)
Sidman R, Spitalnic S, Demelis M, Durfey N, Jay G. Xanthrochromia? By what method? A comparison of visual and spectrophotometric xanthrochromia. 2005;46:51–5
Sidransky S, Patel H, Kleinberg JA, Kalafas C, Gohsler S, Szucs P. Comet tail artifacts on lung sonography predict the presence of congestive heart failure and elevated B-type natriuretic peptide levels. 2005;46:S51 (Research Forum abstracts)
Sierzenski PR, Gaspari RJ, Tayal VS, Dickman E, Gukhool JA, Leech S, O'Connor RE. Institution of a combined rotation in anesthesia and emergency ultrasound in emergency medicine residency programs: a pathway for early dedicated ultrasound experience without compromising intubation experience for PGY-1 emergency medicine residents. 2005;46:S52 (Research Forum abstracts)
Sierzenski PR (*see* Leech et al). 2005;46:S21 (Research Forum abstracts)
Siler Fisher A, Hoxhaj S, Patel SG, Augustine J, Davidson SJ, O'Connor RE, Reese CL IV. Predicting patient volume per hour. 2005;46:S6–S7 (Research Forum abstracts)
Siler Fisher A (*see* Michalke et al). 2005;46:S39 (Research Forum abstracts)
Silverman M (*see* Dohrenwood et al). 2005;46:S118 (Research Forum abstracts)
Silverman R (*see* Naderi et al). 2005;46:S113 (Research Forum abstracts)
Silverstein N. Commentary: older driver safety: why emergency physicians should care about medical advisory boards. 2005;46:377–9 (NHTSA notes commentary)
Silverstein P (*see* Caruso et al). 2005;46:S48 (Research Forum abstracts)
Silvestri S, Krauss B, Ralls G, Heubner M, Falk J. Emergency department capnographic confirmation of prehospital endotracheal intubation in cardiac arrest patients - a preliminary report. 2005;46:S6 (Research Forum abstracts)
Simma-Chiang V (*see* Henderson and Simma-Chiang). 2005;46:S101 (Research Forum abstracts)
Simmons SA, Ubel PA, Forman JH, Heisler M, Smith DM, Robinson CH, Engel KG. Is satisfaction in the eye of the beholder?: understanding physician job satisfaction. 2005;46:S22–S23 (Research Forum abstracts)
Simon J (*see* Rutschmann et al). 2005;46:172–6 (Brief research report)
Simons M (*see* Elshove-Bolk et al). 2005;46: S88–S89 (Research Forum abstracts)
Singer AJ, Singer DD, McClain SA. Histomorphologic effects of a hand held laser device for assisting topical anesthesia in a porcine model. 2005;46:S68 (Research Forum abstracts)
Singer AJ, Wang Z, McClain SA. Optical coherence tomography: a non-invasive method to assess wound healing. 2005;46:S68 (Research Forum abstracts)
Singer DD (*see* Singer et al). 2005;46:S68 (Research Forum abstracts)
Singhal AB (*see* Borczuk et al). 2005;46:S63–S64 (Research Forum abstracts)
Sintuu C (*see* Henderson et al). 2005;46:S17 (Research Forum abstracts)
Sise MJ (*see* Davis et al). 2005;46:115–22
Sivilotti MLA, Yarema MC, Juurlink DN, Good AM, Johnson DW. A risk quantification instrument for acute acetaminophen overdose patients treated with *N*-acetylcysteine. 2005;46:263–71
Skinner CG (*see* Coon et al). 2005;46:S28 (Research Forum abstracts)
Skinner CG (*see* Crystal et al). 2005;46:S38 (Research Forum abstracts), 2005;46:S86–S87 (Research Forum abstracts)
Skinner CG (*see* Kaylor et al). 2005;46:S79 (Research Forum abstracts)
Sklar DP (*see* Cheney et al). 2005;46:S32 (Research Forum abstracts)
Sklar DP (*see* Macias et al). 2005;46:S97 (Research Forum abstracts)
Skolnick BE (*see* Jauch et al). 2005;46:S2 (Research Forum abstracts)
Sloan E (*see* Prendergast et al). 2005;46:S115–S116 (Research Forum abstracts)
Smalley AJ. [Shocked heart]. 2005;46:383, 392 (Images in emergency medicine)
Smars PA, Giraldez EM, Madsen BE, Gertzen HC, Hill PM, Tolstrup K. Magnetocardiography as a diagnostic tool to determine ischemic heart disease in patients presenting with chest pain. 2005;46:S43 (Research Forum abstracts)
Smars PA (*see* Giraldez et al). 2005;46:S59 (Research Forum abstracts)
Smars PA (*see* Raghavan et al). 2005;46:S43 (Research Forum abstracts)
Smith A (*see* Koenig et al). 2005;46:S33 (Research Forum abstracts)
Smith BG (*see* Wolf et al). 2005;46:S98–S99 (Research Forum abstracts)

Smith DM (*see* Engel et al). 2005;46:S26 (Research Forum abstracts)
Smith DM (*see* Simmons et al). 2005;46:S22–S23 (Research Forum abstracts)
Smith GD (*see* Hart et al). 2005;46:S89–S90 (Research Forum abstracts)
Smith J (*see* Choo et al). 2005;46:S84 (Research Forum abstracts)
Smith L (*see* Schabowski et al). 2005;46:S58 (Research Forum abstracts)
Smith M (*see* Bilkovski et al). 2005;46:S18 (Research Forum abstracts), 2005;46:S27 (Research Forum abstracts)
Smith S (*see* Davis et al). 2005;46:S62 (Research Forum abstracts)
Snyder KC (*see* Kaale et al). 2005;46:S108 (Research Forum abstracts)
Snyder SB, Thurman RJ. [Erythema migrans rash in Tennessee]. 2005;46:224, 227 (Images in emergency medicine)
Sochor M, Rupp J. Commentary: emergency department patients and crash test dummies: what do they have in common? 2005;46: 169–71 (NHTSA notes commentary)
Sochor MR, Patel S, Trowbridge M. Traumautopsy. 2005;46:S90 (Research Forum abstracts)
Soto J (*see* Berg et al). 2005;46:S89 (Research Forum abstracts)
Spada M (*see* Fabbri et al). 2005;46:161–7
Spitalnic S (*see* Sidman et al). 2005;46:51–5
Sprague P (*see* Chandra et al). 2005;46:S61 (Research Forum abstracts), 2005;46:S81 (Research Forum abstracts)
Stadlbauer KH (*see* Krismer et al). 2005;46: 337–42
Stair R (*see* Papa et al). 2005;46:S23–S24 (Research Forum abstracts)
Stead LG, Gilmore RM, Boie ET, Geerdes P, Decker WW. Cost effective quality care for transient ischemic attack. 2005;46:S55 (Research Forum abstracts)
Stead LG, Gilmore RM, Weaver AL, Decker WW. The concept of permissive hypertension for acute ischemic stroke. 2005;46:S1–S2 (Research Forum abstracts)
Stead LG (*see* Bhagra et al). 2005;46:S62–S63 (Research Forum abstracts)
Stead LG (*see* Ganti et al). 2005;46:S63 (Research Forum abstracts)
Stead LG (*see* Gilmore et al). 2005;46:S1 (Research Forum abstracts), 2005;46:S72 (Research Forum abstracts)
Stead LG (*see* Irvin et al). 2005;46:S71 (Research Forum abstracts)
Stead LG (*see* Schears et al). 2005;46:S117 (Research Forum abstracts)
Stead LG (*see* Thacker et al). 2005;46:S104 (Research Forum abstracts)
Stead LG (*see* Warrington et al). 2005;46:S2–S3 (Research Forum abstracts)
Steele R (*see* Coba et al). 2005;46:S111 (Research Forum abstracts)
Steencken G (*see* Jacoby et al). 2005;46:S74 (Research Forum abstracts)
Stehman CR, Dos Santos F, Buckley RG, Overly WD, Swenson A. Bedside height estimation for calculation of ideal body weight for use in emergency department drug dosing. 2005;46:S106 (Research Forum abstracts)
Stein J, Louie J, Flanders S, Maselli J, Hacker JK, Drew WL, Gonzales R. Performance characteristics of clinical diagnosis, a clinical decision rule, and a rapid influenza test in the detection of influenza infection in a community sample of adults. 2005;46:412–19
Steiner T (*see* Jauch et al). 2005;46:S2 (Research Forum abstracts)
Steinfeldt MP (*see* Norton et al). 2005;46:S50 (Research Forum abstracts), 2005;46:S78 (Research Forum abstracts)
Stephan M (*see* Feng and Stephan). 2005;46:S53 (Research Forum abstracts), 2005;46:S54 (Research Forum abstracts), 2005;46:S91 (Research Forum abstracts)
Stephen RL (*see* Fosnocht et al). 2005;46:S49 (Research Forum abstracts), 2005;46:S50 (Research Forum abstracts)
Stern M (*see* McKenna et al). 2005;46:S7 (Research Forum abstracts)
Stevenson LW (*see* Peacock et al). 2005;46:S114 (Research Forum abstracts)
Stiell I (*see* Ong et al). 2005;46:237–42
Stiell IG, Rowe BH, Roy D. RSD1235 in the treatment of recent onset atrial fibrillation in ACT I (Atrial Arrhythmia Conversion Trial I)—effect of age, sex, and prior rate control medications. 2005;46:S115 (Research Forum abstracts)
Stiell IG (*see* Donoghue et al). 2005;46:512–22 (Evidence–based emergency medicine)
Stiffler KA, Jwayyed S, Robinson A, Wilber ST. Use of ultrasound to identify pertinent landmarks for lumbar puncture. 2005;46:S28 (Research Forum abstracts)
Stike RL (*see* Kaale et al). 2005;46:S108 (Research Forum abstracts)
Storch J, Jacoby JL, Heller M. Community-associated methicillin resistant *Staphylococcus aureus* in an emergency medicine resident: lessons learned. 2005;46:384–5 (Correspondence)
Storch J (*see* Jacoby et al). 2005;46:S74 (Research Forum abstracts)
Strehlow MC, Emond SD, Pelletier AJ, Camargo CA Jr. Characteristics and admission patterns of patients presenting with sepsis to United States emergency departments, 1992-2001. 2005;46:S48 (Research Forum abstracts)
Streufert S (*see* McCabe et al). 2005;46:S29 (Research Forum abstracts)
Stromski C, Jacoby J, Rammohan G, Kasarda D. Short and long term skill retention after resident training in cricothyroidotomy. 2005;46:S13 (Research Forum abstracts)
Strote J, Campbell R, Pease J, Hamman MS, Hutson R. The role of Tasers in police restraint-related deaths. 2005;46:S85 (Research Forum abstracts)
Strote J, Chen G, Holmer W. Reliability of patient history in determining pregnancy status. 2005;46:S56 (Research Forum abstracts)
Strote J (*see* Bigelow et al). 2005;46:S106 (Research Forum abstracts)
Strout TD, Baumann MR, Schultz AA. Development of an agitation rating scale for use with acute presentation behavioral management patients. 2005;46:S100 (Research Forum abstracts)
Strout TD (*see* Baumann and Strout). 2005;46:S118 (Research Forum abstracts)
Strout TD (*see* Drummond et al). 2005;46:S61 (Research Forum abstracts)
Strunk RC (*see* Clark et al). 2005;46:S102 (Research Forum abstracts)
Stuffel E (*see* Adams et al). 2005;46:S18 (Research Forum abstracts)
Stuffel E (*see* Anderson et al). 2005;46:S75–S76 (Research Forum abstracts)
Stürmann KM (*see* Lovett et al). 2005;46:S12–S13 (Research Forum abstracts), 2005;46:S65 (Research Forum abstracts)
Stürmann KM (*see* Shah et al). 2005;46:S30 (Research Forum abstracts)
Suh GJ (*see* Kwon et al). 2005;46:S36 (Research Forum abstracts)
Suh GJ (*see* Shin et al). 2005;46:S90 (Research Forum abstracts)
Sullivan DJ (*see* Hafner et al). 2005;46:S22 (Research Forum abstracts)
Sullivan SG (*see* Gerhardt et al). 2005;46:S45–S46 (Research Forum abstracts)
Sullivan T (*see* Reed et al). 2005;46:S16–S17 (Research Forum abstracts)
Summers RL, Johnston SL, Marshburn TH, Williams DR. Emergencies in space. 2005;46:177–84 (Concepts)
Sun B, Asch S. Effects of emergency department closures on hospital ambulance diversion hours, Los Angeles County 1998-2004. 2005;46:S119 (Research Forum abstracts)
Sunga K (*see* Riley et al). 2005;46:S104 (Research Forum abstracts)
Suter RE (*see* Fernandes et al). 2005;46:204–5 (Correspondence)
Sutingco AD, Noble V. Proctored ultrasound examinations (PUE) significantly improve success in emergency medicine ultrasound education. 2005;46:S79–S80 (Research Forum abstracts)
Swaminkannu M (*see* Machen et al). 2005;46:S95 (Research Forum abstracts)
Swanson ER (*see* Fosnocht et al). 2005;46:S49 (Research Forum abstracts), 2005;46:S50 (Research Forum abstracts)
Swanson J (*see* Levick and Swanson). 2005;46:S112–S113 (Research Forum abstracts)
Swap C (*see* Nagurney et al). 2005;46:S88 (Research Forum abstracts)
Sweeny P (*see* Levy et al). 2005;46:S108–S109 (Research Forum abstracts)
Swenson A (*see* Stehman et al). 2005;46:S106 (Research Forum abstracts)
Swienton RE (*see* Coule et al). 2005;46:S70 (Research Forum abstracts)
Swor RA, Hegerberg S, Goldstein M, McHugh-McNally A. Predictors of early and late reperfusion for emergency department myocardial infarction patients—impact of process, temporal and resource demands. 2005;46:S42 (Research Forum abstracts)
Syan S (*see* Henderson and Syan). 2005;46:S60 (Research Forum abstracts)
Syan S (*see* Voskanian et al). 2005;46:S9 (Research Forum abstracts)
Sztajnkrycer MD (*see* Hess and Sztajnkrycer). 2005;46:314, 322, 382, 392 (Images in emergency medicine)
Sztajnkrycer MD (*see* Madsen et al). 2005;46:S69 (Research Forum abstracts)
Szucs P (*see* Sidransky et al). 2005;46:S51 (Research Forum abstracts)
Szudera J, Hafner JW Jr, Olson M. Compliance with acute ischemic stroke antiplatelet agent recommendations in the emergency department. 2005;46:S63 (Research Forum abstracts)

T

Tahani M, Setayesh A, Ansary K, Tofighi N, Morady M, Daneshvari F, Afshary P, Nazem S. Emergency medical technicians checking the carotid pulse: performance and degree of conviction. 2005;46:S76 (Research Forum abstracts)
Tajian R, Crupi R, Di John D. Limited English proficiency and the rate of unscheduled return pediatric emergency department visit and subsequent hospitalization at a community hospital. 2005;46:S31 (Research Forum abstracts)
Tallman TA, Peacock WF IV, Telban DJ, Cepik ML, Queen JR, Emerman CL. Spectator risk at professional sporting events: an analysis of the Cleveland clinic event medicine program. 2005;46:S114 (Research Forum abstracts)
Talmor D (*see* Shapiro et al). 2005;46:562 (Correspondence reply)
Talotta NJ, Cochrane DG, Allegra JR. Chief complaint based quality indicators: the challenge for automation posed by chief complaint variability. 2005;46:S40 (Research Forum abstracts)
Tamayo-Sarver JH (*see* Cydulka et al). 2005;46:316–22
Tanabe P (*see* Fernandes et al). 2005;46:204–5 (Correspondence)
Tang N (*see* Brill et al). 2005;46:S31 (Research Forum abstracts)
Tayal VS, Antoniazzi JM, Pariyadath M. Prospective evaluation of ultrasound for detection of hand fractures by emergency physicians. 2005;46:S80 (Research Forum abstracts)
Tayal VS (*see* Sierzenski et al). 2005;46:S52 (Research Forum abstracts)
Taylor D (*see* Alshinkity et al). 2005;46:S121 (Research Forum abstracts)
Taylor O (*see* Rodriguez et al). 2005;46:S95 (Research Forum abstracts)
Telban DJ (*see* Tallman et al). 2005;46:S114 (Research Forum abstracts)
Ten Harmsel A, Holstege CP, Louters L. High dose insulin reverses verapamil inhibition of glucose uptake in mouse striated muscle. 2005;46:S77 (Research Forum abstracts)
Tenison M, Eberhardt M, Pellett N, Heller M. Is the combination of ibuprofen and acetaminophen a better pediatric antipyretic than ibuprofen alone? 2005;46:S54 (Research Forum abstracts)
Thacker MJ, Giraldez LA, Vedula KC, Ganti A, Marowski-Thacker JK, Decker WW, Stead LG. Surgical intervention for small bowel obstruction: clues in the serum chemistry? 2005;46:S104 (Research Forum abstracts)
Thain A (*see* Ritchie et al). 2005;46:S93 (Research Forum abstracts)
Thalacker C, Archer A, Dorfman M. Interpretation of electrocardiograms by emergency medicine residents in comparison to emergency medicine attendings. 2005;46:S87–S88 (Research Forum abstracts)
Theodoro DL, Goertz JK, Raio CC, Chiricolo GC, Nelson MJ, Patel M. Performance characteristics of independent novice sonographers in gallbladder, FAST, and DVT studies. 2005;46:S78 (Research Forum abstracts)
Theodoro DL (*see* Nelson et al). 2005;46:S27–S28 (Research Forum abstracts), 2005;46:S80 (Research Forum abstracts)
Theodoro DL (*see* Raio et al). 2005;46:S28 (Research Forum abstracts)
Thode HC Jr (*see* Henry et al). 2005;46:S67 (Research Forum abstracts)
Thomas SH (*see* Filbin et al). 2005;46:S75 (Research Forum abstracts)
Thomas SH (*see* Macias et al). 2005;46:S62 (Research Forum abstracts)
Thompson DA (*see* Fernandes et al). 2005;46: 204–5 (Correspondence)
Thompson TT (*see* Sherman and Thompson). 2005;46:64–6 (Case report)
Thoureen T (*see* Chandra et al). 2005;46:S82–S83 (Research Forum abstracts)
Thrun MW (*see* Eliopoulos et al). 2005;46:S15 (Research Forum abstracts)
Thurman RJ (*see* Snyder and Thurman). 2005;46:224, 227 (Images in emergency medicine)
Tijuenlis M (*see* Voskanian et al). 2005;46:S9 (Research Forum abstracts)
Tizzani M (*see* Battista et al). 2005;46:S3–S4 (Research Forum abstracts)
Todd KH. Physician sex and analgesic administration patterns. 2005;46:S48–S49 (Research Forum abstracts)
Todd KH (*see* DeSandre et al). 2005;46:S64–S65 (Research Forum abstracts)
Tofighi N (*see* Tahani et al). 2005;46:S76 (Research Forum abstracts)
Tolley J (*see* Veser et al). 2005;46:S16 (Research Forum abstracts)
Tolstrup K (*see* Smars et al). 2005;46:S43 (Research Forum abstracts)
Tomas S (*see* Sanchez et al). 2005;46:S24 (Research Forum abstracts)
Tomaszewski CA (*see* Lavonas et al). 2005;46: 207–8 (Correspondence)
Tomlanovich M (*see* Garcia et al). 2005;46:S17 (Research Forum abstracts)
Toroyan T (*see* Peden and Toroyan). 2005;46: 158–60 (Editorial)
Travers DA (*see* Fernandes et al). 2005;46:204–5 (Correspondence)
Tricomi AJ (*see* Magid et al). 2005;46:14–21
Triner W (*see* McKenna et al). 2005;46:S7 (Research Forum abstracts)
Trott AT (*see* Lyons et al). 2005;46:22–8
Trowbridge M (*see* Sochor et al). 2005;46:S90 (Research Forum abstracts)
Truitt CA (*see* Norton et al). 2005;46:S50 (Research Forum abstracts), 2005;46:S78 (Research Forum abstracts)
Trzeciak S (*see* Huang et al). 2005;46:217–23 (Concepts)
Tubbs RJ, Rotter T, Valente J, Partridge R. Bi-level positive airway pressure for management of acute congestive heart failure: safer than previously thought? 2005;46:S81–S82 (Research Forum abstracts)
Tudor BC, Mycyk MB, Dimaano JQ. *N*-Acetylcysteine is often needed in cases of prescription narcotic abuse in young adults. 2005;46:S35 (Research Forum abstracts)
Tuggle K (*see* Levine et al). 2005;46:S99–S100 (Research Forum abstracts)
Tung G (*see* Kumar et al). 2005;46:S96–S97 (Research Forum abstracts)
Turnbull D (*see* Graff et al). 2005;46:S60 (Research Forum abstracts), 2005;46:S60–S61 (Research Forum abstracts)
Turnipseed SD (*see* Vierra et al). 2005;46:S33 (Research Forum abstracts)
Twomey JA (*see* Caruso et al). 2005;46:S48 (Research Forum abstracts)

U

Ubel PA (*see* Chakel et al). 2005;46:S76 (Research Forum abstracts)
Ubel PA (*see* Engel et al). 2005;46:S26 (Research Forum abstracts)
Ubel PA (*see* Simmons et al). 2005;46:S22–S23 (Research Forum abstracts)
Uehara DT (*see* Walter et al). 2005;46:S102 (Research Forum abstracts)
Ulrich A (*see* Berg et al). 2005;46:S89 (Research Forum abstracts)
Ungar TC, Wolf SJ, Haukoos JS, Dyer DS, Moore EE. A clinical decision rule to exclude thoracic aortic imaging in patients with blunt chest trauma following motor vehicle collisions. 2005;46:S110 (Research Forum abstracts)
Upadhye S, Fan J. Cost-effectiveness of a 2 hour versus an 8 hour assessment protocol for chest pain patients with low risk of acute coronary syndrome. 2005;46:S39 (Research Forum abstracts)
Urstein S (*see* Rodriguez et al). 2005;46:S95 (Research Forum abstracts)

V

Valente J (*see* Tubbs et al). 2005;46:S81–S82 (Research Forum abstracts)
van As AB (*see* Hachey and van As). 2005;46:97–8 (Correspondence)
van der Vlugt TM (*see* Magid et al). 2005;46:14–21
Van Meter K (*see* Moises et al). 2005;46:S110 (Research Forum abstracts)
Van Ottingham L (*see* Reed et al). 2005;46:S75 (Research Forum abstracts)
van Rijswijck B (*see* Elshove-Bolk et al). 2005;46:S88–S89 (Research Forum abstracts)
van Vugt A (*see* Elshove-Bolk et al). 2005;46: S88–S89 (Research Forum abstracts)
van Zyl C. Travel-associated dengue infections—United States, 2001-2004. 2005;46:421–3 (CDC update commentary)
Vandelli A (*see* Fabbri et al). 2005;46:161–7
Varadachari CJ (*see* Schears et al). 2005;46:S117 (Research Forum abstracts)
Vedula KC (*see* Schears et al). 2005;46:S20 (Research Forum abstracts)
Vedula KC (*see* Thacker et al). 2005;46:S104 (Research Forum abstracts)
Vega DD, Hahn K, Eitel DR, Schlenker M. Treatment of peripheral vertigo without active emesis with an elixir of atropine, hyoscyamine, phenobarbital, and scopolamine: a pilot study. 2005;46:S71 (Research Forum abstracts)
Vega DD (*see* Kaale et al). 2005;46:S108 (Research Forum abstracts)
Vega RM, Mayerhoff RM, Livote E, Argota E, Ward MF, Sama A. Potential adverse events in children treated in the emergency department. 2005;46:S54–S55 (Research Forum abstracts)
Velky T (*see* Davis et al). 2005;46:115–22
Vermeer T (*see* Harris et al). 2005;46:S109 (Research Forum abstracts)
Vermeulen B (*see* Rutschmann et al). 2005;46: 172–6 (Brief research report)
Versnik D (*see* Marinsek et al). 2005;46:S49 (Research Forum abstracts)
Veser F III, McGary WB, Bush J, Queener C, Tolley J, Carr C. Incidence, susceptibility, and antibiotic use in emergency department

community-acquired methicillin-resistant *Staphylococcus aureus* (CA-MRSA) abscesses. 2005;46:S16 (Research Forum abstracts)
Veser F III (*see* Carr et al). 2005;46:S39–S40 (Research Forum abstracts)
Vetter RS (*see* Isbister and Vetter). 2005;46:205–6 (Correspondence)
Vidal G (*see* Coma et al). 2005;46:S92–S93 (Research Forum abstracts)
Vierra DA, Turnipseed SD, Panacek EA. Reporting of lapses of consciousness by emergency physicians. 2005;46:S33 (Research Forum abstracts)
Vilke GM (*see* Chan et al). 2005;46:S107–S108 (Research Forum abstracts)
Vilke GM (*see* Davis et al). 2005;46:115–22, 2005;46:S17 (Research Forum abstracts)
Villani J (*see* Hobgood et al). 2005;46:481–9
Villarin LA Jr, Fisher J, Rapone S, Chudnofsky C. The impact of triage classification and level of training on emergency department patient flow as measured by use of a Web-based infrared passive-tracking system. 2005;46:S103 (Research Forum abstracts)
Villarin LA Jr, Halluska-Handy M, Dominici P, Giraldo P. An evaluation of emergency physician efficiency as determined by average time to disposition, number of laboratories ordered, and rate of admission in a level I urban emergency department. 2005;46:S103–S104 (Research Forum abstracts)
Vinson DR (*see* Magid et al). 2005;46:14–21
Vinson DR (*see* Patel and Vinson). 2005;46: 499–506
Vogrin TM, Callaway C, Hostler D. The effects of inducing mild hypothermia via peripheral intravenous fluids on core body temperature. 2005;46:S18–S19 (Research Forum abstracts)
Voskanian S, Syan S, Tijunelis M, Henderson SO. Epidemiology of ECG findings in patients presenting with syncope to the emergency department. 2005;46:S9 (Research Forum abstracts)
Vukov LF (*see* Michael et al). 2005;46:S74 (Research Forum abstracts)

W

Wadie DM (*see* Fesmire et al). 2005;46:S8 (Research Forum abstracts)
Wagner MM (*see* Chapman et al). 2005;46:445–55
Wahl M (*see* Bryant et al). 2005;46:208 (Correspondence)
Wald DA, Barrett J. How often do senior medical students receive formative feedback during an emergency medicine clerkship. 2005;46:S88 (Research Forum abstracts)
Wald DA, Harrigan PA, Kolecki P, Ander DS, Kruus L. 12-lead electrocardiogram interpretation skills of senior medical students. 2005;46:S13–S14 (Research Forum abstracts)
Wald R (*see* Givens et al). 2005;46:S50–S51 (Research Forum abstracts)
Wallace KL (*see* Minor et al). 2005;46:S102 (Research Forum abstracts)
Walls RM, Resnick J. The Joint Commission on Accreditation of Healthcare Organizations adn Center for Medicare and Medicaid Services community-acquired pneumonia initiative: what went wrong? 2005;46:409–11 (Editorial)
Walls RM (*see* Collins et al). 2005;46:S5 (Research Forum abstracts)
Walls RM (*see* Sagarin et al). 2005;46:328–36
Walsh BW (*see* Junker et al). 2005;46:S34 (Research Forum abstracts)
Walsh MJ (*see* Parker et al). 2005;46:S23 (Research Forum abstracts)
Walsh P, Bhakta H, Cortez V. Boarding inpatients in the emergency department: patient preferences. 2005;46:S40 (Research Forum abstracts)
Walsh P, Gonzales A, Sattar A, Artman B. Inter-rater reliability of a bronchiolitis severity assessment tool. 2005;46:S91 (Research Forum abstracts)
Walter J, Lenhardt RO, McDermott MF, Catrambone C, Dmochowska K, Weiss KB. Participant evaluation of a quality improvement collaborative. 2005;46:S92 (Research Forum abstracts)
Walter J, Lenhardt RO, McDermott MF, Catrambone C, Miller A, Uehara DT, Nordeman L, Mistry C, Kramer J, Weiss KB. Asthma patients presenting for emergency department care had high levels of morbidity that continued at 30 days: results from the Illinois Emergency Department Asthma Collaborative. 2005;46:S102 (Research Forum abstracts)
Walters BL (*see* Kowalenko et al). 2005;46:142–7
Wang HE (*see* Cole et al). 2005;46:S5 (Research Forum abstracts)
Wang N (*see* Doshi et al). 2005;46:369–75
Wang Y (*see* Graff et al). 2005;46:S60 (Research Forum abstracts), 2005;46:S60–S61 (Research Forum abstracts)
Wang Z (*see* Singer et al). 2005;46:S68 (Research Forum abstracts)
Ward J (*see* McManus et al). 2005;46:S46 (Research Forum abstracts)
Ward M (*see* D'Amore et al). 2005;46:S83–S84 (Research Forum abstracts)
Ward MF (*see* Barata et al). 2005;46:S54 (Research Forum abstracts), 2005;46:S57–S58 (Research Forum abstracts), 2005;46:S93–S94 (Research Forum abstracts)
Ward MF (*see* Vega et al). 2005;46:S54–S55 (Research Forum abstracts)
Warrington T, Gilmore RM, Giraldez EM, Weaver AL, Decker WW, Stead LG. Risk of subsequent acute coronary syndrome following emergency department presentation for transient ischemic attack. 2005;46:S2–S3 (Research Forum abstracts)
Wassermann J (*see* Hultin et al). 2005;46:S43 (Research Forum abstracts)
Waters M, McDonough J, Fox JC, Wiechmann W. Effect of a medical student rotation in emergency ultrasound on the number of scans performed by faculty and residents. 2005;46:S80 (Research Forum abstracts)
Waters M (*see* Joshi et al). 2005;46:S53 (Research Forum abstracts)
Wathen JE, Rewers AB, Yetman AT, Schaffer MS. Accuracy of ECG interpretation in the pediatric emergency department. 2005;46:507–11
Waxman DA (*see* Husk et al). 2005;46:S44 (Research Forum abstracts)
Waxman M (*see* Kwon et al). 2005;46:S77–S78 (Research Forum abstracts)
Wears RL, Cooper RJ, Magid DJ. Subgroups, reanalyses, and other dangerous things. 2005;46:253–5 (Editorial)
Wears RL, Magid DJ. Thinking globally, acting locally. 2005;46:61–3 (Editorial)
Wears RL. Patient satisfaction and the curse of Kelvin. 2005;46:11–12 (Editorial)
Weathers C (*see* Ogden et al). 2005;46:S33–S34 (Research Forum abstracts)
Weathers CC (*see* Lowe et al). 2005;46:S120 (Research Forum abstracts)
Weaver AL (*see* Mooney et al). 2005;46:S117 (Research Forum abstracts)
Weaver AL (*see* Schears et al). 2005;46:S20 (Research Forum abstracts), 2005;46:S117 (Research Forum abstracts)
Weaver AL (*see* Stead et al). 2005;46:S1–S2 (Research Forum abstracts)
Weaver AL (*see* Warrington et al). 2005;46:S2–S3 (Research Forum abstracts)
Webber T (*see* Davis et al). 2005;46:S100 (Research Forum abstracts)
Weber JE (*see* Diercks et al). 2005;46:S51 (Research Forum abstracts)
Weber RE (*see* Kenjarski et al). 2005;46:S103 (Research Forum abstracts)
Wedro BC (*see* Ochoa et al). 2005;46:470, 478 (Images in emergency medicine)
Wehner P (*see* Charles et al). 2005;46:S64 (Research Forum abstracts), 2005;46:S73 (Research Forum abstracts), 2005;46:S73–S74 (Research Forum abstracts)
Weigler A (*see* Perry et al). 2005;46:S48 (Research Forum abstracts)
Weil K (*see* Lefkowits et al). 2005;46:S112 (Research Forum abstracts)
Weinstock M (*see* Love et al). 2005;46:S12 (Research Forum abstracts)
Weisburd S (*see* DeSandre et al). 2005;46:S64–S65 (Research Forum abstracts)
Weiss EM (*see* Elshove-Bolk et al). 2005;46:S88–S89 (Research Forum abstracts)
Weiss JM (*see* Eidelman et al). 2005;46:343–51
Weiss KB (*see* Walter et al). 2005;46:S92 (Research Forum abstracts), 2005;46:S102 (Research Forum abstracts)
Weiss SJ (*see* Cheney et al). 2005;46:S32 (Research Forum abstracts)
Weiss SJ (*see* Ernst et al). 2005;46:S96 (Research Forum abstracts)
Weiss SJ (*see* Macias et al). 2005;46:S97 (Research Forum abstracts)
Welch C (*see* Qureshi et al). 2005;46:29–36
Welch K (*see* Domeier et al). 2005;46:123–31
Wells G (*see* Donoghue et al). 2005;46: 512–22 (Evidence-based emergency medicine)
Wells J (*see* Lewin et al). 2005;46:S86 (Research Forum abstracts)
Wenzel V (*see* Krismer et al). 2005;46:337–42
Werdehoff SG (*see* Ronan-Bentle et al). 2005;46:S111 (Research Forum abstracts)
Werdmann M (*see* Graff et al). 2005;46:S60 (Research Forum abstracts), 2005;46:S60–S61 (Research Forum abstracts)
Werner SL, Jones RA, Goldstein JR, Cydulka RK. Pilot study to evaluate the accuracy of ultrasound in confirming endotracheal tube placement. 2005;46:S4 (Research Forum abstracts)
Wetzel LE (*see* Giasi et al). 2005;46:S70 (Research Forum abstracts)
Wetzel ML (*see* Giasi et al). 2005;46:S70 (Research Forum abstracts)
Whitaker B (*see* Chandra et al). 2005;46:S61 (Research Forum abstracts)
White J, Shingles J, Heller M. Neseritide versus nitroglycerin for congestive heart failure: a

randomized trial. 2005;46:S116 (Research Forum abstracts)
White P, Bahner DP, Fishman A, Glinski J, Khandelwal S, Post D, Gatto J, Damewood S. The effect of information delivery on patient satisfaction in the emergency department. 2005;46:S120–S121 (Research Forum abstracts)
Wiechmann W (*see* Waters et al). 2005;46:S80 (Research Forum abstracts)
Wieters JG (*see* Henson et al). 2005;46:S37 (Research Forum abstracts)
Wilber ST (*see* Stiffler et al). 2005;46:S28 (Research Forum abstracts)
Wilets I (*see* Natarajan et al). 2005;46:S94 (Research Forum abstracts)
Willett M (*see* Papa et al). 2005;46:S23–S24 (Research Forum abstracts)
Williams DR (*see* Summers et al). 2005;46:177–84 (Concepts)
Williams E (*see* Meza et al). 2005;46:S15 (Research Forum abstracts)
Williams GC (*see* Katz et al). 2005;46:525–33
Williams JM, Mueller MJ, Martin W. Surge capacity planning: a new paradigm. 2005;46:S69 (Research Forum abstracts)
Williams RM. The costs of visits to emergency department—revisited. 2005;46:471–2 (Correspondence)
Wilson AG (*see* Jackson et al). 2005;46:S107 (Research Forum abstracts)
Wimpfheimer Z, Bentancur A. Chest radiograph findings of aortic dissection as a function of patients' age, sex and dissection type. 2005;46:S41 (Research Forum abstracts)
Winkel K (*see* Hogan et al). 2005;46:206–7 (Correspondence reply)
Winslow JA, Goodman C, McMahon B. Unnecessary prehospital spinal immobilization. 2005;46:S61 (Research Forum abstracts)
Winslow JE III. Retrospective review of relationship between spectator illness and temperature at Division I football games. 2005;46:S30 (Research Forum abstracts)
Winter AO. The prevalence of pathogenic bacteria on emergency department division curtains. 2005;46:S47–S48 (Research Forum abstracts)
Wira C (*see* Garcia et al). 2005;46:S17 (Research Forum abstracts)
Wisenbaugh T (*see* Hurtado and Wisenbaugh). 2005;46:303 (Images in emergency medicine)
Wisner DH (*see* Holmes et al). 2005;46:232–6
Wittlake WA (*see* Losey et al). 2005;46:S18 (Research Forum abstracts)
Wittlake WA (*see* Nguyen et al). 2005;46:S83 (Research Forum abstracts)
Wittler MA (*see* Lavonas et al). 2005;46:207–8 (Correspondence)
Wolf C (*see* Cydulka et al). 2005;46:316–22
Wolf SJ, Ahmadian CL, Peery BN, Smith BG, McCubbin TR, Jacobs T, Bruggman AR, Haukoos JS. Emergency department predictors of in-hospital morbidity and mortality in patients diagnosed with pulmonary embolism. 2005;46:S98–S99 (Research Forum abstracts)
Wolf SJ (*see* Nordenholz et al). 2005;46:S10–S11 (Research Forum abstracts)
Wolf SJ (*see* Ungar et al). 2005;46:S110 (Research Forum abstracts)
Wolfe RE (*see* Kennedy et al). 2005;46:393–400, 2005;46:S105 (Research Forum abstracts)
Wong E (*see* Ngo et al). 2005;46:S51 (Research Forum abstracts)
Woo B (*see* Masser et al). 2005;46:S14–S15 (Research Forum abstracts)
Woo WWK, Man S-Y, Lam PKW, Rainer TH. Randomized double-blind trial comparing oral paracetamol and oral nonsteroidal anti-inflammatory drugs for treating pain after musculoskeletal injury. 2005;46:352–61
Wood J (*see* Richman et al). 2005;46:S98 (Research Forum abstracts)
Woolfrey K (*see* Al Darrab et al). 2005;46:S40–S41 (Research Forum abstracts)
Worster A, Fernandes CMB. Paper case scenarios in the assessment of triage tools. 2005;46:203–4 (Correspondence)
Worster A (*see* Al Darrab et al). 2005;46:S40–S41 (Research Forum abstracts)
Worthy D (*see* Irvin and Worthy). 2005;46:S119 (Research Forum abstracts)
Wright SB (*see* Kennedy et al). 2005;46:393–400, 2005;46:S105 (Research Forum abstracts)
Wynia MK (*see* Larkin et al). 2005;46:S58 (Research Forum abstracts)
Wynn B (*see* Rossman et al). 2005;46:S96 (Research Forum abstracts)

Y

Yarema MC (*see* Sivilotti et al). 2005;46:263–71
Yarnish A (*see* Reznikova et al). 2005;46:S82 (Research Forum abstracts)
Yates R, Hiestand B. The effects of race, age and sex on time to first ECG in patients with acute coronary syndrome. 2005;46:S10 (Research Forum abstracts)
Yealy DM (*see* Cole et al). 2005;46:S5 (Research Forum abstracts)
Yetman AT (*see* Wathen et al). 2005;46:507–11
Yoo I (*see* Kim et al). 2005;46:S68–S69 (Research Forum abstracts)
Young A (*see* Mayer and Young). 2005;46:385–6 (Correspondence)
Young D (*see* Greve et al). 2005;46:S86 (Research Forum abstracts)
Young S, Coon TP, Miller MA. Is digital intubation an option for emergency physicians in definitive airway management? 2005;46:S6 (Research Forum abstracts)
Young S (*see* Coon et al). 2005;46:S28 (Research Forum abstracts)
Young SE, Levsky ME, O'Rourke MC. [Carpometacarpal dislocation]. 2005;46:13, 21 (Images in emergency medicine)
Yursik B, Mills LD, Mills TJ. The impact of cocaine use in patients with new onset congestive heart failure. 2005;46:S56 (Research Forum abstracts)

Z

Zagorski J (*see* Mitchell et al). 2005;46:S68 (Research Forum abstracts)
Zaritsky A (*see* Qureshi et al). 2005;46:29–36
Zaritsky AL. Out-of-hospital pediatric cardiac arrest: where are we now and where do we need to go? 2005;46:523–4 (Editorial)
Zervos M (*see* O'Sullivan et al). 2005;46:S19–S20 (Research Forum abstracts)
Zeserson E (*see* Gaieski et al). 2005;46:S4 (Research Forum abstracts)
Zieske M (*see* Nordenholz et al). 2005;46:S10–S11 (Research Forum abstracts)
Zimmerman TR Jr (*see* Iannuzzi et al). 2005;46:S106 (Research Forum abstracts)
Zun L (*see* Houston et al). 2005;46:S100–S101 (Research Forum abstracts)
Zwank M (*see* Hultin et al). 2005;46:S43 (Research Forum abstracts)